# AMENDMENT TO AGREEMENT OF PURCHASE AND SALE

 $\overline{x}$ = 2 西西区

AMANDEEP SINGH GILL (individually or collectively called the "PURCHASER")

AND-

KINGSMEN (THAMES) INC. (the "Vendor")

RE: The sale by the Vendor to the Purchaser of Lot 42. WODSTOCK, Ontario (hereinafter called the "Property")

WHEREAS the Purchaser and the Vendor have previously entered into an agreement of purchase of sale with respect to the Property (the "Purchase Agreement");

AND WHEREAS the parties wish to amend the terms of the Purchase Agreement as hereinafter set out and with all capitalized terms having the meaning given to them in the Purchase Agreement unless otherwise set out herein;

AND WHEREAS the parties hereto acknowledge and agree that this amending agreement is being entered into voluntarily; that the parties further acknowledge that the Purchaser has no obligation to sign the Amendment; and that the purchase transaction will still be valid if the Purchaser does not sign this Amending Agreement;

NOW THEREFORE THESE PRESENTS WITNESSETH that in consideration of the payment of the sum of \$2.00 and the exchange of the covenants and agreements contained in this amendment and for other good and valuable consideration (the receipt and sufficiency of which is expressly acknowledged by the parties hereto), the Vendor and the Purchaser covenant and agree with the other as follows:

The Vendor and Purchaser hereby agree to amend the agreement of purchase and sale between them with respect to the Property, dated the 14th day of August, 2019 including amendments, if any, as follows:

DELETE:

\*

door willnot have a glass insert but a peep hole

INSERT:

1) Vendor agress to cap the charge for an assignment clause @\$10,000.00. All other terms and conditions pertaining to Schedule G re. Assignment Clause remain unchanged.

2) Vendor agrees to increase the size of the front to 42 inches wide door, which will have no side lights or transom, and the

Dated at Woodstock, Ontario this 1st day of September, 2019

Witness JESMEC'D

Purchaser - AMANDEEP SINGH GILL

Amery

Dated at Toronto, Ontario this Authorized Signing Officer KINGSMEN (THAMES) INC day of September, 2019

### PURCHASER'S EXTRA SCHEDULE "PE"


	42	1 N	Vendor	KINGSMEN (THAMES) INC.
EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE	House Type Spencer (4204) Elev C 4 Bed - 4+1 Bath, 3,055 SQ. Stdfillard			MES) INC.
DED IN PURCHASE	Reg. Plan # Draft Approval SB17-03-08		Purchaser(s) Telephone Number:	AMANDEEP SINGH GILL
PRICE	Closing Date 26-Jan-2022		ī	GILL
	Date Ordered 14-Aug-2019			

- This is your direction to install the above extras on the following terms and conditions:

  1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to
- w It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

AMANDEEP SINGH GILL



Vendor KINGSMEN (THAMES) INC

Construction Scheduling Approve

Vendor: KINGSMEN (THENNES) INC

Page 1 of 2

Lot No.:42

Plan No.:Draft Approval SB17-03-08

### SCHEDULE Havelock Corners "A" Features and Finishes

## 42' DETACHED Lot 42 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Model: Spencer (4204) Elev C 4 Bed - 4+1 Bath

## QUALITY EXTERIOR CONSTRUCTION 1. Architecturally inspired front elevations, in

- Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan.

  All exterior elevations and colour schemes, including brick selection, are TANIA HIIM
- S 12 Architecturally Controlled as part of pre-selected exterior colour packages MAINTENANCE FREE COLUMNS AND RAILINGS (only where where
- S 4 SLIDING DOORS, with sealed thermopane glass panels. CASEMENT WINDOWS THROUGHOUT main and secc Basement windows are sliders. All operable windows are pre-de the builder and will have screens. Some front and side palladium, transom, octagon and other accent windows to be 1 required by grade), per applicable elevation.

  MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND second floor. designed by elevation
- 6 glass, as per elevation.

  RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages. paint finish, are
- 5.98.7 Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing
- Two exterior water taps with interior shut-off.
- Two exterior weather-proof electrical outlets with ground One outlet to be located near front entrance and equipped not switched illet to be located near front entrance and equipped with interior. The second outlet, will be located at the rear of the house and is fault wiring.
- Community to have paved roads, curbs, storm and sanitary sewers.

- Community was a Porches to be poured concrete.

  Garage floor to be poured concrete with steel reinforcing.

  Garage floor to be poured concrete with steel reinforcing. eavestroughs and down
- pipes as per elevation.
  15. 7/16" plywood roof sheathing.
  16. Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.
- Steel-beam construction in basement, where applicable.
- 17. Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.

  Basement floor to be poured concrete.

  Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry
- 20. Upgraded, STEEL OR FIBREGLASS HARMOND windows, door with glass insert, sidelights and/or transom windows, or with glass insert, sidelights and/or transom windows, as per plan.

  All exterior doors are insulated, with energy efficient weather stripping
- Elegant brushed nickel-finish grip set on front door.
   Precast concrete slab walkway from driveway to main porch entrance.
   Any applicable rear patio will be precast concrete slabs.

## 1. All framing in accordance with Ontari

- municipal requirements. Construction of homes inspected at specified stages by municipal officials. Ontario Building Code and local
- All exterior walls of habitable areas constructed with 2" x 6" framing
- 4 00 12 Professionally engineered roof trusses, as per UPGRADED %" SPRUCE PLYWOOD screwed and sanded at joints r plan. SUBFLOOR, to be glued,
- 0 5
- UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
  All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement
- VAULTED AND COFFERED CEILINGS, as per plan
- 987
- Ceiling heights to be 9' on main floor and 9' on second floor.

  Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered

- KITCHENS

  1. LUXURIC LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS,
- 2. SINK. a selection of colours, from builders standard samples, as per plan. DOUBLE COMPARTMENT UNDERMOUNT STAINLESS STEEL
- 4.3
- SINGLE LEVER FAUCET with pull out spout, in chrome finish Stainless steel exhaust hood fan over stove, vented to exterior.

- Choice of cabinets in a variety of colours and styles, from Builder's
- 6 samples.

  Electrical outlets for stove, Ontario Building Code requirements fridge countertop appliances as per
- Rough-in wiring and plumbing for dishwasher hook-up
- Open dishwasher space as per plan (Optional filler base (available).

  Flush BREAKFAST BARS as per plan.

  Designer KITCHEN ISLANDS and PENINSULAS, as per plan. cabinet
- 9.

- BATHROOMS
  1. ELONGATED
  2. SEPARATE S
- SEPARATE ELONGATED, COMFORT HEIGHT TOILETS SEPARATE SHOWER STALL with FRAMLI FRAMLESS GLASS in Master

be faux black

- 4. Ensuite, all other showers to receive a curtain rod, as per plan SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic from Builder's standard samples
- 9 0
- Standard white bathroom fixtures from Builder's samples. SINGLE LEVER FAUCETS in all vanities, shower controls with
- 7 built-in temperance balance regulators Choice of vanity cabinets and lami and laminate countertops Builder's
- 9 00
- samples.

  OVERSIZED MIRRORS IN ALL BATHROOMS.

  POWDER ROOM VANITY (not a pedestal sink) as per plan

- INTERIOR FINISHES
  1. UPGRADED 3" COL AND WINDOW OPENINGS, COLONIAL CASING AND TRIM FOR ALL DOORS
  OPENINGS, 5 "COLONIAL BASEBOARD."
- Quarter round installed on all hard surfaces.
  TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR DOORS, including closets, as per plan.
  BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- $\omega$ have privacy locks.
- 4. COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RI STRINGERS AND NOSING IN NATURAL OR STAIN FINISH. ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
- 9.0
- ELEGANI FULL HEIGHT OK HALF COLUMNS, as per plan.

  TRIMMED OPENINGS on main floor as per plan (excluding rounded

- 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

  2. 3 ½" x ½" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

  3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard. FLOORING
  1. Choice of
  - 2
- S

- SINGLE LAUNDRY TUB located as per plan
- LAUNDRY ROOM
  1. SINGLE LAUNDR
  2. Plumbing and electrons ε. 4. location per plan.

  Heavy-duty electrical outlet for dryer and electrical outlet for washer.

  Exterior wall vent provided for dryer. Plumbing and electrical provided laundry equipment hook-up,

- ELECTRICAL

  1. 200 amp circu
- 200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.

- 9. 9799499 FRONT DOOR CHIME.

  ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.

  ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.

  SMOKE DETECTOR ON EACH LEVEL.

  CARBON MONOXIDE DETECTOR, as per Ontario Building Code.

  CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER

Milos 2

- 10 D. TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

  Exhaust fans to be provided in all washrooms, as per specifications.

  SHOWER STALL LIGHT (as per plan).

  WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS.

- Light switches to be located at child-accessible height.

  DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where applicable.

- HOME COMFORT

  1. High efficiency gas2. HEAT RECOVERY
  3. Energy efficient g High efficiency gas-fired forced air furnace with electronic ignition. HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to er
- rent-to-own agreement with supplier at Closing).
  GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan 22

## PAINTING FINISHES

- door and trim to be painted Kingsmen white
- 2 All interior ceilings to be smooth throughout

- COLOUR SELECTION AND FINISHES
   All colour and finishing selections are 1 All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of colour and finishing selections
- 2 upgrades.

  The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available
- S The purchaser acknowledges and agrees that variations in colour a shade uniformity may occur and the colours, patterns and availability samples displayed in the Presentation Centre and/or Model Homes m vary from those displayed and available at the time of colour selection. may and of

## TARION WARRANTY CORPORATIONS COVERAGE 1. Seven years: MAJOR STRUCTURAL DEFECTS. 2. Two years: PLUMRING 1177

- Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.
- w 4. One year: ALL OTHER ITEMS
  Purchaser agrees to pay the Ta TARION warranty enrollment fee on closing as an

## NOTE TO PURCHASERS

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing streetscapes.

  Number of steps at front and rear yard may vary from that shown
- 'n 2
- dropped to accommodate mechanical and/or structural systems. Home to be finished in a good, workman like manner. Purchaser acknowledges that basement and garage areas are unfinished according to grading conditions and municipal requirements.

  Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be vary from standard, where ceilings must be
- 4 12
- 7.0 Options shown on floor plan are available at an extra cost Exterior renderings used for marketing purposes are A
- only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only.

  Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation.

  The Princhasse in the content of the princhasse in the
- 00
- 9. installed or ordered from the supplier

  a. All ceramic tile floors where illustrated as per plans;

  b. Cabinets and Laminate countertops in kitchen and bathrooms;

  c. Ceramic wall tile in tub/shower areas. The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been

- per plans, making cole One selection throughout home where illustrated as
- 10. In making colour and material selections and upgra acknowledges being advised and accepts the following: Purchaser

- a. that all light coloured materials, especially nournes, may refading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not be warrantable.

  b. Natural materials such as granite, marble, and wood or wood composites, are subject to natural variations in colour and grain; and ceramic tile and the subject to pattern, shade and colour variations from 2
- 5
- c. any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure. ç
- d.
- d. transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses.

  e. the supply and manufacture of kitchen design, cabinetry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle 0
- The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- 12 may be different than those indicated on brochures and ceilings and ve be modified to accommodate mechanical systems, and the Purchaser accept such modifications.

  The Purchaser acknowledges and accepts that all dimensions The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may agrees to
- 13 Agreement are approximate, windows and accepts that all dimensions in this depending on elevations selected, and actual usable floor space may vary from the stated floor area.
- 14. grade may vary. The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to
- 15 The Purchaser agrees that the following are not included in the Purchic: Drapes and tracks, wallpaper, farmiture, appliances, dining room fixture, central vacuum system, air conditioning, security system, rear d painted lower level floor, lawn sprinkler system, planting and landsce except as noted in Schedule A. in the Purchase landscaping rear decks,
- 16. The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the subject of this Agreement
- 17. The Purchaser acknowledges that the lot including the home being onstructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site. 17

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL
OR BETTER VALUE E. & O. E.


SCHEDULE "A" Page 2 of 2

Purchaser AMANDEEP SINGH GILL

Jman

Vendor: KINGSMEN (THAMES) INC

Lot 42 Phase 4B Model: Spencer (4204) Elev C 4 Bed - 4+1 Bath Standard




## BASEMENT EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3





### SECOND FLOOR EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.


SCHEDULE "B-1" -Page 2 of 3

A

Initials:

inMS\_014.rpt 22Sep18

Lot 42
Phase 4B
Model: Spencer (4204) Elev C 4 Bed - 4+1 Bath
Standard



## GROUND FLOOR EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials: