

PURCHASER'S EXTRA SCHEDULE "PE"

	vendor	17.	KINGSMEN (THAMES) INC.		
Telephone Number:	Purchaser(s)	JINAN SARGONI	SHARLI SARGONI		

ot / Townhouse No House Type
Arthur (4205) Elev C 4 Bed - 4+1 Bath, 3,170 SQ.
Corner IEEE tandard EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE Draft Approval SB17-03-08 Reg. Plan # Closing Date 28-Apr-2022 Date Ordered 14-Sep-2019

5 FREE APPLIANCES – STAINLESS WASHER AND DRYER (SUPPLIED ARRANGE DELIVERY – CALL THI VENDOR TO INSTALL CAPPED GA LOCATION. LOCATION TO BE FIN VENDOR TO INCLUDE 110V CODE R VENDOR TO SUPPLY & INSTALL A STANDARD SAMPLES. VENDOR TO INCLUDE ENGINEER LIEU OF INCLUDED CARPET, AS P INCLUDED ENGINEERED HARDW	10	∞	7	6	O.	T		
SSTEEL FRONT - FRIDGE; STOVE AND DISHWASHER, WHITE ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO E BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850. IS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ VALIZED AT VENDORS SOLE DISCRETION. ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER EQUIREMENT. ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER EQUIREMENT. JR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS LR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS BED HARDWOOD FLOORING THROUGHOUT THE SECOND FLOOR IN GER PLAN, AND SELECTIONS AS OUTLINED IN SCHEDULE A FOR OOD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE.	VENDOR TO INCLUDE ENGINEERED HARDWOOD FLOORING THROUGHOUT THE SECOND FLOOR IN LIEU OF INCLUDED CARPET, AS PER PLAN, AND SELECTIONS AS OUTLINED IN SCHEDULE A FOR INCLUDED ENGINEERED HARDWOOD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE.	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY – CALL THE BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850.			

to the purchaser. with the same is to be cancelled and any deposit paid in connection with the same is to be refunded ed without

- 2 The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in
- Ÿ. connection with the same shall be returned to the purchaser.

 It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser
- 4. 10. Extras or changes will not be processed unless signed by the Vendor
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons





Lot No.:98

Havelock Corners

SCHEDULE "A" Features and Finishes

42' DETACHED

Lot 98 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Arthur (4205) Elev C 4 Bed - 4+1 Bath

QUALITY EXTERIOR CONSTRUCTION 1. Architecturally inspired front elevations, in

- Architecturally inspired front elevati STONE ACCENTS, VERTICAL SIDING OR HORIZONTAL VINYL d front elevations, including CLAY BRICK WITH
 VERTICAL BOARD AND BATTEN VINYL SIDING as per plan
- All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages.
 MAINTENANCE FREE COLUMNS AND RAILINGS (only where
- 4. required by grade), per applicable elevation.

 MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND
- S SLIDING DOORS, with sealed thermopane glass panels.

 CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transom, octagon and other accent windows to be faux black
- and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages. Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing. glass, as per elevation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are are

- 7. 8. 9. Two exterior water taps with interior shut-off.

 Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is

- pipes as per clevation Community to have paved roads, curbs, storm and sanitary sewers Porches to be poured concrete.

 Garage floor to be poured concrete with steel reinforcing.

 Pre-finished, maintenance-free soffits, fascia, eavestroughs and and down
- 7/16"
- 7/16" plywood roof sheathing.
 Upgraded self scaling, 30 YEAR ASPHALT SHINGLES
- for additional protection against basement leaks Library Halls are poured concrete with damp proofing system.

 Library Halls are poured concrete with damp proofing system.

 Library Halls are poured concrete with damp proofing system. Steel-beam construction in basement, where applicable. Basement walls are poured concrete with damp
- 19. Basement floor to a 20. Upgraded, STEEL (). Basement floor to be poured concrete.
). Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass insert, sidelights and/or transom windows, as per plan.
- All exterior doors are insulated, with energy efficient weather stripping
- and dead bolt lock.

 Elegant brushed nickel-finish grip set on front door.

 Precast concrete slab walkway from driveway to n
 Any applicable rear patio will be precast concrete slab concrete slabs main porch entrance.

CENERAL INTERIOR CONSTRUCTION 1. All framing in accordance with Ontari

- stages by municipal officials. All exterior walls of habitable areas constructed with 2" \times 6" framing. framing requirements. accordance with Ontar ements. Construction of Ontario Building Code homes at and specified

- 4 8 2 Professionally engineered roof trusses, as per UPGRADED 3/2" SPRUCE PLYWOOD er plan. SUBFLOOR, ಕ be glued
- 6 5 screwed and sanded at joints.

 UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement Roof of habitable areas
- 9 8 7 VAULTED AND COFFERED CEILINGS, as per plan Ceiling heights to be 9' on main floor and 9' on second on second floor.
- Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered

- LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS, in a selection of colours, from builders standard samples, as per plan.

 DOUBLE COMPARIMENT UNDERMOUNT STAINLESS STEEL
- 12
- ω 4. SINGLE LEVER FAUCET with pull out spout, in chrome finish Stainless steel exhaust hood fan over stove, vented to exterior.
- steel exhaust hood fan over stove,

- 5. Choice of cabincts in a variety of colours and styles,
- 6 Electrical outlets for stove, fridge and countertop appliances from Builder's
- · .7 Rough-in wiring and plumbing for dishwasher hook-up

Ontario Building Code requirements

- 9 Open dishwasher space plan (Optional filler base
- Flush BREAKFAST BARS as per plan.

 Designer KITCHEN ISLANDS and PENINSULAS, as

BATHROOMS

- ELONGATED, COMFORT HEIGHT TOILETS.
 SEPARATE SHOWER STALL with FRAMLESS GLASS
- 4 4 Ensuite, all other showers to receive a curtain rod, as per plan SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

 Standard white hather a feel for the standard samples.
- 6 5
- Standard white bathroom fixtures from Builder's samples. SINGLE LEVER FAUCETS in all vanities, shower controls with
- 7. built-in temperance balance regulators. Choice of vanity cabinets and laminate from Builder'
- 9 00
- samples.

 OVERSIZED MIRRORS IN ALL BATHROOMS.

 POWDER ROOM VANITY (not a pedestal sink) as per plan.

- INTERIOR FINISHES
 1. UPGRADED 3" COL AND WINDOW COLONIAL CASING AND TRIM FOR ALL DOORS V OPENINGS, 5 1/2" COLONIAL BASEBOARD.
- 2 Quarter round installed on all hard surfaces.
 TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR
- 4 ω DOORS, including closets, as per plan.

 BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- 6.5
- have privacy locks.

 COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL OR STAIN FINISH.

 ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

 TRIMMED OPENINGS on main floor as per plan (excluding rounded)

- FLOORING

 E. 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

 d. 2. 3 ½" x ¾" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

 3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard.

- LAUNDRY ROOM
 1. SINGLE LAUNDI
 2. Plumbing and cle SINGLE LAUNDRY TUB located as per plan.
 Plumbing and electrical provided for laundry location per plan equipment hook-up,
- Heavy-duty electrical outlet for dryer and electrical outlet for washer
- Exterior wall vent provided for dryer.

ELECTRICAL

- 200 amp circuit breaker panel with copper wiring throughout.
 All wiring in accordance with Ontario Building Code standards.
 INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIME.

- ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.
 SMOKE DETECTOR ON EACH LEVEL.
 CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
 Electrical outlet in the garage for automatic garage door opener as I per
- THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER

- TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
 Exhaust fans to be provided in all washrooms, as per specifications.
 SHOWER STALL LIGHT (as per plan).
 WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS.
- 14. Light switches to be located at child-accessible height DECORATIVE BLACK COACH LAMP AT FRON and side entries, where applicable. AT FRONT AND REAR

HOME COMFORT 1. High efficiency ga

- High efficiency gas-fired forced air furnace with electronic ignition.
 HEAT RECOVERY VENTILATOR (HRV), as required.
 Energy efficient gas-fired hot water tank (Purchaser to entrent-to-own agreement with supplier at Closing).
 GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan. enter

- PAINTING FINISHES
 1. All interior walls, throughout interior walls, door and trim to be painted Kingsmen white
- All interior ceilings to be smooth throughout.

- 1. All colour and finishing selections are 1 All colour and training selections are to control of the colour and training selections are to control of the colour to assist in Group Inc. provides the services of a professional decorator to assist in the colour finishing selections and the selection of
- 2 upgrades.

 The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which
- S. The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may from those displayed and available at the time of colour selection. of

- TARION WARRANTY CORPORATIONS COVERAGE
 1. Seven years: MAJOR STRUCTURAL DEFECTS.
 2. Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS Two years: PLUMBING, ENVELOPE. MAJOR STRUCTURAL LUMBING, HEATING, I ELECTRICAL SYSTEMS AND BUILDING
- w 4. One year: ALL OTHER ITEMS Purchaser agrees to pay the T. TARION warranty enrollment fee On closing as 2
- NOTE TO PURCHASERS

 1. Exterior colours are arcl colours are architecturally controlled and selected by the builder
- 2 to provide pleasing streetscapes.

 Number of steps at front and rear yard may vary from requirements that shown
- ယ Ceilings systems. Ceiling heights may vary from standard, where ceilin dropped to accommodate mechanical and/or structural systems. Home to be finished in a good, workman like manner. according to grading conditions and municipal Ceilings and walls may be modified to may be modified to accommodate ceilings must mechanical
- 5.4
- areas. Purchaser acknowledges that basement and garage areas are unfinished
- 7.6
- 00 Options shown on floor plan are available at an extra cost.

 Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only.

 Terms "as per elevation" or "as per plan" refer to illustrations provided in
- 9.
- marketing documentation.

 The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been installed or ordered from the supplier
- Ģ Þ
- All ceramic tile floors where illustrated as per plans; Cabinets and Laminate countertops in kitchen and bathrooms; Ceramic wall tile in tub/shower areas.
- per plans. selection throughout home where illustrated
 - One
- Purchaser
- 10. In making colour and material selections and upgra acknowledges being advised and accepts the following: the

- that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not be unarrountable.
- 6 Natural materials such as granite, marble, are subject to natural variations in colour broadloom are subject to pattern, shade manufacturer and wood or wood composites, and grain; and ceramic tile and
- when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure. C any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter
- flooring material thicknesses.
- e. the supply and manufacture of kitchen design, cabinctry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinery and countertops, with standard appliance openings and electrical receptacle e.
- Ξ The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- 12. The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may be modified to accommodate mechanical systems, and the Purchaser agrees to
- 13. accept such modifications
 The Purchaser acknow . Ine Purchaser acknowledges and accepts that all dimensions Agreement are approximate, windows and actual square footages m depending on elevations selected, and actual usable floor space may withe stated floor area. footages may vary pace may vary from
- 14. grade may The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to
- . The Purchaser agrees that the following are not included in the Purchase Price: Drapes and tracks, wallpaper, furniture, appliances, dining room light fixture, central vacuum system, air conditioning, security system, rear decks, painted lower level floor, lawn sprinkler system, planting and landscaping except as noted in Schedule A.
- 16. The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the subject of this Agreement.
- 17. The Purchaser acknowledges that the lot including the home being onstructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site. 17

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL
OR BETTER VALUE E. & O. E.

SCHEDULE "A" Page 2 of 2


Purchaser -Purchaser -HS JINAN SARGONI ARLI SARGONT KINGSMEN (THAMES) INC


inMS_704a.rpt 10oct18

Moterials, specifications, and floor plans are subject to change without notice. All renderings are artist conceptions. All floor plans are approximate almensions. Actual usoble floor space may vary from the stated floor area. E. 6 E.O.

24 LODA 89 702

ARTHUR - CORNER Unit 4205 - El. CI






LEFT SIDE ELEVATION

Unit 4205 - EI. CI ARTHUR - CORNER Lor 98 Mass 4B

Materials, specifications, and floor plane are subject to change without notice. All renderings are critist conceptions. All floor plans are approximate dimensions. Actual usable floor space may vany from the stated floor area. E. E.E.O.


1/2

Scholled B.2



Materials, specifications, and floor plans are subject to change without notice. All renderings are artist conceptions. All floor plans are approximate dimensions. Actual usable floor space may vary from the stated floor area. E. & E.O.


Schelule B1



Unit 4205 - El. Cl ARTHUR - CORNER Lot 98 Mare 45

Makerials, specifications, and floor plans are subject to change without notice. All renderings are artist conceptions. All floor plans are approximate dimensions. Actual usable floor space may vary from the stated floor area. E. & E.O.

chidal B/ 2/3



BASEMENT PLAN

Schalule &1