### SCHEDULE "PE"

PURCHASER'S EXTRA

40 5 7

DILPREET JHANDI

2,455 SQ Purchaser(s)
Telephone Number: Reg. Plan#

.ot / Townhouse

No

House Type John (4201) Elev B 4 Bed - 2+1 Bath,

Stellilland

EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE

Draft Approval SB17-03-08

Closing Date 07-Apr-2022

Date Ordered 17-Nov-2019

Vendor

KINGSMEN (THAMES) INC.

9 7 6 S 4 VENDOR TO INCLUDE ENGINEERED HARDWOOD FLOORUNG THROUGHOUT THE SECOND FLOOR HALLWAY IN LIEU OF INCLUDED CARPET, AS PER PLAN, AND SELECTIONS AS OUTLINED IN SCHEDULE A FOR INCLUDED ENGINEERED HARDWOOD ON THE MAIN FLOOR. THIS HAS NO CASH VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES. VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PERPLAN) TO INCLUDE 110V CODE REQUIREMENT. 5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE). A BAD BOY APPLIANCES VOUCHER WILL BE GIVEN BY OUR DECOR CONSULTANT AT THE TIME OF BOOKING YOUR COLOUR APPOINTMENT. VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.

This is your direction to install the above extras on the following terms and conditions:

- to the purchas entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without same is to be refunded
- 12 connection with the same shall be returned to the purchaser. the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to
- w Purchaser, the total cost of extras ordered are not refundable to the purchaser. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the
- 4 0 Extras or changes will not be processed unless signed by the Vendor
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons and David Parsons

Purcháser - DILPREET JHANDI

Vendor

KINGSMEN (THAMES) INC.

Construction Scheduling Approval

KINGSMEN (THAMES) INC

Page I of 1

## Havelock Corners

### SCHEDULE "A" Features and Finishes

### Lot 99 Phase: 4B Plan: Draft Approval SB17-03-08 42' DETACHED

# QUALITY EXTERIOR CONSTRUCTION 1. Architecturally inspired front elevations, in

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan.
All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages. MAINTENANCE FREE COLUMNS AND RAILINGS (only where

w. 12

4.

S required by grade), per applicable elevation.

MAINTENANCE FREE, LOW E ARGON VINYI. WINDOWS AND SLIDING DOORS, with sealed thermopane glass panels.

CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation than the form the builder and will have screens. palladium, transom, octagon and other accent windows to be faux black

6. glass, as per elevation.

RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts are followed individual doors are and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages

Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing.

Two exterior water taps with interior shut-off.

7. 9. 10. . Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched

Community to have paved roads, curbs, storm and sanitary sewers.

Porches to be poured

Porches to be poured concrete.

Garage floor to be poured concrete with steel reinforcing

Pre-finished, maintenance-free soffits, fascia, eavestroughs and down

pipes as per elevation 7/16" plywood roof

7/16" plywood roof sheathing Upgraded self sealing, 30 YE/ 30 YEAR ASPHALT SHINGLES

15. 16. 17. for additional protection against basement leaks. Steel-beam construction in basement, where applicable.

Basement walls are poured concrete with damp proofing system.

Exterior drainage membrane provided at basement area and weeping tiles

Basement floor to be poured concrete.
 Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass insert, sidelights and/or transom windows, as per plan.

and dead bolt lock. All exterior doors are insulated, with energy efficient weather stripping

Elegant brushed nickel-finish grip set on front door.
 Precast concrete slab walkway from driveway to main porch entrance.
 Any applicable rear patio will be precast concrete slabs.

## 

municipal requirements. Co stages by municipal officials Construction of homes inspected at specified Ontario Building Code and

4 50 12 All exterior walls of habitable areas constructed with 2" x 6" framing.

Professionally engineered roof trusses, as per plan.

UPGRADED %" SPRUCE PLYWOOD SUBFLOOR, to ewed and sanded at joints be glued,

0 0 UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

floor) All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement

VAULTED AND COFFERED CEILINGS, as per plan

9.8.7

Ceiling heights to be 9' on main floor and 9' on second floor.

Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered

- KITCHENS

  1. LUXURIO LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS, Ξ.
- 2 SINK. a selection of colours, from builders standard samples, as per plan. DOUBLE COMPARTMENT UNDERMOUNT STAINLESS STEEL
- 4. 4.
- SINGLE LEVER FAUCET with pull out spout, in chrome finish Stainless steel exhaust hood fan over stove, vented to exterior.

- Model: John (4201) Elev B 4 Bed 2+1 Bath Choice of cabinets in a variety of colours and styles,
- 6 samples. Electrical outlets for stove, fridge and countertop appliances as per from Builder's
- 8.7 Ontario Building Code requirements Rough-in wiring and plumbing for d dishwasher hook-up
- available). Flush BREAKFAST BARS as per plan. ). Designer KITCHEN ISLANDS and PENINSULAS, as per Open dishwasher space as per plan (Optional filler base cabinet
  - 9.

### BATHROOMS 1. FLONGATEL

- 2 SEPARATE FLONGATED, COMFORT HEIGHT TOILETS SEPARATE SHOWER STALL with FRAMLI FRAMILESS GLASS in Master

- w 4. skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

  Standard white bathroom fixtures from Builder's samples.

  SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance remains. Ensuite, all other showers to receive a curtain rod, as per plan SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub,
- 6 5
- 7 built-in temperance balance regulators. Choice of vanity cabinets and laminate countertops from Builder's
- samples.

  OVERSIZED MIRRORS IN ALL BATHROOMS
- POWDER ROOM VANITY (not a pedestal sink) as per plan

- INTERIOR FINISHES
  1. UPGRADED 3" COL Quarter round installed on all hard surfaces.
  TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR AND WINDOW OPENINGS, COLONIAL CASING AND TRIM FOR ALL DOORS
  OPENINGS, 5 1/4" COLONIAL BASEBOARD.
- 2 DOORS, including closets, as per plan.

  BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- ÿ
- 4. have privacy locks.

  COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RI
  STRINGERS AND NOSING IN NATURAL OR STAIN FINISH.

  ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
- 9 0 TRIMMED OPENINGS on main floor as per plan (excluding rounded

- 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

  2. 3 '2" x "2" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

  3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour FLOORING
  1. Choice of
  - 12
- 40 OZ POLYESTER BROADLOOM WITH IImm UNDERPAD in all second floor non-tiled areas. Choice of one throughout from Builder's standard samples and berber standard.

### LAUNDRY ROOM

- SINGLE LAUNDRY TUB located as per
- ω 4. Plumbing and electrical location per plan provided for laundry equipment hook-up,
- Heavy-duty electrical outlet for dryer and electrical outlet for washer.
- Exterior wall vent provided for

- 200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIME
- ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.
  SMOKE DETECTOR ON EACH LEVEL.
  CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- ILECTRICAL
  1. 200 amp circui
  1. 200 amp circui
  2. All wiring in a
  3. INTERIOR EL
  4. FRONT DOOL
  5. ROUGH IN FO
  6. SMOKE DETI
  7. CARBON MO
  8. Electrical outle Electrical outlet in the garage for automatic elevation. garage door opener as per
- THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

9.



- TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
   Exhaust fans to be provided in all washrooms, as per specifications.
   SHOWER STALL LIGHT (as per plan).
   WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height.
   DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF TRANSPORTED TO THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF TRANSPORTED TO THE PROPERTY OF THE HOME, and side entries, where applicable.

- HOME COMFORT

  1. High efficiency gas2. EEAT RECOVERY
  3. Energy efficient (
- High efficiency gas-fired forced air furnace with electronic ignition. HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to entrent-to-own agreement with supplier at Closing).

  GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan 2

### PAINTING FINISHES 1. All interior walls,

- door and trim to be painted Kingsmen
- 2 All interior ceilings to be smooth throughout.

## COLOUR SELECTION AND FINISHES

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of All colour and finishing
- 12 may not be available. Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which The purchaser acknowledges that items displayed in the Model Home Presentation Centre may
- S vary from those displayed and available at the time of colour selection. The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may

- TARION WARRANTY CORPORATIONS COVERAGE
  1. Seven years: MAJOR STRUCTURAL DEFECTS.
  2. Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS Seven years: MAJOR STRUCTURAL DEFECTS.
  Two years: PLUMBING, FIGATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE
- 4 0 One year: ALL OTHER ITEMS.

  Purchaser agrees to pay the TARION warranty enrollment fee on closing as
- NOTE TO PURCHASERS

  1. Exterior colours are arcl Exterior colours are architecturally controlled and selected by the builden
- 12 Number of steps at front an at front and rear yard may vary from
- $\omega$ Ceilings systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems. according to grading conditions and municipal Ceilings and walls may be modified to and municipal requirements accommodate mechanical that shown
- 5.4 Home to be finished in a good, workman like manner.

  Purchaser acknowledges that basement and garage areas are unfinished
- 7.0 Options shown on floor plan are available at an extra cost
- Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only.

  Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation.
- 00
- 9 installed or ordered from the supplier

  a. All ceramic tile floors where illustrated as per plans. The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been
- Cabinets and Laminate countertops in kitchen and bathrooms; Ceramic wall tile in tub/shower areas.
- per plans One carpet color selection throughout home where illustrated as
- 10. acknowledges being advised and accepts the following: making colour and material selections and upgrades, the Purchaser

- that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not be accompatable.
- Ь Natural materials such as granite, marble, and wood or wood composites are subject to natural variations in colour and grain; and ceramic tile and broadloom are subject to pattern, shade and colour variations from
- c. any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the 0
- d.
- d. transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses.

  e. the supply and manufacture of kitchen design, cabinetry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle a
- The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- 12 be modified to ac The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may be modified to accommodate mechanical systems, and the Purchaser agrees to
- the stated floor area accept such modifications
  The Purchaser acknow Agreement are approximate, wir depending on elevations selected, acknowledges ges and accepts that all dimensions in this windows and actual square footages may vary from ted, and actual usable floor space may vary from
- 14 grade may vary. The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a fanding may be required the number of steps to
- The Purchaser agrees that the following are not included in the Price: Drapes and tracks, wallpaper, furniture, appliances, dining fixture, central vacuum system, air conditioning, security system, painted lower level floor, lawn sprinkler system, planting and except as noted in Schedule A. included in the , dining room system, rear de and landso
- The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the subject of this Agreement.
- 17. The Purchaser acknowledges that the lot including the home being onstructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site. 17.

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQU OR BETTER VALUE E. & O. E. OF EQUAL


SCHEDULE "A" Page 2 of 2

Purchaser DILPREET JHAND:

Vendor : KINGSMEN (THAMES) INC

inMS\_704a.rpt 10oct18

Lot 99
Phase 4B
Model: John (4201) Elev B 4 Bed - 2+1 Bath
Standard



## BASEMENT EL. B

Cold

Cellar F.D.


Unexcavated

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:

Model: John (4201) Elev B 4 Bed -Lot 99
Phase 4B
I - 2+1 Bath
Standard



### SECOND FLOOR EL. B


The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" -Page 2 of 3

Initials:

0.4

Lot 99
Phase 4B
Model: John (4201) Elev B 4 Bed - 2+1 Bath
Standard



### GROUND FLOOR EL. W

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" Page 3 of 3

Initials: D.J