PURCHASER'S EXTRA SCHEDULE "PE"



7				
KINGSMEN (THAMES) INC.	NMES) INC.	RAVINDER KUMAR BHATIA	ВНАТТА	
Vendor		RAJNI BALA BHATIA Purchaser(s) Telephone Number:		
Lot / Townhouse No.	House Type	Reg. Plan #	Closing Date	Date Ordered
100	Philip (4202) Elev A 4 Bed - 2+1 Bath, 2,740 SQ.	Draft Approval	21-Jul-2022	28-Dec-2019

EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE

	2			T		<u> </u>		
10 VENDOR TO INCLUDE ENGINEERED HARDWOOD FLOORING THROUGHOUT THE SECOND FLOOR	-	7	6	5	4			
		VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE). A BAD BOY APPLIANCES VOUCHER WILL BE GIVEN BY OUR DECOR CONSULTANT AT THE TIME OF BOOKING YOUR COLOUR APPOINTMENT.			

This is your direction to install the above extras on the following terms and conditions:

- to the purchaser entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- S Purchaser, the total cost of extras ordered are not refundable to the purchaser. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the
- 5 4 Extras or changes will not be processed unless signed by the Vendor
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - RAVINDER KUMAR BHATIA

Vendor - KINGSMEN (THAMES) INC.

Purchaser - RAJNI BALA BHATIA

Lot No.:100

Plan No.:Draft Approval SB17-03-08

kinMS_003.rpt

26jun18

Vendor: KINGSMEN (THAMES) INC

Per: Date:

Construction Scheduling Appro

Page 1 of 1

SCHEDULE "A" - Features and Finishes COLINCIS

42' DETACHED

Lot 100 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Philip (4202) Elev A 4 Bed - 2+1 Bath

QUALITY EXTERIOR CONSTRUCTION

- Architecturally inspired front elevations, including CLAY BRICK STONE ACCENTS, VERTICAL BOARD AND BATTEN SIDING OR HORIZONTAL VINYL SIDING as per plan TYNIV HTIW >
- S 2 All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages. MAINTENANCE FREE COLUMNS AND RAILINGS (only where
- 4 required by grade), per applicable elevation.

 MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND
- S CASEMENT SLIDING DOORS, with sealed thermopane glass panels. CASEMENT WINDOWS THROUGHOUT main ar palladium, transom, octagon and other accent windows to be faux black Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transom notanom and are are palladium. and
- 6. Architecturally Controlled as part of pre-selected exterior colour packages. Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing. glass, as per elevation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are
- 9 8 7
- Two exterior water taps with interior shut-off
- 10 One outlet to be located near front entrance and equipped with i switch. The second outlet, will be located at the rear of the house not switched exterior weather-proof electrical outlets with ground fault wiring, outlet to be located near front entrance and equipped with interior. The second outlet, will be located at the rear of the house and is
- Community to have paved roads, curbs, storm and sanitary sewers
- Porches to be poured concrete.
- floor to be poured concrete with steel reinforcing
- Pre-Inno....pipes as per elevation.

 7/16" plywood roof sheathing.

 3 YEAR ASPHALT SHINGLES

 1 and sealing, 30 YEAR ASPHALT shinglesble. soffits, fascia, eavestroughs and down
- 15. 16. 17.

2

- Exterior drainage membrane provided at basement area and Basement walls arc poured concrete with damp proofing system weeping tiles
- for additional protection against basement leaks.

 Basement floor to be poured concrete.

 Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry
- 21 and dead bolt lock. door with glass insert, sidelights and/or transom windows, as per plan. All exterior doors are insulated, with energy efficient weather stripping
- Any applicable rear patio will be precast concrete slabs. Elegant brushed nickel-finish grip set on front door.

 Precast concrete slab walkway from driveway to main porch entrance.

- GENERAL INTERIOR CONSTRUCTION
 1. All framing in accordance and a stages by municipal officials municipal requirements. Construction of homes inspected at specified Ontario Building Code and local
- All exterior walls of habitable areas constructed with 2" x 6" framing
- 431
- UPGRADED Professionally engineered roof trusses, UPGRADED 3/4" SPRUCE PLYWO f trusses, as per plan.
 PLYWOOD SUBFLOOR, to be glued,
- screwed and sanded at joints.

 UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- 6.5 floor) All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement

- 9 8 7 ceilings). VAULTED AND COFFERED CEILINGS, as per plan.
 Ceiling heights to be 9' on main floor and 9' on second floor.
 Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural 10 determined by the vendors architect (such as coffered

- KITCHENS

 1. LUXURIO LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS, in a selection of colours, from builders standard samples, as per plan.

 DOUBLE COMPARTMENT UNDERMOUNT STAINLESS STEEL
- 2
- 4.00 SINGLE LEVER FAUCET with pull out spout, in chrome finish
- Stainless steel exhaust hood fan over stove, vented to exterior

- S Choice of cabinets in a variety of colours and styles, from Builder's
- 6. Electrical outlets for stove, fridge and countertop appliances
- Ontario Building Code requirements Rough-in wiring and plumbing for dishwasher hook-up
- 8.7 Open available) dishwasher as plan (Optional filler base cabinet
- 9. 10 Flush BREAKFAST BARS as per plan.

 Designer KITCHEN ISLANDS and PENINSULAS, as per plan

- ONGATED, COMFORT HEIGHT TOILETS
- BATHROOMS

 1. ELONGATED

 2. SEPARATE S SEPARATE SHOWER STALL with FRAMLESS GLASS in Master
- ω 4. Ensuite, all other showers to receive a curtain rod, as per plan SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" CERAMIC TILES from Builder's samples. Soaker and corner corner to the state of the samples Skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic from Builder's standard samples
- 6.5
- built-in temperance balance regulators Standard white bathroom fixtures from Builder's samples. SINGLE LEVER FAUCETS in all vanities, shower controls with
- .7 samples Choice of vanity cabinets and laminate countertops from Builder's
- 9.8 OVERSIZED MIRRORS IN ALL BATHROOMS
- **POWDER** ROOM VANITY (not a pedestal sink) as per plan

- INTERIOR FINISHES
 1. UPGRADED 3" COL AND Quarter round installed on all hard surfaces WINDOW COLONIAL CASING AND TRIM FOR ALL DOORS OPENINGS, 5 1/2" COLONIAL BASEBOARD. OPENINGS,
- DOORS, including closets, as per plan.
 3. BRUSHED NICKEL FINISH DOOR HARDWARE. TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR All bathrooms to
- RISERS
- have privacy locks.
 4. COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RI
 STRINGERS AND NOSING IN NATURAL OR STAIN FINISH.
 5. ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
- 6.5
- TRIMMED OPENINGS on main floor as per plan (excluding rounded

- 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

 2. 3 ½" x ¾" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

 3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM FLOORING
 1. Choice of
 - 2
- S 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard.

- LAUNDRY ROOM
 1. SINGLE LAUNDR
 2. Plumbing and ele SINGLE LAUNDRY TUB located as per plan. Plumbing and electrical provided for laundry location per plan equipment hook-up
- Heavy-duty electrical outlet for dryer and electrical outlet for washer
- 4. Exterior wall vent provided for dryer

- 1. 200 amp circui
 2. All wiring in a
 3. INTERIOR EI
 4. FRONT DOOI
 5. ROUGH IN FO
 6. SMOKE DETI
 7. CARBON MO 200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOU FRONT DOOR CHIME THROUGHOUT.

 - ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM SMOKE DETECTOR ON EACH LEVEL.
- CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- Electrical outlet in the garage for automatic garage door opener as per
- elevation.
 THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

Paintz Ros

- 10. TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
 Exhaust fans to be provided in all washrooms, as per specifications.
 SHOWER STALL LIGHT (as per plan).
 WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS.
- HOME, and side entries, where applicable. Light switches to be located at child-accessible height.

 L. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF

- HOME COMFORT

 1. High efficiency ga
- Energy efficient gas-fired hot water tank (Purchaser to entrent-to-own agreement with supplier at Closing).

 GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan High efficiency gas-fired forced air furnace with electronic ignition HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to en enter
- 4.

PAINTING FINISHES

- interior door and trim to be painted Kingsmen white
- All interior ceilings to be smooth throughout

COLOUR SELECTION AND FINISHES

- Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of colour and Décor Centre and from Builder's finishing selections to standards be made at Kingsmen Group idards samples. Kingsmen
- may not be available. extra cost, as well as other items shown for display purposes only, which Presentation Centre acknowledges that items displayed in the Model Home or may include upgraded items only available at
- shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection. purchaser acknowledges and agrees that variations in colour and

TARION WARRANTY CORPORATIONS COVERAGE

- ENVELOPE. rs: MAJOR STRUCTURAL DEFECTS. : PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING
- One year: ALL OTHER ITEMS
- Purchaser agrees to pay the TARION warranty enrollment fee on closing as an

NOTE TO PURCHASERS

- to provide pleasing streetscapes.

 Number of steps at front and rear yard may vary from that shown Exterior colours are architecturally controlled and selected by the builder
- w 2 according to grading conditions and municipal requirements. Ceilings and walls may be modified to accommodate mechanical
- dropped to accommodate mechanical and/or structural systems systems. Ceiling heights may vary from standard, where ceilings must be
- 4.0 Home to be finished in a good, workman like manner. Purchaser acknowledges that basement and garage areas
- are unfinished
- 7 6 Options shown on floor plan are available at an extra cost
- ∞ only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only.

 Terms "as per elevation" or "as per plan" refer to illustrations provided in ny landscaping, for marketing purposes fencing, walkways or are Artist's Concepts
- marketing documentation.
- 9 The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been installed or ordered from the supplier
- All ceramic tile floors where illustrated as per plans; Cabinets and Laminate countertops in kitchen and bathrooms;
- Ceramic wall tile in tub/shower areas.
- One carpet color selection throughout home where illustrated as
- 10. acknowledges being advised and accepts the following: per plans.

 In making colour and material selections and upgrades, the Purchaser

- that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not be interestable.
- **b**. Natural materials such as granite, marble, and wood or wood composites are subject to natural variations in colour and grain; and ceramic tile and broadloom are subject to pattern, shade and colour variations from
- advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure.

 d. transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses. C any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being
- C desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle the supply and manufacture of kitchen design, cabinetry and c depends upon the dimensions and specifications of the appliances countertops ces chosen or st bring the
- materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality. The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and
- 12. be modified to accommodate mechanical systems, and the Purchaser agrees to accept such modifications.

 The Purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges and accepts that all dimensions in the purchaser acknowledges are provided to accept the purchaser acknowledges accept the purchaser acknowledges are provided to accept the purchaser acknowledges are provided to accept the purchaser acknowledges are provided to accept the purchaser acknowledges accept the purchaser acknowledges accept the purchaser accept the purchaser accept the purchaser accept the pu The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may
- the stated floor area . The Purchaser acknowledges and accepts that all dimensions in this Agreement are approximate, windows and actual square footages may vary depending on elevations selected, and actual usable floor space may vary from
- grade may vary The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to The Purchaser acknowledges
- fixture, central vacuum system, air conditioning, security system, rear decks, painted lower level floor, lawn sprinkler system, planting and landscaping except as noted in Schedule A. The Purchaser agrees that the following are not included in the Price: Drapes and tracks, wallpaper, furniture, appliances, dining r dining room light Purchase
- 16. subject of this Agreement. The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the
- 17. The Purchaser acknowledges that the lot including the home being onstructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site. 17


SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

SCHEDULE "A" Page 2 of 2

Purchaser - RAVINDER KUMAR BHATIA

Purchaser ≅RAJNI BALA BHATIA

Vendor: KINGSMEN (THAMES) INC.



BASEMENT EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.


SCHEDULE "B-1" -Page 1 of 3

inMS_014.rpt 22Sep18

Initials:

3

Lot 100 Phase 4B Odel: Philip (4202) Elev A 4 Bed - 2+1 Bath Standard



SECOND FLOOR EL.


The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" Page 2 of 3

R.B)

Floor Plan

Lot 100 Phase 4B Adel: Philip (4202) Elev A 4 Bed - 2+1 Bath Standard



GROUND FLOOR EL. D

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" Page 3 of 3

Initials:

inMS_014.rpt 22Sep18