SCHEDULE "PE"



PURCHASER'S EXTRA

KULBIR KAUR SEKHON GURJINDER SINGE SARAO

KINGSMEN (THAMES) INC.

ot / Townhouse No. Vendor Purchaser(s)
Telephone Number:

Date Ordered 07-Sep-2019

103 House Type
Arthur (4205) Elev C 4 Bed - 4+1 Bath, 3,170 SQ.
Corner IESIstandard EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE Draft Approval SB17-03-08 Reg. Plan # Closing Date 15-Jun-2022

S PREIE APPLIANCES - STAINLESS STEEL FRONT - PRIDGE; STOVE AND DISHWASHER, WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTITULE) FROM BHILDERS STANDARD INED TO MASHER AND DRYER (SUPPLIED ONLY, NOT INSTITULE) FROM BHILDERS STANDARD INED TO ARRANGE DELIVERY - CALL THE BRUCK COMMERCIAL SALES DIVISION AT I-STI-353-2859. VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT BEARS OF HOME FOR FUTURE BRQ LOCATION TO BE FRAILZED AT VENDORS SOLD BECKEFTON. VENDOR TO INSTALL CAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO DRICLIDE HOW CODE REQUIREMENT. VENDOR TO INSTALL CAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO DRICLIDE LIVE LIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES. VENDOR TO INSTALL CAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO DELIVE LIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES. VENDOR TO INCLIDE LEVEL 1, 20CM QUARTIZ IN THE MASTER ENSUITE ONLY, AS PER PLAN, IN LEEU OF THE BEACH STANDARD SAMPLES. SEE SKETCH. VENDOR TO INCLIDE LEVEL 1, 20CM QUARTIZ IN THE MASTER ENSUITE ONLY, AS PER PLAN, IN LEEU OF THE GRECOND FLOOR IN LEGION OF THE MADDEN SCHEDULE A FOR IN NULLIDED ENGINEERED HAND WOODD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE. NULLIDED ENGINEERED HANDWOOD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE.

- 2 The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser. to the purchaser.
- 3. Purchaser, the total cost of extras ordered are not refundable to the purchaser Extras or changes will not be processed unless signed by the Vendor. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the
- 5.4 These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (THAMES) INC.





Lot No.:103

Havelock Corners

SCHEDULE ". Features and Finishes

42' DETACHED

QUALITY EXTERIOR CONSTRUCTION 1. Architecturally inspired front elevations. in

- Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan. All exterior clevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages. MAINTENANCE FREE COLUMNS AND RAILINGS (only where
- MAINTENANCE
- 4. required by grade), per applicable elevation.

 MAINTENANCE FREE, LOW E ARGON VINYL SLIDING DOORS, with sealed thermopane glass panels.

 CASEMENT WINDOWS THROUGHOUT main at WINDOWS AND
- S Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transom, octagon and other accent windows to be faux black CASEMENT and second -designed by
- 0 glass, as per elevation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts

 Amarian Colour of individual doors are and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages
- 7. 9. 10. Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing.

- Two exterior water taps with interior shut-off.

 Two exterior weather-proof electrical outlets with ground fault wiring.

 One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched
- Community to have paved roads, curbs, storm and sanitary sewers Porches to be poured concrete.
- Garage floor to be poured concrete with steel reinforcing
- Pre-finished, maintenance-free soffits, fascia, eavestroughs and down
- pipes as per elevation.7/16" plywood roof sheathing.Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.
- for additional protection against basement leaks.

 19. Basement floor to be poured concrete.

 20. Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry . Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles Steel-beam construction in basement, where applicable. Basement walls are poured concrete with damp
- door oor with glass insert, sidelights and/or transom windows, as per plan.
 All exterior doors are insulated, with energy efficient weather strip
- and dead bolt lock. stripping
- Any applicable rear patio will be precast concrete slabs. Elegant brushed nickel-finish grip set on front door Precast concrete slab walkway from driveway to 1 main porch entrance.

- 1. All framing in accordance with Ontar stages by municipal officials. municipal requirements. in accordance Construction Ontario Building Code of homes at specified and local
- All exterior walls of habitable areas constructed with 2" x 6" framing.
- 900 eered roof truss
- Professionally engin UPGRADED %": and sanded at joints SPRUCE PLYWOOD as per plan. OOD SUBFLOOR, to be glued,
- 0.0 UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement
- VAULTED AND COFFERED CEILINGS, as per plan
- 9 8 7 Ceiling heights to be 9' on main floor and 9' on second floor.

 Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered

- KITCHENS
 1. LUXURIO Ħ.
- LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS, a selection of colours, from builders standard samples, as per plan. DOUBLE COMPARIMENT UNDERMOUNT STAINLESS STEI
- 5 STEEL
- w. A.
- SINGLE LEVER FAUCET with pull out spout, in chrome finish Stainless steel exhaust hood fan over stove, vented to exterior.

- Lot 103 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Arthur (4205) Elev C 4 Bed 4+1 Bath 5. Choice of cabinets in a variety of colours and styles, from Builder's
- 6. Electrical outlets for stove, fridge and countertop appliances as per
- Ontario Building Code requirements.
 Rough-in wiring and plumbing for dishwasher hook-up.
- ∞ -1 available) Open dishwasher space as per plan (Optional filler base cabine
- 9
- 10. Flush BREAKFAST BARS as per plan.

 Designer KITCHEN ISLANDS and PENINSULAS, as per plan

- BATHROOMS

 1. ELONGATEI ONGATED, COMFORT HEIGHT
- SEPARATE SHOWER STALL with FRAMLESS GLASS in Master
- ω 4. Ensuite, all other showers to receive a curtain rod, as per plan SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.
- 9 2 Standard white bathroom fixtures from Builder's samples. SINGLE LEVER FAUCETS in all vanities, shower controls with
- 7 built-in temperance balance regulators.

 Choice of vanity cabinets and laminate countertops from Builder's samples.
- 9 8 OVERSIZED MIRRORS IN ALL BATHROOMS
- POWDER ROOM VANITY (not a pedestal sink) as per plan

- INTERIOR FINISHES
 1. UPGRADED 3" COL WINDOW OPENINGS, COLONIAL CASING AND TRIM FOR ALL DOORS

 V OPENINGS, 5 1/2" COLONIAL BASEBOARD. BASEBOARD
- 2 Quarter round installed on all hard surfaces.
 TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR DOORS, including closets, as per plan.
 BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- ç,
- 4
- 6.5 have privacy locks.

 COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL OR STAIN FINISH.

 ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

 TRIMMMED OPENINGS on main floor as per plan (excluding rounded)

- 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.


 2. 3 ½" x ¾" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

 3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard. FLOORING
 1. Choice of
 - S 12

- LAUNDRY ROOM
 1. SINGLE LAUNDR
 2. Plumbing and ele SINGLE LAUNDRY TUB located as per plan.
 Plumbing and electrical provided for laundry location per plan equipment hook-up,
- ω, 4. Heavy-duty electrical outlet for dryer and electrical outlet for washer.
- wall vent provided for dryer

ELECTRICAL

- 420,000
- 200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT. FRONT DOOR CHIME.
 ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM. SMOKE DETECTOR ON EACH LEVEL.
 CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- 9 Electrical outlet in the garage for automatic garage door opener as per
- elevation.
 THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.



Lot 103 Phase: 4B Plan: Draft Approval SB17-03-08 Havelock Corners proval SB17-03-08 Model: Arthur (4205) Elev C 4 Bed - 4+1 Bath

- FAMILY ROOM, AND MASTER BEDROOM.

 11. Exhaust fans to be provided in all washrooms, as per specifications.

 12. SHOWER STALL LIGHT (as per plan).

 13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS.

 Light switches to be located at child-accessible height.

 14. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF and side entries, where applicable

HOME COMFORT 1. High efficiency ga

- High efficiency gas-fired forced air furnace with electronic ignition HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to e
- Energy efficient gas-fired hot water tank (Purchaser to entrent-to-own agreement with supplier at Closing).

 GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan Energy 2

- PAINTING FINISHES

 1. All interior walls, throughout. door and trim to be painted Kingsmen white
- All interior ceilings to be smooth throughout.

COLOUR SELECTION AND FINISHES

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- 2 may not be available.

 The purchaser acknowledges and agrees that variations in colour and Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which upgrades.

 The purchaser acknowledges that items displayed in the Model Home or
- w shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may from those displayed and available at the time of colour selection.

- TARION WARRANTY CORPORATIONS COVERAGE
 1. Seven years: MAJOR STRUCTURAL DEFECTS.
 2. Two years: PLUMBING, HEATING, HE HOTER AT CONCERN AND AND ADDRESS. Seven years: MAJOR STRUCTURAL DEFECTS.
 Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.
- A W One year: ALL OTHER ITEMS Purchaser agrees to pay the T. TARION warranty enrollment fee on closing as an
- NOTE TO PURCHASERS
- to provide pleasing streetscape. Number of steps at front an colours are architecturally controlled and selected by the builder
- 2. according to grading conditions and municipal requirements.

 Ceilings and walls may be modified to accommodate at front and rear yard may vary from that shown
- S. Ceilings systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems. Home to be finished in a good, workman like manner.

 Purchaser acknowledges that basement and garage areas are unfinished mechanical
- 4 0
- Options shown on floor plan are available at an extra cost
- 7.0 Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only.

 Terms "as per elevation" or "as per plan" refer to illustrations provided in
- 00 marketing documentation
- 9. The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been installed or ordered from the supplier a. All ceramic tile floors where illustrated as per plans;
- Cabinets and Laminate countertops in kitchen and bathrooms; Ceramic wall tile in tub/shower areas.
- One carpet color selection throughout home where illustrated as
- per plans.

 In making colour and material selections and upgrades, the Purchasor acknowledges being advised and accepts the following:
- 0

- that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not
- 5 be warrantable.

 Natural materials such as granite, marble, and wood or wood composites, are subject to natural variations in colour and grain; and ceramic tile and broadloom are subject to pattern,
- c. any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure.

 d. transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses.
- 0
- O desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle the supply and manufacture of kitchen design, cabinetry and codepends upon the dimensions and specifications of the appliances desired by the Purchaser. Accordingly the Purchaser must
- 11. The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- 12 be modified to accommodate mechanical systems, and the Purchaser agrees to accept such modifications.
- 13. accept such modifications.

 The Purchaser acknowledges and accepts that all dimensions in this Agreement are approximate, windows and actual square footages may vary depending on elevations selected, and actual usable floor space may vary from the stated floor area.
- 14 I. The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to grade may vary.
- 15. The Purchaser agrees that the following are not included in the Purchase Price: Drapes and tracks, wallpaper, furniture, appliances, dining room light fixture, central vacuum system, air conditioning, security system, rear decks, painted lower level floor, lawn sprinkler system, planting and landscaping except as noted in Schedule A.
- 16. The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the
- 17. The Purchaser acknowledges that the lot including the home being onstructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site.


SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

SCHEDULE "A" Page 2 of 2

Purchaser GURJINDER SINGH SARAO

Purchaser - KULBIR KAUR SEKHON

KINGSMEN (THAMES) INC.




Unit 4205 - El. Cl

\$ 3

St 201 707

Materials, specifications, and iloor plans are subject to change mithout notice.
All renderings are artist conceptions. All floor plans are approximate almensions.
Actual usable floor space may vary from the stated floor area. E. ¢ E.O.

7




NOITAVALA SOIR THEY

ARTHUR - CORNER Unit 4205 - EI. CI

24 200 HOS Phuse HB


Moterials, specifications, and floor plans are subject to change milhout notice.
All renderings are artist conceptions. All floor plans are approximate almensions.
Actual usable floor space may vary from the stated floor area. E. & E.O.



\$ \$

Makerials, specifications, and floor plans are subject to change without notice, I renderings are artist conceptions. All floor plans are approximate dimension. Actual usable floor space may vary from the stated floor area. E. § E.O.

Sch B-1



& C


Unit 4205 - El. Cl ARTHUR - CORNI

Materials, specifications, and floor plans are subject to change mithout notice.

Il renderings are artist conceptions. All floor plans are approximate dimensions Actual usable floor space may vary from the stated floor area, E. & E.O.

S. D. D. Company and trail and another took

3



BASEMENT PLAN




Unit 4205 - El. Cl ARTHUR - CORNER Lo7 /03 May 45

wer war, epecifications, and thost plans are subject to charge without transferings are artist conceptions. All floor plans are approximate at Actual usable floor space may vary from the stated floor area. E. &

Sch B-1

wa

Markey



E F

SECOND FLOOR PLAN

per Sch & Engineered how Luded Carpen

Unit 4205 - El. Cl ARTHUR - CORNER

107 103 PLANE 4X laber later subject to change without laber laber specifications, and floor plans are subject to change without laber lab

Makerials, specifications, and floor plans are subject to change mithout notice. All renderings are artist conceptions. All floor plans are approximate almensions Actual vession floor space may vary from the stated floor area. E. & E.O.