PURCHASER'S EXTRA SCHEDULE "PE"

KINGSMEN (THAMES) INC.

Purchaser(s)
Telephone Number: JUGRAJ SINGH MULTANI AMANDEEP KAUR MULTANI

.ot / Townhouse No. Spencer (4204) Elev C 4 Bed - 4+1 Bath, 3,055 SQ.

Corner BelStandard EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE House Type Draft Approval SB17-03-08 Reg. Plan # Closing Date 10-Aug-2022 Date Ordered 15-Dec-2019

13	12	10	∞	7	6	٥,	Γ			
VENDOR AGREES TO INCREASE THE SIZE OF THE FRONT DOOR TO 42 INCHES WIDE DOOR, 8 FEET HIGH, WHICH WILL HAVE NO SIDE LIGHTS OR TRANSOM ON TOP, AND THE DOOR WILL NOT HAVE A GLASS INSERT, BUT A PEEP HOLE.	VENDOR TO INCLUDE ENGINEERED HARDWOOD FLOORING THROUGHOUT THE SECOND FLOOR IN LIEU OF INCLUDED CARPET, AS PER PLAN, AND SELECTIONS AS OUTLINED IN SCHEDULE A FOR INCLUDED ENGINEERED HARDWOOD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE.	VENDOR TO INCLUDE LEVEL 1, 2CM GRANITE OR QUARTZ IN ALL BATHROOMS, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS STANDARD SAMPLES.	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION, LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE). A BAD BOY APPLIANCES VOUCHER WILL BE GIVEN BY OUR DECOR CONSULTANT AT THE TIME OF BOOKING YOUR COLOUR APPOINTMENT.				
							=			

This is your direction to install the above extras on the following terms and conditions

- $\overline{}$ entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monics paid in connection with the same shall be returned to the purchaser.
- w Purchaser, the total cost of extras ordered are not refundable to the purchaser. Extras or changes will not be processed unless signed by the Vendor. These extras may not be amended without the written consent of the Vendor It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the
- 4 0





SCHEDULE "A" Havelock Corners **Features and Finishes**

42' DETACHED

Lot 110 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Spencer (4204) Elev C 4 Bed - 4+1 Bath

QUALITY EXTERIOR CONSTRUCTION 1. Architecturally inspired front elevations, in

- 12 Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL ROARD AND BAITTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan. All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages. MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grada) and controlled to controlled the con
- Ç.)
- 4 required by grade), per applicable elevation.

 MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND
- S SLIDING DOORS, with sealed thermopane glass panels.

 CASEMENT WINDOWS THROUGHOUT main and second floor.

 Basement windows are sliders. All operable windows are pre-designed by
 the builder and will have screens. Some front and side elevation palladium, er and will have screens. Some front and side elevation transom, octagon and other accent windows to be faux black
- 6 and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages. Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing. glass, as per elevation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts are individual doors are

- 7. 8. 9. Two exterior water taps with interior shut-off.

 Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched
- Community to have paved roads, curbs, storm and sanitary

- Porches to be poured concrete.

 Garage floor to be poured concrete with steel reinforcing.

 Pre-finished, maintenance-free soffits, fascia, eavestrou eavestroughs and down
- pipes as per elevation.
 7/16" plywood roof sheathing.
 Upgraded self scaling, 30 YEA
- 30 YEAR ASPHALT SHINGLES
- 15. 16. 17.
- for additional protection against basement leaks Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles Steel-beam construction in basement, where applicable. Basement walls are poured concrete with damp
- Basement floor to be poured concrete.
 Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass insert, sidelights and/or transom windows, as per plan.
 All exterior doors are insulated, with energy efficient weather stripping
- and dead bolt lock.
- Any applicable rear patio will be precast concrete slabs. Elegant brushed nickel-finish grip set on front door. Precast concrete slab walkway from driveway to 1

GENERAL INTERIOR CONSTRUCTION 1. All framing in accordance with Ontari

- municipal requirements. Co stages by municipal officials. accordance Construction of homes inspected with Ontario Building Code 2 and specified local
- All exterior walls of habitable areas constructed with 2" x 6" framing
- 4312 Professionally engineered roof trusses, as per plan.

 UPGRADED %" SPRUCE PLYWOOD SUBFLOOR, to screwed and sanded at joints. be glued,
- 6.5
- floor) UPGRADED ENGINEERED FLOOR JOIST SYSTEM. All insulated as per Ontario Building Code: Exterior areas insulated to a rating of R22; Roof of habitable au rating of R60; Basement walls R20 (Full Height, 12) ling Code: Exterior walls of habitable Roof of habitable areas insulated to a [Full Height, 12" above basement
- VAULTED AND COFFERED CEILINGS, as per plan
- 9.8.7
- Ceiling heights to be 9' on main floor and 9' on second floor.

 Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered

- KITCHENS

 I. LUXURIO LUXURIOUS GRANITE OR QUARTZ KITCHEN COUNTERTOPS, B.
- 2 a selection of colours, from builders standard samples, as per plan. DOUBLE COMPARTMENT UNDERMOUNT STAINLESS STEEL
- SINK
- 4.00
- SINGLE LEVER FAUCET with pull out spout, in chrome finish Stainless steel exhaust hood fan over stove, vented to exterior.

- 5. Choice of cabinets in a variety of colours and styles, from Builder's
- 6. Electrical outlets for stove, fridge Ontario Building Code requirements and countertop appliances as per
- Rough-in wiring and plumbing for dishwasher hook-up
- 00 7 Open dishwasher plan (Optional filler
- available).
 Flush BREAKFAST BARS as per
- 9. 10 lush BREAKFAST BARS as per plan.

 Designer KITCHEN ISLANDS and PENINSULAS, as per plan

- BATHROOMS

 1. ELONGATEI

 2. SEPARATE S COMFORT HEIGHT TOILETS
- SEPARATE SHOWER STALL with all other showers to receive a curtain rod, as per plan FRAMLESS GLASS in Master
- 4. SOAKER TUB or CORNER TUB in Master Ensuite, as per plan
- Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

 Standard white bathroom fixtures from Builder's samples.

 SINGLE LEVER FAUCETS in all vanities, shower controls with
- 6.5
- 7 built-in temperance balance regulators.

 Choice of vanity cabinets and laminate countertops from Builder's
- 9.8 OVERSIZED MIRRORS IN ALL BATHROOMS
- POWDER ROOM VANITY (not a pedestal sink) as per plan

- INTERIOR FINISHES

 1. UPGRADED 3" COL WINDOW OPENINGS, COLONIAL CASING AND TRIM FOR ALL DOORS
 OPENINGS, 5 1/2" COLONIAL BASEBOARD.
- 12 Quarter round installed on all hard surfaces.
 TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR
- S have privacy locks DOORS, including closets, as per plan.
 BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- 4 COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL OR STAIN FINISH. ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan. TRIMMED OPENINGS on main floor as per plan (excluding rounded
- 0 5

- FLOORING

 1. Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNIER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

 2. 3 ½" x ¾" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

 3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM
- UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard.

- LAUNDRY TUB located as per plan
- LAUNDRY ROOM
 1. SINGLE LAUNDR
 2. Plumbing and ele ω, 4. SINGLE LAUNDRY TUI
 Plumbing and electrical location per plan provided laundry equipment hook-up,
- Heavy-duty electrical outlet for dryer and electrical outlet for washer
- Exterior wall vent provided for dryer

- 200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT
- FRONT DOOR CHIME.
 ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM SMOKE DETECTOR ON EACH LEVEL.
- CARBON MONOXIDE DETECTOR, as per Ontario Building Code. Electrical outlet in the garage for automatic garage door opener as per
- 1. 200 amp circui
 1. 200 amp circui
 2. All wiring in a
 3. INTERIOR EI
 4. FRONT DOOJ
 5. ROUGH IN P
 6. SMOKE DET
 7. CARBON MC
- elevation
- (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER



-). TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
- Exhaust fans to be provided in all washrooms, as per specifications.
 SHOWER STALL LIGHT (as per plan).
 WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUS.
- WALL PLUGS
- Light switches to be located at child-accessible height.

 I. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR HOME, and side entries, where applicable

- HOME COMFORT

 1. High efficiency gas
- High efficiency gas-fired forced air furnace with electronic ignition. HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to entrent-to-own agreement with supplier at Closing).

 GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan. enter

- PAINTING FINISHES

 1. All interior walls, door and trim to be painted Kingsmen white
- All interior ceilings to be smooth throughout

COLOUR SELECTION AND FINISHES 1. All colour and finishing selections are 1

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- 12 may not be available. The purchaser acknowledge upgrades.

 The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which
- shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection. purchaser acknowledges and agrees that variations Ħ colour and of

- TARION WARRANTY CORPORATIONS COVERAGE
 1. Seven years: MAJOR STRUCTURAL DEFECTS.
 2. Two years: PLUMBING, HEATING, ELECTRICAL SVSTERAS. ENVELOPE LIDEFECTS.

 ELECTRICAL SYSTEMS AND BUILDING
- ω 4 One year: ALL OTHER ITEMS Purchaser agrees to pay the T. TARION warranty enrollment fee on closing as an
- NOTE TO PURCHASERS

 1. Exterior colours are arcl Exterior colours are architecturally controlled and selected by the builder to provide pleasing streetscapes
- in Number of steps at front and rear yard may vary from that shown
- ယ Ceilings systems. dropped to accommodate mechanical and/or structural systems. according to grading conditions and municipal requirements.

 Ceilings and walls may be modified to accommodate Ceiling heights may vary from standard, where ceilings must accommodate mechanical
- 4 2 Home to be finished in a good, workman like manner.

 Purchaser acknowledges that basement and garage a
- areas are unfinished
- 7.6 Options shown on floor plan are available at an extra cost
- Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only. Terms "as per elevation" or "as per plan" refer to illustrations provided in
- 00 Terms narketing documentation.
- 9 installed or ordered from the supplier

 a. All ceramic tile floors where illustrated as per plans; The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been
- Cabinets and Laminate countertops in kitchen and bathrooms; Ceramic wall tile in tub/shower areas.
- G C
- per plans One carpet color selection throughout home where illustrated as
- 10. . In making colour and material selections and upgra acknowledges being advised and accepts the following: upgrades, the Purchaser

- forced air heatir be warrantable. that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not
- Ъ. manufacturer broadloom are subject to pattern, Natural materials such as granite, are subject to natural variations in , marble, n colour shade and grain; and ceramic tile and variations
- natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure.

 d. transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses. C any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter
- d
- e. the supply and manufacture of kitchen design, cabinetry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle C
- The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- 12. The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may be modified to accommodate mechanical systems, and the Purchaser agrees to
- accept such modifications.

 The Purchaser acknowledges and accepts that all dimensions Agreement are approximate, windows and actual square footages in depending on elevations selected, and actual usable floor space may visually the second of the second depending on eleva-the stated floor area otages may vary e may vary from H
- 14. . The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to grade may vary.
- . The Purchaser agrees that the following are not included in the Purchase Price: Drapes and tracks, wallpaper, furniture, appliances, dining room light fixture, central vacuum system, air conditioning, security system, rear decks, painted lower level floor, lawn sprinkler system, planting and landscaping except as noted in Schedule A.
- subject of this Agreem The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the
- thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site.


SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

SCHEDULE "A" Page 2 of 2

Purchaser SINGH MULTANI KAUR MULTANI

Date

Vendon: KINGSMEN (THAMES) INC




Unit 4204 - El. C1 SPENCER - CORNER

LOT 110 Phase 4B

Materials, specifications, and floor plans are subject to change without notice. All renderings are artist conceptions. All floor plans are approximate dimension. Actual usable floor space may vary from the stated floor area. E. & E.O.








Unit 4204 - El. C1 SPENCER - CORNER



Schidule B 1







Unit 4204 - El. C1 SPENCER - CORNER

Schodule B1 Page 3of 3. Non





Schodulo L2 page 1042

Materials, specifications, and floor plans are subject to change without notice. A NI floor plans are approximate dimensions. All floor plans are apple dimensions. All those plans are stated floor crea. E. E. E.O.

倒

24 DODY 011 107

SPENCER - CORNER Unit 4204 - El. Cl



Schodule Lib page 2082

Materials, specifications, and floor plans are subject to charge without notice.

All renderings are artist conceptions. All floor plans are approximate dimensions.

Actual usable floor space may vay from the stated floor area. E. I. E.O.

24 sould 011 702

SPENCER - CORNER Unit 4204 - El. Cl

FLANKAGE ELEVATION

