

Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 82 Phase/Building: 4B Model/Floor Plan: Arthur (4205) Elev C 4 Bed - 4+1 Bath

CABINETRY

Inv. 4874	1 - To supply & install the SIGNATURE DECOR HOOD CABINET FOR 36INCHES STOVE WITH 600 CFM FANAVAILABLE ONLY IN OAK - MAPLE - AND PAINT - 36INCHES - REQUIRES ADDITIONAL LEAD TIME IN CONSTRUCTION SCHEDULE - CLASSIC SERIESsee Sketch # 1	
Line 62725	SERIESsee Sketch # 1 Note:	
Line 02/25	NOIC.	
25Jan21 / 1Feb21		
Inv. 4874	1 - Purchaser has upgraded from the standard 30" stove opening to a 36" stove opening in the kitchen.	
Line 62726	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the CABINETRY - KITCHEN - UPGRADE - CLASSIC II (level 6) in the kitchen see colour chart for details	
Line 62745	Note:	
25Jan21 / 1Feb21		

CABINETRY APPLIANCE - FRIDGE

25Jan21 / 1Feb21		
Line 62733	Note: See fridge spec's	
	CLASSIC SERIES in the kitchensee sketch # 1	
	CLEARANCE ENCLOSURE. STANDARD HEIGHTS AND WIDTHS WILL BE USED.	
	1 WALL - 1 66CM DEEP GABLE AND 1 66CM DEEP CABINET - THIS IS NOT A ZERO	
Inv. 4874	1 - To supply & install the 66CM DEEP FRIDGE ENCLOSURE - COUNTER DEPTH WITH -	

CABINETRY BASE CABINETS

Inv. 4874	1 - To supply & install a BASE PIE CUT CORNER - CLASSIC SERIES in the kitchen see sketch # 1	
Line 62735	Note:	
25Jan21 / 1Feb21		
T 4074	1 T 1 0 1 11 1111 1 DANIZ OF DRAWERS CARRIED SIZE SUBJECT TO	
Inv. 4874	1 - To suply & install an additional BANK OF DRAWERS CABINET SIZE SUBJECT TO FLOOR PLAN - CLASSIC SERIES in the kitchen see ketch #1	
Inv.4874 Line 62754	1 2	

CABINETRY HARDWARE

Inv. 4874	1 - To supply & install the KITCHEN - CABINET HARDWARE - UPGRADE 1 - DISPLAY BOARD see colour chart for details.	
Line 62751	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the BASE WASTE / RECYCLE CENTER PULL OUT DOOR - ONLY AVAILABLE IN 45 CM CABINET (2) 35L BINS - PRICE IS PER UNIT in the kitchensee sketch # 1	
Line 62736	Note:	
25Jan21 / 1Feb21		

CABINETRY MICROWAVE OVEN STOVE COOKTOP

This Document is Extremely Time Sensitive - Printed <u>1 Feb 21</u> at <u>15:40</u>

Page 1 of 4

Printed and Sent: 01-Feb-21



Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 82 Phase/Building: 4B Model/Floor Plan: Arthur (4205) Elev C 4 Bed - 4+1 Bath

Inv. 4874	1 - To accom. for the future 36" COOKTOP CABINET WITH FALSE TOP DRAWER AND POTS AND PANS DRAWERS BELOW CLASSIC SERIES in the kitchen see spec's see sketch # 1	
Line 62728	Note:	
25Jan21 / 1Feb21		
Inv.4874	1 - To accom. for a future BUILT-IN TALL APPLIANCE CABINET WITH DRAWER - S BELOW FOR PANEL-MOUNT - PROUD - OR TRIM KIT INSTALLATIONS - TRIM KIT REQUIRED - SUPPLY ALL SPECS AND INSTALLATION GUIDES - COUNTER DEPTH - CLASSIC SERIES in the kitchen.see spec's	
Line 62731	Note: See sketch # 1	
25Jan21 / 1Feb21		

COUNTER TOP

Inv. 4874	1 - To accomodate the quartz countertop for the future 36" cook top in the kitchen see spec's, see sketch # 1	
Line 62727	Note:	
25Jan21 / 1Feb21		

DOORS AND WINDOWS

Inv. 4874	1 - As per schedule "PE": Vendor agrees to enlarge the basement windows to 24 inches x 30 inches (where applicable) as per plan. Purchaser further acknowledges that there may be	
	window wells installed to accomodate enlarged basement windows.	
Line 62710	Note:	
25Jan21 / 1Feb21		

ELECTRICAL

Inv. 4874	1 - To supply & install the standard T.V. rough in in the great room and master bedroom see sketch #1 & # 2	
	To supply & install the standard Phone (CAT 5) rough in in the great room, master bedroom and bedroom $\#3$ see sketch $\#1$ & $\#2$	
Line 62718	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To SUPPLY AND INSTALL AN ADDITIONAL BASIC RECEPTACLE (NOT DEDICATED) at approx. 66" + - up from the floor and centered + - to the F/P mantle on the	
Line 62719	Note: Great room side see sketch # 1	
25Jan21 / 1Feb21		
Inv. 4874	1 - To SUPPLY AND INSTALL CONDUIT FOR TV OVER THE FIREPLACE – TERMINATED IN SAME ROOM at approx. 66" + - up from the floor next to + - the upgraded elec. outlet and terminated next to + - the std.T.V. rough in on the great room side see sketch # 1	
Line 62720	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install an additional exterior light at the coverred porch area, have this light connected to the other standard exterior light at porch area, both on the same std. switchsee sketch # 1	
Line 62721	Note:	
25Jan21 / 1Feb21		

This Document is Extremely Time Sensitive - Printed $\underline{1}$ Feb $\underline{21}$ at $\underline{15:40}$

Printed and Sent: 01-Feb-21



Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 82 Phase/Building: 4B Model/Floor Plan: Arthur (4205) Elev C 4 Bed - 4+1 Bath

Inv. 4874	1 - To SUPPLY AND INSTALL EXTRA 240 STOVE PLUG for the future built in wall / micro. oven in the kitchen see spec's	
Line 62732	Note:	
25Jan21 / 1Feb21		

HEATING AND AIR CONDITIONING

Inv. 4874	1 - To supply & install a HUMMIDIFIER to the furnace	
Line 62716	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - As per schedule "PE": Vendor to supply & install air conditioning unit, sized accordingly, from vendors standard samples.	
Line 62711	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the capped gas rough in and the 110V elec. for the future gas cook top in the kitchen see spec's.	
Line 62730	Note:	
25Jan21 / 1Feb21		

MISCELLANEOUS

Inv. 4874	1 - As per schedule "PE": Purchase acknowledges this home will receive a corner lot upgrade	
	to the elevation. Such upgrade will be designed and approved by the builder and/or thier	
	architects and is not subject to change or modifications by the purchaser.	
Line 62712	Note:	
25Jan21 / 1Feb21		

PAINT AND DRYWALL

Inv. 4874	1 - To supply & install the standard COFFERED CEILING in the dining room as per plan see sketch # 1	
Line 62713	Note:	
25Jan21 / 1Feb21		

PLUMBING

Inv. 4874	2 - Raise the standard toe tester to approx. 30" + - up from unfinished floor to the master and bedroom # 3 shower	
Line 62715	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP) in the kitchen	
Line 62739	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the BLANCO QUATRUS under mount sink model: 401247 in the kitchen in lieu of the std. under mount kitchen sink see spec's	
Line 62742	Note: STILL TO INSTALL STD. SINGLE HOLE KITCHEN FAUCET.	
25Jan21 / 1Feb21		

RAILING

This Document is Extremely Time Sensitive - Printed $\underline{1}$ Feb $\underline{21}$ at $\underline{15:40}$

Page 3 of 4



Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 82 Phase/Building: 4B Model/Floor Plan: Arthur (4205) Elev C 4 Bed - 4+1 Bath

Inv. 4874	1 - To supply & install the RAILING - UPGRADE 1 - METAL HANDRAIL 3 INCH OVAL IN OAK - PICKETS STEEL ½ INCH SQUARE, PLAIN, WITH SHOES IN FLAT BLACK - POSTS 3½ INCH SQUARE, WITH CAP OAK IN OAK in lieu of the std. pickets and rails	
Line 62750	Note:	
25Jan21 / 1Feb21		

TILE - FLOOR

Inv. 4874	1 - To supply & install the UPGRADE 4 - FLOOR TILE - STACKED - FOYER TILE in lieu	
	of the standard floor tiles see colour chart for details.	
Line 62746	Note:	
25Jan21 / 1Feb21		
Inv.4874	1 - To supply & install the UPGRADE 4 - FLOOR TILE - STACKED - MUD ROOM TILE in	
	lieu of the standard floor tiles see colour chart for details.	
Line 62747	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the UPGRADE 4 - FLOOR TILE - STACKED - POWDER ROOM	
	TILE in lieu of the standard floor tiles see colour chart for details.	
Line 62748	Note:	
25Jan21 / 1Feb21		
Inv. 4874	1 - To supply & install the UPGRADE 4 - FLOOR TILE - STACKED - KITCHEN /	
	BREAKFAST TILE in lieu of the standard floor tiles see colour chart for details.	
Line 62749	Note:	
25Jan21 / 1Feb21		

EXTRAS AS PER OFFER

5 FREE APPLIANCES ? STAINLESS STEEL FRONT - FRIDGE: STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY ? CALL THE BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850. Worksheet Note:	
VENDOR AGREES TO ENLARGE THE BASEMENT WINDOWS TO 24 INCHES X 30 INCHES (where applicable) AS PER PLAN. PURCHASER FURTHER ACKNOWLEDGES THAT THERE MAY BE WINDOW WELLS INSTALLED TO ACCOMMODATE ENLARGED BASEMENT WINDOWS. Worksheet Note:	
VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES. Worksheet Note:	
PURCHASER ACKNOWLEDGES THIS HOME WILL RECIEVE A CORNER LOT UPGRADE TO THE ELEVATION. SUCH UPGRADE WILL BE DESIGNED AND APPROVED BY THE BUILDER AND/OR THEIR ARCHITECTS AND IS NOT SUBJECT TO CHANGE OR MODIFICATION BY THE PURCHASER. Worksheet Note:	

This Document is Extremely Time Sensitive - Printed $\underline{1}$ Feb $\underline{21}$ at $\underline{15:40}$

Page 4 of 4

Printed and Sent: 01-Feb-21

INTERIOR COLOUR SCHEME



Telephone Res. / Bus: /

Purchaser:

PARVINDER SINGH HAYER

Property: 82 of Plan - Draft Approval SB17-03-08

Project: Kingsmen (Thames) Inc.

Decor Advisor:

-2. Flooring-

Barbara Coccia

Model and Elevation: Arthur (4205) Elev C 4 Bed - 4+1 Bath

-1. Cabinetry———	Style and Colour	Count	ter Top	Hardware
Kitchen / Breakfast	*#6 Camden Paint Macadamia		S #9141 Ice Snow 3cm	*117SB Gold
Kitchen Island	*#6 Camden Paint Macadamia	#1 C/	S #9141 Ice Snow 3cm	*117SB Gold
Laundry Room		: [/
Powder Room	#3 Charleston 3DL Orchid	Inuks	huk Taupe P-345-LM	9671 Handle
Main Bathroom				
Master Ensuite Bathroom	#3 Charleston 3DL Orchid	Calcu	itta Marble 4925K-07	135 Knob
Second Ensuite Bathroom (If Applicable)	#3 Charleston 3DL Orchid		itta Marble 4925K-07	135 Knob
Bedroom #3 Bathroom	#3 Charleston 3DL Orchid	Calcu	tta Marble 4925K-07	135 Knob
Bedroom #4 Bathroom	#3 Charleston 3DL Orchid		tta Marble 4925K-07	135 Knob
Appliances	Custom Size Fridge	Valance Lighting	Microwa	ve / Range Hood
\mathbf{v}_{i}	● Yes ○ No →	Yes No	① Yes	No
••	Cooktop / Rangetop	Built in Wall Oven	Slide-	in Range
Comment	Yes No	Yes No	✓ Yes	No
<u>.</u>				
	•	•		

z. Fiooning	Selection
Foyer	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Main Hall	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Back Hall	
Breakfast	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Laundry Room	13x13" Cinq Black
Kitchen	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Powder Room	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Main Bathroom	(Bedroom #2 Bathroom)- 13x13" Cinq Grey.
Master Ensuite	13x13" Cinq Black SH/FL: 2x2" Soho White Matte
Bathroom (If Applicable)	(Bedroom #3 Bathroom)- 13x13" Cinq Black SH/FL: 2x2" Soho White Matte
Mud Room	**UPG #4: 24x24" Mayfair Stella Argento HD Polished Rect. Porcelain STACKED
Bedroom #4 Bathroom	13x13" Cinq Grey
Living Room	
Dining Room	3 1/2" Elements Oak Bearskin
Family / Great Room	3 1/2" Elements Oak Bearskin
Den / Library / Study	3 1/2" Elements Oak Bearskin
Basement Landing (If Applies	
Lower Landing (If Applicable)	
Upper Landing	
Upper Hall	Stylish Story 1: Iron Bars (Including Computer Niche)
Master Bedroom	Stylish Story 1: Iron Bars
Bedroom #2	Stylish Story 1: Iron Bars
Bedroom #3	Stylish Story 1: Iron Bars
Bedroom #4	Stylish Story 1: Iron Bars
Bedroom #5	
Shower Jamb (Sill)	Master Ensuite and Bedroom #3: Anatolia Marmiline SNOW

INTERIOR COLOUR SCHEME Purchaser: PARVINDER SINGH HAYER Property: 82 of Plan - Draft Approval SB17-03-08 Telephone Res. / Bus: / Project: Kingsmen (Thames) Inc. Model and Elevation: Arthur (4205) Elev C 4 Bed - 4+1 Bath Decor Advisor: Barbara Coccia 2. Flooring - Continued -Туре Area **Upgrade Underpad** Standard 2nd Floor Capped Runner - *Upgrade **Carpet on Stairs** Comment 3. Plumbing Fixtures / Faucets Kitchen : Standard Second Ensuite Standard **Powder Room** Standard **Master Ensuite** Standard Other Room Main Bathroom Bedroom #3/#4 Bathroom Standard Comment NOTE: The purchaser has upgraded to a undermount kitchen sink.. still to install the standard single hole faucet. 4. Wall Tile **Tile Selection** Listello Insert Insert Selection Main Bathroom Master Ensuite **Tub Deck Tub Apron Tub Surround Shower Stall** 8x10" Cinq Grey **Second Ensuite** 8x10" Cinq Black Bedroom #3 Bathroom 8x10" Cinq Grey Bedroom #4 Bathroom 8x10" Cinq Black Kitchen Backsplash Complete Backsplash Comment 5. Fireplace **Living Room Family Room** Other Room - Specify Greatroom Purchased As Per Plan N/A Purchased As Per Plan N/A Purchased As Per Plan 0 0 Fireplace Type Front Facing (Two-Sided) **Mantle Type** NF-08

Living Room
Purchased As Per Plan N/A
Purcha

Initial:



Page 2 of 3

48-82 KINGS INTERIOR COLOUR SCHEME Purchaser: PARVINDER SINGH HAYER Property: 82 of Plan - Draft Approval SB17-03-08 Telephone Res. / Bus: / Project: Kingsmen (Thames) Inc. **Decor Advisor:** Model and Elevation: Arthur (4205) Elev C 4 Bed - 4+1 Bath Barbara Coccia 6. Trim Carpentry **Interior Doors** Door Hardware Standard Handle **Interior Trim** Standard 2 Panel Arch Top Comment 2 Panel Square Top Initial for Door Style 7. Railings and Pickets Railing Package **Upgrade #1 Metal Package **Railing Colour** Elements Oak Bearskin **Picket Colour** Black Metal **Wood Stairs** ○ No Oak **Tread Colour** Elements Oak Bearskin Comment 8. Plaster Mouldings and Medallions Foyer Kitchen/Breakfast Main Hall Den/Library **Living Room Lower Landing Dining Room Family Room** Comment 9. Wall Paint-Smooth Ceilings O First Floor Kingsmen White First Floor incl. Second Floor Hall ○ First and Second Floor Throughout Not Applicable Trim Paint Kingsmen White 10. Additional Comments 11. Disclaimers and Notes 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. 3) The Purchaser acknowledges that after Interior Solour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Purchaser's Initials 4) The Purchaser acknowledges reading and accepting the "Kingsmen Group Décor Centre Disclaimers" form. This document contains other miscellaneous disclaimers. This Interior Colour Selection is final and approved by: Purchaser: _ Date: <u>01 /25/2</u>021

Vendor:


Kingsmen (Thames) Inc.

Signature:

4B - SA Phase 4B Model: Arthur (4205) Elev C 4 Bed - 4+1 Bath Corner Lot Standard

LOT 82 THAMES PH. 4 B SKETCH #1

Floor Plan




GROUND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Floor Plan

Model: Arthur (4205) Elev C 4 Bed - 4+1 Bath **Corner Lot Standard**




SECOND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials:

LOT 82 THAMES PH. 4 B SKETCH # 3



BASEMENT EL. C


The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:

LOT 82 THAMES PH. 4 B

RE: UPG. UNDER MOUNT KITCHEN SINK KITCHE FAUCET.



DISPLAY ITEMS


Sink (Iterri 17) Blanco Quatrus U2 DBL Undermount O- Radius Model 401247 +larvindus.nff

LOT: 82 THAMES PH. 4 B 36" GAS COOK TOP SPEC'S

NA36N7755TS

36" Gas Cooktop

SAMSUNG



Signature Features

22K True Dual-Power Burner

 Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

 The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

• Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors




Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
- Right Front: 13K BTU
- Left Front: 9.5K BTU
- Right Rear: 5K BTU
- Left Rear: 9.5K BTU
- Center: True Dual, 22K BTU (Brass)
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

Convenience

- Wok Grate
- LP Conversion Kit



LOT: 82 THAMES PH. 4 B. 36" GAS COOK TOP SPEC'S


NA36N7755TS


SAMSUNG


36" Gas Cooktop

Installation Requirements

Countertop cut-out and minimum clearance dimensions:







Total Power (BTU)

59K

Power Source

120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions: 36" x 5⁴¹/₇₂" x 22¹/₃"

Cooktop Cut-Out Dimensions: $33^{7}/_{8}$ " x $3^{1}/_{8}$ " x $19^{1}/_{8}$ "

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $40^9/_{16}$ " x $10^5/_8$ " x $25^5/_8$ " Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant

Black Stainless Steel)

Color

Stainless Steel

Model # NA36N7755TS **UPC Code**


Fingerprint Resistant

887276281766


Black Stainless Steel NA36N7755TG 1

887276281759

Installing Over a Single Oven



Cooktop Dimensions



KitchenAid°

27" (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT MODEL NUMBERS

KEMS309E

KOCE500E

KOCE507E

ELECTRICAL CONNECTION

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and the wire gauge are in accordance with local codes.


Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. O-M91-latest edition, and all local codes and ordinances.

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

 Oven must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. See the following illustration.



A. Model/serial/rating plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.4 to 7.4 kW at 208 volts) require a separate 40-amp circuit. Models rated at 4.8 kW and below at 240 volts (3.6 kW and below at 208 volts) require a separate 30-amp circuit.
- A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See "Make Electrical Connection" section.
- Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:
 - Connect a section of solid copper wire to the pigtail leads.
 - Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.

Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

For power requirements, refer to the following table.

Model	Voltage	(L1)*	Amperage (L2)*	Rating (W)
KOCE507E/KOCE500E		32	30	8000
KOCE507E/KOCE500E	120/208	30	28	6600

*Amperage values noted above are for information purposes only: the units are rated in watts.

PRODUCT DIMENSIONS


'-27" (68:6 cm) models

- A. 42% (108.0 cm) overall height
- B. 257/16" (64.6 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 231/4" (59.1 cm) max.
- ' recessed depth E. 27" (68.6 cm) overall width
- F. 48" (121.9 cm) flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

-}}30" (76.2 cm) models

- A. 42⁹/₁₆" (108.0 cm) overall height
- B. 287/16" (72,3 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 231/4" (59.1 cm) max. recessed depth
- recessed depth
 E. 30" (76.2 cm) overall width
 F. 48" (121.9 cm) flexible
 conduit length measured
- conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

Cabinet Dimensions



27" (68.6 cm) models

- A. 27" (68.6 cm) min. cabinet width B. 1" (2.5 cm) top of cutout to
- B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door
- C. 19¼" (48.9 cm) bottom of cutout to floor is recommended. 4"-19¼" (10.2-48.9 cm) bottom of cutout to floor is acceptable.
- D. 25½" (64.8 cm) cutout width E. 1½" (3.8 cm) min. bottom of cutout to top of cabinet door
- F. 41% (105 cm)* recommended cutout height
- G. 24" (60.7 cm) cutout depth

30" (76.2 cm) models A. 30" (76.2 cm) min. cabinet width


- B. 1" (2.5 cm) top of cutout to bottom C. 191/4" (48.9 cm) bottom of cutout
- to floor is recommended.
 4"-191/" (10.2-48.9 cm) bottom
 of cutout to floor is acceptable.
 D. 281/s" (72.4 cm) cutout width
- E. 11/2" (3.8 cm) min. bottom of cutout F. 411/1s" (105 cm)* recommended
- cutout G. 24" (60.7 cm) cutout depth
- G. 24 (60.7 cm) cutout depth

* NOTE: The cabinet height can be between 41" (104.1 cm) and 41½" (105.6 cm) for microwave/oven combination.

*Parvindusingy

LOT: 82 THAMES PH. 4 B FRIDGE SPEC'S

KitchenAid® 22 cu. ft. 36-Inch Width Counter Depth Panel Ready with Interior Dispense French Door Refrigerator KRFC302EBS



+ Parvin dus, arm

Brand	KitchenAid	
Refrigerator Type	French Door	
lcemaker	Yes	
Dispenser	Internal	
Defrost Type	Frost Free	
Counter Depth	Yes	
Model Number	KRFC302EBS	
Product Dimensions	35 3/4° x 30 1/4° x 72°	
Product Color	Black Stainless Steel with PrintShield™ Finish	
reezer (cu.ft.).	5.59	
tefrigerator (cu.ft.)	16.35	
otal Capacity (cu.ft.)	21.94	
Warranty	One year limited manufacture warranty on parts and labour	
PC	883049360997	