

Lot 2-70 INM(FIL

FOURS - HOTTES

Ne vous souciez pas des éclaboussures

Des débordements? Des éclaboussures? Ne vous en faites pas. L'intérieur **EasyClean™** de LG résiste aux taches et aux accumulations, pour que le nettoyage du micro-ondes ne devienne pas une corvée. Vous n'avez qu'à essuyer avec un linge humide. Pas de produits chimiques, pas de récurage, pas de problèmes.

De l'espace pour réchauffer


Avec une **capacité de 1,8 pi³**, vous pouvez réchauffer de grands plats pour nourrir votre famille plus rapidement.

Économisez l'énergie

La fonction **d'économie d'énergie** de LG éteint l'affichage après 5 minutes d'inactivité. Cette fonction permet d'économiser l'énergie en réduisant la consommation globale d'énergie à moins de 0,1 W.

Des repas cuits à la perfection

La **technologie de cuisson à capteur** mesure les taux d'humidité à l'intérieur du four afin d'ajuster automatiquement le temps de cuisson et la puissance, pour des plats parfaits et délicieux.



LMV18S2	
CAPACITÉ	
Capacité du four	1,8 pi³
CARACTÉRISTIQUES	
Puissance de sortie	1 000 W
Type de commande	Numérique
Affichage	Commandes Clavier DEL à 4 chiffres
Modèle de cavité	Carré
Conception extérieure	WideView™ traditionnel
CARACTÉRISTIQUES DE CUISSON	
Options de cuisson à capteur	8
Réglages de puissance	10
Économie d'énergie	•
Réchauffage	Réchauffage par capteur
Décongélation	Décongélation automatique et temps de décongélation
Touche Maïs soufflé	•
Ex On (ajoute 30 secondes)	•
Ramollir/Fondre	•
CARACTÉRISTIQUES PRATIQUES	
EasyClean™	•
Touche d'économie d'énergie	•
Type de plateau tournant	Rond
Dimensions du plateau tournant	12,5 po
Plateau tournant marche/arrêt et technologie de distribution double	•
Horloge/Minuterie de cuisine	•
Signal de fin de cuisson	•
ÉCLAIRAGE	
Éclairage de la surface de cuisson	Incandescente (1)
CARACTÉRISTIQUES DE SÉCURITÉ	
Verrouillage de sécurité	•
SYSTÈME DE VENTILATION	
Filtration	Filtre à graisse nettoyable
Vitesse (Stage)	2 vitesses (Élevé/Faible)
Type de grille du ventilateur	Ventilateur dissimulé
Circulation de l'air de ventilation (PCM)	300 PCM
MATÉRIAUX/FINITIONS	
Couleurs disponibles	Acier inoxydable (ST), Blanc (SW)
Couleur intérieure	Grp
DIMENSIONS	
Cavité (LxHxP)	21 9/16 po x 8 7/8 po x 14 1/8 po
Extérieur (LxHxP)	29 1/8 po x 16 7/8 po x 15 3/8 po
Boîte (LxHxP)	33 8/16 po x 20 9/16 po x 19 5/16 po
Poids (produit/boîte)	48,5 lb/55,1 lb
ACCESSOIRES	
Grille	•
Filtre de recirculation à charbon actif	•
CUP	
LMV18S2ST	772454 063763
LMV18S2SW	772454 063770
GARANTIE	
	1 an sur les pièces et la main-d'œuvre 5 ans sur les pièces du magnétron

La conception, les caractéristiques et les données techniques peuvent changer sans préavis.
Les poids et les mesures non métriques sont approximatifs.
Toutes les marques de commerce appartiennent à leurs propriétaires respectifs.



LG ELECTRONICS CANADA INC.
20 Norelco Drive, North York, Ontario, M9L 2X6
Tél: 647.253.6300 | LG.com
Service à la clientèle et pièces
1-888-542-2623


LOT 2-70, INNISFIL

HOME APPLIANCES

LG COOKING

LREL6321S

6.3 cu. ft. Electric Smart Range with EasyClean®



KEY FEATURES

ThinQ® & Proactive Customer Care

6.3 cu.ft Large Capacity

Two 9" Dual Elements

EasyClean®

Tinted Window

AVAILABLE COLORS




STAINLESS STEEL

SMART APPLIANCE

LG ThinQ®

Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- Preventative Alerts & Guidance
- Performance & Usage Reports



PRODUCT FEATURES

CAPACITY

Oven Capacity (cu. ft.)	6.3 cu.ft.
Storage Drawer Capacity (cu.ft.)	0.8 (No Handle)

COOKTOP

Type	Radiant
No. of Radiant Elements	5
Element Size/Wattage - Left Rear	1200 (6")
Element Size/Wattage - Right Rear	1200 (6")
Element Size/Wattage - Left Front	3200 (9") / 1400 (6") (Ultra-Heat™)
Element Size/Wattage - Right Front	3200 (9") / 1400 (6") (Ultra-Heat™)
Center (Warming Zone)	100 (7")
Hot Surface LED Indicator	Yes

OVEN FEATURES

Broil Element (Watt)	Sheath 4200 / 6 Pass
Oven Bake Element Wattage	3400
Oven Modes	Bake, Broil, Easy Clean, Keep Warm
Oven Control Features	Keypad
EasyClean®	Yes (10 min)
Oven Light	1 Light
No. of Rack Positions	7
Door Lock	Yes
Automatic Safety Shut-Down	After 12 Hours

DRAWER FEATURES

Type	Storage
------	---------

CONTROL

Cooktop Control Type	Keypad
Oven Control Type	Keypad
Display	White LED
Language	English
Clock	12 hr or 24 hr (option)
Kitchen Timer	Yes
Timed Cook	Yes
Temperature Unit of Measure	Fahrenheit / Celsius
Cooking Complete Reminder Volume	Beeper (Hi, Lo, Off)
Certified Sabbath mode	Yes

APPEARANCE

All Available Colors	Stainless Steel
Knobs	Stainless Steel
Handle	Stainless Steel
Oven Door Feature	WideView™ Window (Smog Glass)
Cooktop Trim	Black Porcelain
Wi-Fi Connectivity	Yes
ThinQ®	Yes
Works with	Google Assistant & Amazon Alexa
SmartDiagnosis™	Yes
3rd Party Recipe App	Sidechef, Innit, Drop, Tovaia
Proactive Customer Care Service	Yes

SMART FEATURES

DIMENSIONS/CLEARANCES/WEIGHTS

Shipping Weight (lbs)	198
Product Weight (lbs)	164
Cabinet Width (in)	30"
Overall Depth (in) - including handle	28 15/16"
Overall Height (in)	47 5/16"
Overall Width (in)	29 7/8"
Oven Interior Dimensions (in) (W x H x D)	24 7/8" x 21 3/8" x 20"
Height to Cooking Surface (in)	36"
Drawer Dimensions (in) (W x H x D)	22 3/16" x 4 1/2" x 16 3/8"
Carton Dimensions (in) (W x H x D)	31 1/2" x 51" x 30 17/32"

POWER/RATINGS

Amp Rating at 208V	48.6A
Amp Rating at 240V	56.3A
KW Rating at 208V	10.1kW
KW Rating at 240V	13.5kW
Required Power Supply (amp)	40A

ACCESSORIES

Standard Rack	2
Spray Bottle	Yes
Scouring Pad	Yes

LIMITED WARRANTY

Parts & Labor	1 Year
---------------	--------

UPC CODES

LREL6321S (Stainless Steel)	048231341417
-----------------------------	--------------

LOT
2-70 . INNISFIL

HOME APPLIANCES

LG REFRIGERATION

LRFNS2503V

33" French Door Refrigerator

Smart Inverter Compressor with 10 Year Warranty

Door Cooling+

Multi-Air Flow™


Smart Diagnosis™

ENERGY STAR® Qualified

AVAILABLE COLOURS



Platinum Silver Steel



CAPACITY

Refrigerator (cu.ft.)	16.9
Freezer (cu.ft.)	8.3
Total (cu.ft.)	25.1

ENERGY

Energy Consumption (kWh/Year)	353
ENERGY STAR® Qualified	Yes

COOLING

Smart Inverter Compressor	Yes
Smart Cooling™ System	Yes
Multi-Air™ Flow	Yes
Temperature Sensors	6
Door Cooling+	Yes

CONVENIENCE

Display Type	Membrane / Green LED
Temperature Controls	Electronic/Digital
Door Alarm	Yes
Auto Closing Door Hinge	Yes (Left Door Only)
Sabbath Mode	Yes
LoDecibel™ Quiet Operation	Yes

REFRIGERATOR

No. of Shelves	2 Full
Shelf Construction	Spill Protector™ Tempered Glass
Crisper Bins	2 Humidity Crispers
Refrigerator Light	Coiling LED

REFRIGERATOR DOOR

No. of Bins	6 Total
Door Bin Construction	1 Piece (White)

FREEZER

Door Type	Pull Drawer
Drawers	2-Tier Organization
DuraBase™ Solid Drawer Base	Yes
Drawer Divider	Yes
Automatic Ice Maker	No
LED Freezer Light	Yes
SmartPull Handle	No

SMARTTHING®

SmartDiagnosis™	Yes
-----------------	-----

MATERIALS & FINISHES

Contour Door	Yes
Hidden Hinges	Yes
Surface	Smooth
Smudge Resistant Exterior	No
Handles	Matching Commercial Handles
All Available Colours	Platinum Silver Steel

DIMENSIONS / CLEARANCES / WEIGHT

Depth with Handles	35 1/2"
Depth without Handles	33"
Depth without Door	29"
Depth (Total with Door Open)	51 1/2"
Height to Top of Case	68 5/8"
Height to Top of Door Hinge	68 7/8"
Width	32 3/4"
Width (Door Open 90° with Handle)	41 1/8"
Width (Door Open 90° without Handle)	36 1/4"
Door Edge Clearance with Handle	4 1/2"
Door Edge Clearance without Handle	1 3/4"
Installation Clearance	Sides 1/8", Top 1", Back 2"
Weight (Unit/Carton)	234 lbs. / 266 lbs.
Carton Dimensions (WxHxD)	35" x 73" x 38"

LIMITED WARRANTY

Parts & Labor	1 Year
Sealed System	7 Years
Smart Inverter Compressor	10 Years

UPC CODES

LRFNS2503V.APZCNA0	195174002162
--------------------	--------------

LOT
2-70, INNISFIL

HOME APPLIANCES

LG DISHWASHERS

LDFN3432T

Front Control Dishwasher



QuadWash® System

15 Place Settings

EasyRack™ Plus


Dynamic Dry™

NeveRust™ Stainless Steel Tub

LoDecibel™ Operation (50 dB)

NSF Certified

Energy Star Qualified



CAPACITY

Total Place Settings	15
Upper Rack Dish Height Limit	9.0"
Lower Rack Dish Height Limit	12.5"

RACKS AND BASKETS

Cutlery Baskets	Yes
Fold Down Tines	Yes (Half Fold on Upper & Half Fold on Lower)
BPA-Free Nylon Coated Racks and Tines	Yes
Height Adjustable Upper Rack	Yes (Manual)

STYLE AND DESIGN

Control Panel Location	Front Control
Electronic Controls	Fully Integrated Control Panel
Tub Material	NeveRust™ Stainless Steel
Handle	Pocket Handle
Available Colour	Stainless Steel

FEATURES

QuadWash®	Yes
Inverter Direct Drive Motor	Yes
LoDecibel™ Quiet Operation	50dBA
Number of Wash Cycles	5 (Auto, Heavy, Normal, Turbo, Machine Clean)
Number of Options	6 (Flex Zone, High Temp, Extra Dry, Delay Start, Control Lock, Night Dry)
Number of Spray Arms	3 (Top, Upper, Lower)
SenseClean™ Wash System	Yes
Vario Wash	Yes
Detergent and Rinse-Aid Dispenser	Yes
Drying System	Dynamic Dry
End of Cycle Indicator	Yes (Beeper + END indication on display)
Hidden Water Heater	Yes
Safety Float Switch (Leaks)	Yes
Soil (Turbidity) Sensor	Yes
Tub Insulation (Damping Sheet, Sound Absorbing Material (felt), Base)	Yes
BPA-Free Nylon Coated Racks and Tines	Yes
Anti-Bacterial Treatment (Sump, Inner / Outer filter, Drain pump case, Drain hose)	Yes
Balanced Door	Yes
3-Stage Filtration System	Yes

CERTIFICATIONS

NSF® Certified	Yes
----------------	-----

POWER SOURCE

ENERGY STAR® Qualified	Yes
CEE Tier	1
Energy Use (kWh/Year)	258 kWh/Year
Water Factor (WF)	2.9

DIMENSIONS / CLEARANCES / WEIGHT

Product Dimensions (in) (W x H x D)	23 3/4" x 33 5/8" x 24 5/8"
Product Weight (lbs)	75 lbs
Depth with Door Closed with Handle (in)	24 5/8"
Depth with Door Open (in)	49 1/4"
Carton Dimensions (in) (W x H x D)	28" x 34 7/8" x 29 5/8"
Shipping Weight with Carton (lbs)	88.2 lbs

LIMITED WARRANTY

Labour	1 Year
Parts	1 Year
Control Board and Rack Parts	5 Years
Direct Drive Motor	10 Years
Stainless Steel Door Liner or Tub	5 Years

UPC CODES

LDFN3432T (Stainless Steel)	772454073908
-----------------------------	--------------

LOT 2-7D 11MMSFL

HOME APPLIANCES

LG LAUNDRY

WM3600HWA

5.2 cu. ft. Capacity Front Load Washer

AI DD™

Steam Technology

ENERGY STAR® Qualified

SmartDiagnosis™

Touch Control Panel

ThinQ™ Technology (Wi-Fi Enabled)

Enjoy new ways to control your home with LG smart appliances

LG ThinQ™ • Start the laundry while you're out shopping
• Get alerts when the cycle is finished
• Works with the LG ThinQ® app

works with the Google Assistant

works with alexa

CAPACITY

Capacity (cu.ft.) 5.2

APPEARANCE

Design Look Front Control

Intelligent Electronic Controls with LED Display

Touch Buttons

Dial-A-Cycle™

ENERGY

ENERGY STAR® Qualified

CEE Tier 2

DRYING PROGRAMS

No. of Programs - 10 Normal, Heavy Duty, Bedding, Allergiene™, Tub Clean, Perm. Press, Delicates, Speed Wash, Rinse + Spin, Downloaded

No. of Options - 10 Steam, Delay Wash, Pre-wash, Extra Rinse, Cold Wash, Wi-Fi, Remote Start, Spin Only, Control Lock, Signal

Temperature Settings 5 Extra Hot, Hot, Warm, Cold, Tap Cold

Spin Speeds 5 Extra High, High, Medium, Low, No Spin

Water Levels Load Sensing

Soil Levels 3

FABRIC CARE FEATURES

AI DD™

Steam Technology

Allergiene™ Cycle

ColdWash™ Option

CONVENIENCE FEATURES

4 Tray Dispenser Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener

TrueBalance™ Anti-Vibration System

Load Sense

Control Lock

Auto Suds Removal

Leveling Legs 4 Adjustable Legs

ThinQ® TECHNOLOGY

SmartDiagnosis™ (v3.0)

Wi-Fi

Remote Start and Cycle Monitor

Energy Monitoring

Tub Clean Coach



MOTOR

Motor Type Inverter Direct Drive Motor

Motor Speed Variable

Max RPM 1,300

Axis Horizontal

MATERIALS AND FINISHES

NeveRust™ Stainless Steel Drum

Cabinet PCM

Control Panel Plastic

Top Plate Painted

Door Cover Tempered Glass Door

Door / Rim Glass / White

All Available Colours White (W)

POWER SOURCE

Ratings UL Listed

Electrical Requirements 120V, 10 Amps

Type Electric

OPTIONS

Pedestal WDP4W 27" x 14 1/8" x 30 3/4"

SideKick™ Pedestal Washer WD100CW 27" x 14 1/8" x 30 3/4"

Stacking Kit KSTK1

DIMENSIONS

Product (WxHxD) 27" x 39" x 30 1/4"

Carton (WxHxD) 29 23/32" x 42 27/32" x 31 17/32"

Weight (Product/Carton) 198.4 lbs / 212.1 lbs

LIMITED WARRANTY

1 Year Parts and Labour, 3 Years on Drum,

10 Years on Direct Drive Motor

UPC CODES

WM3600HWA 048231028264

DLE3600W 772454073305

DLG3601W 772454073342

WD100CW 048231015172

WDP4W 048231011211

KSTK1 772454059896

LOT 2-70, INNISFIL

HOME APPLIANCES

LG LAUNDRY

DLE3600W/DLG3601W

7.4 cu.ft. Capacity Electric/Gas Dryer

AI Sensor Dry™


Aluminized Alloy Steel Drum

Touch Control Panel

ENERGY STAR® Qualified

ThinQ Technology (Wi-Fi Enabled)

FlowSense™ Duct Clogging Indicator




SMART APPLIANCE

LG ThinQ™

Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG ThinQ® app



CAPACITY

Capacity (cu ft.)	7.4
-------------------	-----

APPEARANCE

Design Look	Front Control
Intelligent Electronic Controls with LED Display	•
Touch Buttons	•
Dial-A-Cycle™	•

ENERGY

ENERGY STAR® Qualified	•
------------------------	---

DRYING PROGRAMS

No. of Programs - 10	Normal, Heavy Duty, Bedding, Small Load, Perm Press, Delicates, Towels, Speed Dry (Manual Dry), Air Dry (Manual Dry), Downloaded
----------------------	--

No. of Options - 9	More Time, Less Time, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, Remote Start, Signal
--------------------	--

Temperature Settings	5 High, Mid High, Medium, Low, Ultra Low
----------------------	---

Drying Levels	5 Very, More, Normal, Less, Damp
---------------	-------------------------------------

Manual Dry Times	60 min, 50 min, 40 min, 30 min, 20 min, More Time/Less Time
------------------	---

FABRIC CARE FEATURES

AI Sensor Dry™	•
Precise Temperature Control and Variable Heater	•

CONVENIENCE FEATURES

3 Minute Installation Check	•
LoDecibel™ Quiet Operation	•
End of Cycle Signal	•
Reversible Door	•
FlowSense™ Duct Clogging Indicator	•
Wrinkle Care Option	•
Control Lock	•
Venting Option	Electric 4 Way Venting Gas 3 Way Venting
Leveling Legs	4 Adjustable Legs
Remaining Time Display/Status Indicator(s)	•

ThinQ® TECHNOLOGY

SmartDiagnosis™ (v3.0)	•
Wi-Fi	•
Remote Start and Cycle Monitor	•
Energy Monitoring	•

MATERIALS AND FINISHES

Aluminized Alloy Steel Drum	•
Cabinet	Painted Steel
Control Panel	Plastic
Door	Tempered Glass
All Available Colours	White (W)

POWER SOURCE

Ratings	CSA Listed
Electrical Requirements	Electric 240V, 30 Amps Gas 120V, 15 Amps
Type	Electric / Gas
BTU Rating	10,000 Btu

OPTIONS

Pedestal	WD94W
Pedestal (WxHxD)	27" x 14 1/8" x 30 3/4"
Stacking Kit	KSTK1

DIMENSIONS

Product (WxHxD)	27" x 39" x 30 1/8" 51 3/8" (With door open)
Carton (WxHxD)	29 1/2" x 42 1/4" x 31 1/4"
Weight (Product/Carton)	Electric - 121.9 lbs / 140.2 lbs Gas - 126.03 lbs / 151.7 lbs

LIMITED WARRANTY

1 Year Parts and Labour, 3 Years on Drum

UPC CODES

WM3500HWA	048231028264
DLE3600W	772454073335
DLG3601W	772454073342
WD94W	048231011211
KSTK1	772454059896