# Samsung Linear Wash 39 dBA Dishwasher

LOT 2-67, DISHWASHER



## Signature Features

#### **Linear Wash System**

• AquaBlast™ jets provide corner to corner coverage for superior cleaning.

### Whisper Quiet Cleaning

• Less noise and less disturbance with virtually silent wash cycles at 39 dBA.

#### AutoRelease™ Door

• At the end of a cycle, the door automatically opens to circulate air and improve drying performance.

### **Available Colors**



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant Tuscan Stainless Steel



Linear Wash System



AutoRelease™ Door

#### **Features**

- Flexible 3rd Rack
- Fingerprint Resistant Stainless Finish
- Zone Booster<sup>™</sup>
- Touch Control
- Quiet Operation: 39 dBA
- Wi-Fi Connectivity
- 7 Wash Cycles
- 8 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- One-Touch Adjustable Racking System
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)

### Convenience

- LED Time Display
- Control Lock
- Delay Start
- Digital Leak Sensor

# **Rating**


ENERGY STAR®-rated: 239 kWh/yr

# **SAMSUNG**

# Samsung Linear Wash 39 dBA Dishwasher


LOT 2-67, DISHWASHER


# **Installation Specifications**



# **Dimensions**

Side View Rear View





#### **Features**

- 7 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only, Self Clean
- 8 Options: Half-Load Wash (Lower Rack), Zone Booster™ (Left), Speed Booster, Hi-Temp Wash, Sanitize (Anti-bacterial – NSF), Delay Start, Control Lock, Smart Control (Wi-Fi App)
- AutoRelease<sup>™</sup> Door
- Hidden Heat Element
- Stainless Steel Interior Tub

#### Convenience

- Control Lock
- Digital Water Leakage Sensor
- Flexible Third Rack
- One-Touch Adjustable Racking System
- Silverware Basket
- Upper Rack: Foldable Cup Shelves, 2 Adjustable Tines
- Lower Rack: Fold-Down Tines

#### Warranty

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

#### Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable): 23<sup>7</sup>/<sub>8</sub>" x 33<sup>7</sup>/<sub>8</sub>" - 35" x 25"

Weight: 95 lbs

### Shipping Dimensions & Weight (WxHxD)

Dimensions: 26" x 34<sup>3</sup>/<sub>4</sub>" x 29<sup>3</sup>/<sub>4</sub>"

Weight: 101 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	DW80R9950US	887276296647
Fingerprint Resistant Black Stainless Steel	DW80R9950UG	887276296623
Fingerprint Resistant Tuscan Stainless Steel	DW80R9950UT	887276320137

36" Gas Cooktop

LOT 2-67, COOK TOP



## Signature Features

#### 22K True Dual-Power Burner

 Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

# Analog Controls with Digital Wi-Fi and Bluetooth® Technology

• The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

#### Cast Iron Griddle

• Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

## **Available Colors**



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

#### **Features**

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
  - Right Front: 13K BTU
  - Left Front: 9.5K BTU
  - Right Rear: 5K BTU
  - Left Rear: 9.5K BTU
  - Center: True Dual, 22K BTU (Brass)

- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

## Convenience

- Wok Grate
- LP Conversion Kit





LOT 2-67, COOKTOP


# 36" Gas Cooktop

## **Installation Requirements**

Countertop cut-out and minimum clearance dimensions:







### Total Power (BTU)

## **Power Source**

120V / 60 Hz / 1A

## Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

#### Warranty

One (1) Year All Parts and Labor

## Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x  $5^{41}/_{72}$ " x  $22^{1}/_{3}$ "

Cooktop Cut-Out Dimensions:

 $33^{7}/_{8}$ " x  $3^{1}/_{8}$ " x  $19^{1}/_{8}$ "

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant

Black Stainless Steel)

# Shipping Dimensions & Weight (WxHxD)

Dimensions:  $40^{9}/_{16}$ " x  $10^{5}/_{8}$ " x  $25^{5}/_{8}$ "


Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant

Black Stainless Steel)


Color	Model #	UPC Code
Stainless Steel	NA36N7755TS	887276281766
Fingerprint Resistant		

Black Stainless Steel NA36N7755TG 887276281759

# Installing Over a Single Oven



# **Cooktop Dimensions**



# 30" Microwave Combination Wall Oven

LOT 2-67 WALL OVEN



## Signature Features

#### Steam Cook (Oven)

• Delivers moisture at precise times for a crisp, browned outside and tender inside.

#### Speed Cook (Microwave)

• Cook food faster and more evenly by using power convection.

## Flex Duo™ (Oven)

• Cook two dishes at different temperatures simultaneously with the Smart Divider.

# **Available Colors**



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

#### **Features**

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)

- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

## Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

# NQ70M7770DS

# SAMSUNG


# 30" Microwave Combination Wall Oven

#### LOT 2-67 WALL OVEN


# **Cabinet Dimensions**

Combination Oven Installed in Cabinet

- \* Junction Box
- \*\*Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



## **Product Dimensions**



## Total Capacity: 1.9/5.1 cu. ft.

• Microwave: 1.9 cu. ft.

• Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.

Hidden Bake ElementBake: 175°F-550°F

Convection Bake: 175°F–550°FConvection Roast: 175°F–550°F

• Broil: Low-High

Steam Bake: 230°F-550°FSteam Roast: 230°F-550°F

ProofingSabbath Mode

## Warranty

One (1) Year All Parts and Labor Ten (10) Years Parts Warranty for Magnetron

## Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:  $29^{7}/_{8}$ " x  $43^{1}/_{4}$ " x  $25^{11}/_{16}$ "

Combination Oven Cut-Out Dimensions:  $28\frac{1}{2}$ " x  $42\frac{1}{4}$ " x  $23\frac{1}{2}$ "

Weight: 119 lbs.

# Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $33^{5}/_{8}$ " x  $48^{3}/_{16}$ " x  $29^{51}/_{64}$ "

Weight: 132.5 lbs.

Color	Model #	<b>UPC Code</b>
Stainless Steel	NQ70M7770DS	887276195186
Black Stainless Steel	NQ70M7770DG	887276195162

RATING	
240V	9.5 kW
208V	7.2 kW
BREAKER SIZE	
240V	40 Amps
208V	40 Amps

# **RF23A9671SR**

# SAMSUNG

# 4-Door Flex Counter-Depth Refrigerator with Beverage Center and Dual Auto Ice Maker 22.8 cu. ft.

LOT 2-67, FRIDGE



# Signature Features

#### Beverage Center™

Consists of a BPA Free<sup>1</sup> Autofill Water Pitcher that fills up automatically and a regular Water Dispenser for easy access to a glass of cold, flavoured water.

#### **Dual Auto Ice Maker**

Be prepared for any occasion with two different types of ice. The Dual auto ice maker makes both cubed ice and ice bites.

#### **UV Deodorizing Filter**

New built-in deodorizing filter reduces unpleasant odours caused by bacteria in your fridge. And the UV light in the filter system keeps the filter clean all the time.

#### Flexible Storage

Keep your food fresh in the right places. The FlexZone™ is an independently controlled compartment with five different temperature modes: Freeze, Soft Freeze, Meat/Fish, Fruit/Veggies and Beverage. You can also store meat or fish in the Flex Crisper and fruits and vegetables in the Crisper.

#### Triple + Metal Cooling

Ensure food stays moist and fresh for longer.<sup>2</sup> Triple Cooling system optimizes the temperature and humidity in the fridge and freezer with independent cooling. It preserves food better and protects its flavour by preventing odours from mixing. Precise Cooling system minimizes temperature fluctuation and the Metal Cooling plate efficiently reserves cool air inside the fridge.

### **Available Colours**



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Beverage Center™ with AutoFill™ Water Pitcher



Dual Ice Maker with Cubed Ice and IceBites™



Triple + Metal Cooling

#### **Features**

- 36" Wide
- Large Storage Capacity 22.8 cu. ft.
- Triple Cooling + Metal Cooling™
- FlexZone™
- FlexCrisper™
- UV Deodorizing Filter
- Tempered Glass Spill-Proof Shelves
- Fingerprint Resistant Finish

#### Convenience

- Beverage Center
- Autofill Pitcher
- Water Dispenser
- Dual Auto Ice Maker
- Door Alarm
- Wi-Fi Connectivity

### Rating



- ENERGY STAR® Rated
- Energy Consumption (annual) = 634 kWh/yr

<sup>&</sup>lt;sup>1</sup> Does not contain the chemical Bisphenol A.

 $<sup>^{\</sup>rm 2}\,\text{As}$  compared to Samsung fridge without Triple Cooling System.

# **RF23A9671SR**

# **SAMSUNG**


# 4-Door Flex Counter-Depth Refrigerator with Beverage Center and Dual Auto Ice Maker 22.8 cu. ft.

## **Installation Specifications**


- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 11<sup>1</sup>/<sub>8</sub>" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 2" minimum clearance at rear for proper air circulation and water/ electrical connections. Allow a <sup>3</sup>/<sub>8</sub>" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



#### **Dimensions**



Total Capacity: 22.8 cu. ft.

LOT 2-67, FRIDGE

### Refrigerator: 14 cu. ft.

Left Door Beverage Center

- Autofill Water Pitcher
- Water Dispenser

Triple Cooling and Metal Cooling

2 Crispers (Flex Crisper<sup>™</sup>, Crisper+)

4 Tempered Glass Shelves

6 Door Bins

UV Deodorizing Filter

#### Freezer: 8.8 cu. ft.

Right Freezer:

FlexZone™

- -15°C to -23°C (Freeze)
- -5°C (Soft Freeze)
- -1°C (Meat · Fish)
- 2°C (Fruits · Veggies)
- 5°C (Chill)

2 Slide-out shelves

1 Drawer Bin

Left Freezer:

Auto Dual Ice Maker (Cubed Ice, IceBites™)

- 2 Slide-out shelves
- 1 Drawer Bin

Volt/Amps	115V / 60Hz / 3.5A
Power Cord Length	2 meters

#### Warranty

One (1) Year Parts and Labour on Refrigerator Ten (10) Years Parts on Digital Inverter Compressor

#### Product Dimensions & Weight (WxHxD)

Dimensions (WxHxD with hinges, handles and doors):  $35^{7/8}$ " x  $71^{7/8}$ " x  $28^{1/2}$ "

Dimensions (WxHxD without hinges and door):

35 <sup>7</sup>/8" x 70 <sup>3</sup>/<sub>4</sub>" x 24"

Dimensions (WxHxD with hinge and door, no handle):

35 <sup>7</sup>/<sub>8</sub>" x 71 <sup>7</sup>/<sub>8</sub>" x 28 <sup>1</sup>/<sub>2</sub>" Weight: 313.1 lbs (142 kg)

#### Shipping Dimensions & Weight (WxHxD)

Dimensions:  $38^{1}/4$ " x  $78^{5}/8$ " x  $30^{3}/5$ "

Weight: 335.1 lbs (152 kg)

Colour	Model #	<b>UPC Code</b>
Stainless Steel	RF23A9671SR	887276525631
(Counter-Depth)		
Black Stainless Steel	RF23A9671SG	887276525617
(Counter-Depth)		
Stainless Steel	RF29A9671SR	887276525754
Black Stainless Steel	RF29A9671SG	887276525747

# NK36K7000WS

# 36" Range Hood





Black Stainless Steel

#### **Features**

- 600 CFM Ventilation System
- 4 Fan Speeds including Booster
- Wall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting

#### Convenience

LED Lighting



### **Signature Features**

#### **Bluetooth Connected Hood**

 Automatically sync the fans and the lights with the burners through Bluetooth.<sup>1</sup>

<sup>1</sup>Only on select Samsung cooktops.

### **Baffle Filter**

 Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

#### **WiFi Monitoring**

 Control the connected hood vent and LED lights remotely from your smartphone.<sup>2</sup>


 $^2 \mbox{Only}$  when synced with select Samsung cooktops. Available on android and IOS. WiFi connection required.

# NK36K7000WS

# 36" Range Hood

### **Venting Methods**

Roof Venting
Roof Cap
6" Dia.
Vent



#### **Total Power**

**220 W** 

#### **Power Source**

■ 120 V/60 Hz

#### **Range Hood**

- 36," Stainless Steel Chimney Hood
- Vent Fan: 600 CFM
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- Hood Connectivity Control
- Bluetooth On/Off Control
- Mobile Monitoring: Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting


#### Warranty

One (1) Year All Parts and Labour

#### **Dimensions and Clearance**

Refer to installation manual for more details.

\*\* For Vented Installation



COLOUR	MODEL#	UPC CODE
Stainless Steel	NK36K7000WS	887276182988
Black Stainless	NK36K7000WG	887276182971



