RF23A9771SR LOT 5-54, INNISFIL, APPLIANCES SAMSUNG

22.5 cu. ft. Smart Counter Depth 4-Door Flex™ Refrigerator featuring Family Hub™ with Beverage Center and Dual Ice Maker



6 Simple Truths

What's for dinner?

Food recognition lets you know what's inside your fridge, quickly plan weekly meals, search for recipes, shop for missing ingredients and preheat your oven, all from the Family Hub™.

I love entertaining friends and family.

Stream your favorite music apps on the Family Hub™ through a premium speaker.

I don't want to miss my favorite show.

Mirror shows, movies, or live sports from your Samsung TV or smartphone on the Family Hub^{M} .

I love getting more done.

Get a notification on the Family Hub™ when the laundry is done.

I want to manage my life with ease.

See who's at the front door, monitor multiple rooms and adjust the thermostat, all from the Family Hub™.

It's the little moments that matter.

Upload pictures or videos remotely, leave handwritten notes and set calendar reminders, all on your Family Hub™.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Beverage Center



Dual Ice Maker with Ice Bites

Design

- Beverage Center
- Modern Design
- Built-in Look

Technology

- Family Hub[™]
- Dual Ice Maker with Ice Bites and Cubed Ice
- UV Deodorizing Filter

Performance

- FlexZone[™]
- Flex Crisper
- Triple Cooling

Rating






22.5 cu. ft. Smart Counter Depth 4-Door Flex™ Refrigerator featuring Family Hub™ with Beverage Center and Dual Ice Maker

Installation Specifications


- 1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at samsung.com.



Dimensions



Total Capacity: 22.5 cu. ft.

Refrigerator: 13.7 cu. ft.

- 4 Tempered Glass Spill-Proof Shelves
- 2 Clear Drawers: Flex Crisper and Crisper+
- 6 Door Bins

Right: 1 Gallon Bin, 2 Regular Bins Left: 1 Gallon Bin, 2 Regular Bins

• LED Lighting

Freezer: 8.8 cu. ft.

- Dual Ice Maker in Freezer (Ice Bites or Cubed Ice) 2 Ice Buckets with Cover and 1 Scoop
- 3 Slide-Out Shelves
- 6 Door Bins
- LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator Five (5) Years Parts and Labor on

Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges and doors):

 $35^{7}/_{8}$ " x $71^{7}/_{8}$ " x $28^{1}/_{2}$ "

Dimensions (WxHxD without hinges and doors):

 $35^{7}/_{8}$ " x $70^{3}/_{4}$ " x 24" Weight: 337.3 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $38^{1}/_{4}$ " x $77^{5}/_{8}$ " x $30^{3}/_{5}$ "

Weight: 359.3 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF23A9771SR	887276525792
Fingerprint Resistant Black Stainless Steel	RF23A9771SG	887276524818

36" Gas Cooktop

LOT 5-54, INNISFIL, APPLIANCES



Signature Features

22K True Dual-Power Burner

 Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

• The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

• Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
 - Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: True Dual, 22K BTU (Brass)

- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

Convenience

- Wok Grate
- LP Conversion Kit




NA36N7755TS


36" Gas Cooktop


LOT 5-54, INNISFIL, APPLIANCES

Installation Requirements

Countertop cut-out and minimum clearance dimensions:







Total Power (BTU)

59k

Power Source

120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x $5^{41}/_{72}$ " x $22^{1}/_{3}$ "

Cooktop Cut-Out Dimensions:

 $33^{7}/_{8}$ " x $3^{1}/_{8}$ " x $19^{1}/_{8}$ "

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant

Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions: 40⁹/₁₆" x 10⁵/₈" x 25⁵/₈"

Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant


Black Stainless Steel)

Color	Model #	UPC Code
Stainless Steel	NA36N7755TS	887276281766
F:		


Fingerprint Resistant

Black Stainless Steel NA36N7755TG 887276281759

Installing Over a Single Oven



Cooktop Dimensions



30" Microwave Combination Wall Oven



Signature Features

Steam Cook (Oven)

• Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

• Cook food faster and more evenly by using power convection.

Flex Duo[™] (Oven)

• Cook two dishes at different temperatures simultaneously with the Smart Divider.

Available Colors



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

Features

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)
- Soft-Close Door (Oven)

- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

Convenience


- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

30" Microwave Combination Wall Oven


Cabinet Dimensions

Combination Oven Installed in Cabinet

- *Junction Box
- **Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



Total Capacity: 1.9/5.1 cu. ft.

• Microwave: 1.9 cu. ft.

• Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.

• Hidden Bake Element • Bake: 175°F-550°F

• Convection Bake: 175°F-550°F • Convection Roast: 175°F-550°F

• Broil: Low-High

• Steam Bake: 230°F-550°F • Steam Roast: 230°F-550°F

 Proofing • Sabbath Mode

Warranty

One (1) Year All Parts and Labor Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions: $29^{7}/_{8}$ " x $43^{1}/_{4}$ " x $25^{11}/_{16}$ "

Combination Oven Cut-Out Dimensions: $28^{1}/_{2}$ " x $42^{1}/_{4}$ " x $23^{1}/_{2}$ "

Weight: 262.4 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $33^{5}/_{8}$ " x $48^{3}/_{16}$ " x $29^{51}/_{64}$ "

Weight: 291.1 lbs.

Color	Model #	UPC Code
Stainless Steel	NQ70M7770DS	887276195186
Black Stainless Steel	NQ70M7770DG	887276195162

RATING		
240V	9.5 kW	
208V	7.2 kW	
BREAKER SIZE		
240V	40 Amps	
208V	40 Amps	

LOT 5-54, INNISFIL, APPLIANCES

Samsung StormWash™ 48 dBA Dishwasher



Signature Features

StormWash™

• A heavy-duty wash gets the messiest pots and pans thoroughly clean without pre-washing.

Whisper Quiet Cleaning

• Less noise and less disturbance with silent wash cycles at 48 dBA.

AutoRelease™ Door

• At the end of the cycle, the door automatically opens to circulate air and improve drying performance.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant Tuscan Stainless Steel



StormWash™



AutoRelease™ Door

Features

- 3rd Rack
- Fingerprint Resistant Stainless Finish
- One-Touch Adjustable Racking System
- Digital Touch Control
- Sanitize Cycle
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- ENERGY STAR® rated

Convenience

- Control Lock
- Delay Start
- Digital Leak Sensor

Rating


ENERGY STAR®-rated: 265 kWh/yr

SAMSUNG


LOT 5-54, INNISFIL, APPLIANCES

Samsung StormWash™ 48 dBA Dishwasher

Installation Specifications



Dimensions



Features

- 6 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only
- 6 Options: Half-Load Wash (Lower Rack), StormWash™, Hi-Temp Wash, Sanitize (Anti-bacterial - NSF), Delay Start, Control Lock
- AutoRelease[™] Door
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor
- 3rd Rack
- One-Touch Adjustable Racking System
- Silverware Basket
- Upper Rack: Foldable Cup Shelves, 2 Adjustable Tines
- Lower Rack: Removable Plate Support

Warranty

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):

 $23^{7}/_{8}$ " x $33^{7}/_{8}$ " – 35" x $24^{3}/_{4}$ "

Weight: 95 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 26" x 35" x 29¹/₂"

Weight: 106 lbs		
Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	DW80R5061US	887276338729
Fingerprint Resistant Black Stainless Steel	DW80R5061UG	887276338712
 Fingerprint Resistant Tuscan Stainless Steel	DW80R5061UT	887276338736

WV60M9900AV

SAMSUNG

LOT 5-54, INNISFIL, APPLIANCES

Samsung FlexWash™ Washer

6.9 cu. ft. Total Capacity IEC



Signature Features

FlexWash™

 Two washers in one lets you wash separate loads at the same time.

6.9 cu. ft. Total Capacity

• 5.8 + 1.1 cu. ft. upper and lower washers mean fewer washes, less time in the laundry room.

Super Speed (Lower Washer)

- Wash a full load in as little as 30 minutes 45% faster.*
- * Normal 59-minute wash can now be completed in as little as up to 30 minutes as compared to WF42H5200 washer without Super Speed. Based on DOE standard's average of 7.5 loads per week.

PowerFoam™

• Deep cleans and helps to eliminate detergent stains.

Available Colours



Black Stainless Steel (shown)



FlexWash™



5.8 cu. ft. + 1.1 cu. ft. Capacity

Lower Wash Features

- Super Speed
- Wi-Fi Connectivity
- PowerFoam™
- Steam Wash
- VRT Plus™ Technology
- Self Clean+
- Smart Care
- Swirl Drum Design

• Touch Controls

- 1300 RPM Maximum Spin Speed
- Direct Drive Motor
- Child Lock
- Door Lock
- Drum Light
- Dispenser Trays: Main Wash, Softener, Bleach

Rating



ENERGY STAR® - rated CEE Tier 3

IMEF = 2.92

IWF = 2.90

105 kWh/yr

Upper Wash Features

- VRT™ Vibration Reduction Technology
- Wi-Fi Connectivity
- Self Clean
- Smart Care
- 800 RPM Maximum Spin Speed
- Stainless Steel Tub
- Direct Drive Motor
- Touch Controls

Convenience

- Child Lock
- Door Lock
- Dispenser Trays: Softener, Bleach

WV60M9900AV

SAMSUNG

Samsung FlexWash™ Washer

6.9 cu. ft. Total Capacity IEC


LOT 5-54, INNISFIL, APPLIANCES


Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch.2 Your washer alone does not require a specific air opening.


Alcove or closet installation

Minimum Clearance for Closet and Alcove Installations:





Dimensions



5.8 cu. ft. Capacity Lower Washer

12 Preset Wash Cycles:

Eco Cold, Normal, Heavy Duty, Permanent Press, Sanitize, Towels, Bedding, Whites, Active Wear, Delicates, Quick Wash, Rinse + Spin

11 Options:

Super Speed, Steam, Self Clean+, Delay End, Pre Soak, Spin Only, Smart Control, Smart Care, Drum Light, Child Lock, Sound

5 Temperature Settings:

Extra Hot, Hot, Warm, Cool, Cold

5 Spin Settings:

Extra High, High, Medium, Low, No Spin

5 Soil Settings:

Extra Heavy, Heavy, Normal, Light, Extra Light

Dispenser Trays:

Main Wash, Softener, Bleach

1.1 cu. ft. Capacity Upper Washer

5 Preset Wash Cycles:

Normal, Active Wear, Delicates, Rinse + Spin, Spin Only

7 Options:

Cold/Warm Water Temp, Extra Rinse, Self Clean, Smart Control, Sound, Child Lock, Smart Care

Dispenser Trays:

Softener, Bleach

Warranty

One (1) Year Parts and Labour Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 46 $^{15}/_{16}$ " x 34"

Weight: 308 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 9/16" x 52" x 34"

Weight: 319 lbs

Colour Model # UPC Code
Black Stainless Steel WV60M9900AV 887276196947

Matching Dryer (Electric)

Black Stainless Steel DVE60M9900V 887276197562

Samsung FlexDry™ Dryer

7.5 cu. ft. Capacity DOE

LOT 5-54, INNISFIL, APPLIANCES



Signature Features

FlexDry™

• Two dryers in one lets you dry delicates and everyday garments at the same time.

Delicate Dryer

• Flat dry delicates, sweaters, and accessories to prevent items from shrinking and fabric damage.

Multi-Steam Technology

• Steam away wrinkles, odors, bacteria, and static.

Available Colors



Black Stainless Steel (shown)



White



FlexDry[™] with Delicate Dryer



Multi-Steam Technology

Tumble Dryer Features

- Steam
- Vent Sensor
- Wi-Fi Connectivity
- Eco Dry
- Sensor Dry
- Smart Care
- Touch Controls
- Stainless Steel Drum
- 12 Preset Dry Cycles

- 11 Options
- 5 Temperature Settings
- Interior Drum Light
- Ice Blue LED Display

Convenience

- Child Lock
- Filter Check Indicator
- Door Lock

Delicate Dryer Features

- Wi-Fi Connectivity
- Smart Care
- Drying Rack
- 4 Preset Dry Cycles
- 7 Options

Convenience

• Child Lock

DVE60M9900V

SAMSUNG

LOT 5-54, INNISFIL, APPLIANCES

Samsung FlexDry™ Dryer


7.5 cu. ft. Capacity DOE


Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch.² Your washer alone does not require a specific air opening.

Alcove or closet installation


Minimum Clearance for Closet and Alcove Installations:







*Required spacing (External exhaust elbow may require additional space.)

Installation with pedestal







4-Way Venting

Tumble Dryer

12 Preset Dry Cycles:

Refresh, Wrinkle Away, Steam Sanitize, Normal, Heavy Duty, Towels, Permanent Press, Active Wear, Bedding, Delicates, Time Dry, Air Fluff

11 Options:

Eco Dry, Adjust Time (up), Adjust Time (down), Anti Static, Mixed Load Bell, Smart Control, Smart Care, Drum Light, Child Lock, Sound, Wrinkle Prevent

5 Temperature Settings:

High, Medium, Medium Low, Low, Extra Low

5 Dry Levels:

Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Delicate Dryer

4 Preset Dry Cycles:

Wool, Shirt/Blouse, Undergarment, Accessory

7 Options:

Time+, Super Speed, Air Dry, Smart Control, Smart Care, Child Lock, Sound

Warranty

One (1) All Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x $46^{15}/_{16}$ " x $32^{1}/_{2}$ "

Weight: 165 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29^{9}/_{16}$ " x $50^{1}/_{4}$ " x $34^{11}/_{16}$ "

Weight: 173.8 lbs

Electric Black Stainless Steel White	Model # DVE60M9900V DVE60M9900W	UPC Code 887276197562 887276197586
Gas Black Stainless Steel White	DVG60M9900V DVG60M9900W	887276197616 887276197623
Matching Washer Black Stainless Steel White	WV60M9900AV WV60M9900AW	887276196947 887276196954

NK36K7000WS/A2

SAMSUNG

36" Range Hood

LOT 5-54, INNISFIL, APPLIANCES



Signature Features

Bluetooth® Connected Hood

• Automatically sync the fans and the lights with the cooktop through Bluetooth.1 ¹Only on select Samsung cooktops.

Baffle Filter

• Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

Powerful 390 CFM² Ventilation

• Circulates air to remove odors quickly. ²600 CFM capable.

Available Colors



Stainless Steel (shown)



Black Stainless Steel



Baffle Filter



Wi-Fi Monitoring

Features

- Wi-Fi Monitoring
- ADA Compliant
- 4 Fan Speeds, Including Booster
- Wall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting & Recirculating Capablilities
- 74 dBA (10.8 sonnes) Noise Level
- Optional Recirculating Kit Available
- Optional Extension Kit Available

Convenience

• LED Lighting


NK36K7000WS/A2

SAMSUNG

36" Range Hood


LOT 5-54, INNISFIL, APPLIANCES

Venting Methods



Dimensions and Clearance

- *For Vented Installation
- **For Non-Vented Recirculating Installation



Total Power

220W

Power Source

120V / 60 Hz / 15A

Range Hood

- 36" Stainless Steel Chimney Hood
- Vent Fan: 390 CFM (600 CFM Optional)
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- 74 dBA (10.8 sonnes) Noise Level
- Hood Connectivity Control
- Bluetooth® On/Off Control
- Mobile Monitoring: Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Hood Dimensions: $36" \times 25^{7}/_{16}" \times 19^{11}/_{16}"$

Weight: 48.5 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $40^{3}/_{16}$ " x $26^{1}/_{2}$ " x $18^{1}/_{16}$ "

Weight: 60.4 lbs

Color	Model #	UPC Code
Stainless Steel	NK36K7000WS/A2	887276245287
Black Stainless Steel	NK36K7000WG/A2	887276245270

Hood Extension Kit (Optional)

NK-AE705PWS NK-AE705PWG

Recirculation Kit (Optional)

NK-AF030FNB

Charcoal Filter

NK-AR050FNB