

LOT 86 SR2 - ENSUITE SHOWER
DOOR

MAAX SUBMITTAL SPECIFICATIONS

Kleara 1-Panel 23 1/2 - 25 1/2 IN.

MODEL NUMBER 136445

DIMENSIONS: 25 1/2" x 69" Glass



Vivez l'expérience
MAAX[®]
Enjoy the experience

STANDARD FEATURES

- 1-panel, 1/4 in./6 mm, frameless pivot door for alcove shower
- Exclusive pivot hinge 2-inch (76-mm) lateral adjustment
- Clear seals keep the door watertight
- Clear sealing joint around the door, preventing water leak
- MAAX shower doors are equipped with a number of parts and systems to ensure the optimal watertight performance of your shower door!

OPTIONS

- Lifter kit for Kleara (discontinued)

UNIQUE FEATURES

- None

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



Project :
Contractor :
MAAX Representative : Tel :
Date :



see what Delta can do™

LOT 86 SR2

KITCHEN FAUCET

Grail Single Handle Pull-Down Kitchen Faucet

Model Number: 985LF-SS



Features & Benefits

- Minimalist styling and sleek lines, an impressive addition with the feel of urban space.
- Grail offers a complete suite of products for the bath and kitchen, including a full line of matching accessories.
- High-arc, pull-down spout swivels 360°
- The 59 hose provides a 23 reach.
- Lever handle makes this faucet easy to operate, especially with wet or soapy hands.
- Available in either Chrome and Brilliance Stainless finish

Smart Features


-  ADA Compliant
-  Brilliance® Finish
-  Legislation Compliant

Bristol Sinks

WWW.BRISTOLSINKS.COM

B908 "O Radius" Sink

- 0 radius 60/40 double bowl kitchen sink
- Outside dimensions: 32 x 19 x 10 x 10"
- Minimum Cabinet Size: 33"
- Stainless Steel Single Bowl Sink
- 16 Gauge Type 304 Stainless Steel
- Stone Guard undercoating over rubber pad
- 3 1/2" drain opening
- Supplied with installation clip, template and strainer
- Stainless steel Grid available
- cUPC certified





see what Delta can do™

LOT 86 SR2

MAIN & ENSUITE LAVATORY FAUCETS

Lahara Two Handle Widespread Lavatory Faucet

Model Number: 3538-MPU-DST



Features & Benefits

- Lahara, inspired by the beauty and bliss created by waves
- The elegant, one-piece curved handles and sleek spout of Lahara compliments any decor.
- Models with suffix MPU have metal drain with pop-up type fitting with plated flange and stopper.
- Features a complete suite of coordinating products: Accessories, Faucets, and showers
- Integrated water-efficient aerators provide a smart water delivery solution that maximizes water savings without sacrificing the comfort

Smart Features

-  ADA Compliant
 -  DIAMOND™ Seal Technology
 -  WaterSense® Labeled Product
 -  Water-Efficient
 -  Legislation Compliant
- This product meets EPA criteria for WaterSense.

American Standard



BARRIER FREE

LOT 86 SR2
ENSUITE ?
MAIN BATH SINKS

STUDIO™
UNDERCOUNTER SINK
VITREOUS CHINA

STUDIO UNDERCOUNTER SINK

- Vitreous china
- Rectangular undercounter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit (047194-0070A) and template (Faucet shown not included)

0614 000 Unglazed Rim

540 x 387mm (21-1/4" x 15-1/4")

Bowl size:
464mm (18-1/4") wide,
308mm (12-1/8") front to back,
171mm (6-3/4") deep

0618 000 Unglazed Rim

600 x 422mm (23-5/8" x 16-5/8")

Bowl size:
537mm (21-1/8") wide,
356mm (14") front to back,
152mm (6") deep

COMPLIANCE CERTIFICATIONS –

Meets or exceeds the following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures.
- CAN/CSA B45 Series.

To Be Specified

- ☐ Colour:
- ☐ Faucet*:
- ☐ Faucet Finish:
- ☐ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

* See faucet section for additional models available



- Countertop 864mm (34") from finished floor. Sink installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.
- MEETS THE AMERICAN DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.**

NOTES:


WE RECOMMEND USING SINK AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38mm (1-1/2") INSIDE SINK CONTOUR. FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.


▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.



These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



DETAIL OF MOUNTING CLIP (KIT No. 047194-0070A)



REFER TO INSTRUCTIONS PROVIDED WITH KIT FOR ADDITIONAL INFORMATION



FAUCET	A	B
CENTRESET	1-1/8 (29mm)	4 (102mm)
SPREAD	1-3/8 (35mm)	8 (203mm)

CAT. NO.	E	F	G	H	C	D
0614 000	540mm (21-1/4)	387mm (15-1/4)	464mm (18-1/4)	308mm (12-1/8)	114mm (4-1/2)	209mm (8-1/4)
0618 000	600mm (23-5/8)	422mm (16-5/8)	537mm (21-1/8)	356mm (14)	108mm (4-1/4)	209mm (8-1/4)



see what Delta can do™

LOT 86 SR2

ENSUITE SOAKER TUB

Lahara Roman Tub with Hand Shower Trim

Model Number: T4738



Features & Benefits

- Lahara, inspired by the beauty and bliss created by waves
- The elegant, one-piece curved handles and sleek spout of Lahara compliments any decor.
- Features a complete suite of coordinating products: Accessories, Faucets, and showers
- Available in four finishes: chrome, Brilliance Stainless, Venetian Bronze, and Aged Pewter which extend the look throughout the bath.
- Elegant metal lever handles for ease of operation
- Order rough separately

Smart Features

 ADA Compliant

Product Specifications

Valve Type: Washerless stem cartridge

Flow Rate: 18.0 gpm @ 60 psi, 68 L/min @ 414 kPa