




see what Delta can do™

LOT 2 WTR

Linden Single Handle Water-Efficient Pull-Out Kitchen Faucet

Model Number: 4353-AR-DST



Featured Accessories



Features & Benefits

- The design was inspired by a strong presence in nature like that of tree with reaching branches.
- Water-efficient product with an enhanced flow option to fill the sink, pots or vases
- Multi-Flow™ delivers both 1.5 gpm stream and spray settings for water efficiency and 2.0 gpm stream setting for high performance
- Optional 10 1/2 escutcheon included
- 59 long hose
- 10 long, 8 high spout

Smart Features

- ADA Compliant
- DIAMOND™ Seal Technology
- With Volume Control
- Water-Efficient
- Legislation Compliant
- Multi-Flow™



see what Delta can do™

LOT 2 WTR..
POWDER, MAIN & ENSUITE

Lahara Two Handle Centerset Lavatory Faucet

Model Number: 2538-SSMPU-DST



Features & Benefits

- Lahara, inspired by the beauty and bliss created by waves
- The elegant, one-piece curved handles and sleek spout of Lahara compliments any decor.
- Fits 2 1/4 max. deck thickness
- Two handle design for precise temperature control
- DIAMOND Valve
- Metal pop-up drain included

Smart Features

-  ADA Compliant
-  DIAMOND™ Seal Technology
-  WaterSense® Labeled Product
-  Water-Efficient
-  Brilliance® Finish
-  Legislation Compliant

This product meets EPA criteria for WaterSense.



see what Delta can do™

LOT 2 WTK
MAIN

Lahara Monitor® 14 Series Tub and Shower Trim

Model Number: T14438-SSH2O



Features & Benefits

- Lahara, inspired by the beauty and bliss created by waves
- The elegant, one-piece curved handles and sleek spout of Lahara complements any decor.
- Features water-efficient H2Okinetic™ shower head
- Features a complete suite of coordinating products: Accessories, Faucets, and showers
- Monitor® Scald-Guard® valve keeps water temperature within +/-3 degree F.
- For use with MultiChoice Universal rough valve body. Solid brass construction ensures quality and reliability.

Smart Features

-  ADA Compliant
-  H₂Okinetic Technology®
-  WaterSense® Labeled Product
-  MultiChoice® Universal Valve Monitor
-  Water-Efficient

This product meets EPA criteria for WaterSense.

Product Specifications

Flow Rate: 1.5 gpm @ 80 psi, 5.7 L/min @ 550 kPa

Spray Settings:  H2Okinetic™ Spray



see what Delta can do™

LOT 2 WTR
ENSURE

Lahara Monitor® 17 Series Shower Trim

Model Number: T17238-SS



Features & Benefits

- Lahara, inspired by the beauty and bliss created by waves
- The elegant, one-piece curved handles and sleek spout of Lahara compliments any decor.
- Features a complete suite of coordinating products: Accessories, Faucets, and showers
- Available in four finishes: chrome, Brilliance Stainless, Venetian Bronze, and Aged Pewter which extend the look throughout the bath.
- Dual function pressure balance cartridge
- Order MultiChoice® rough separately

Smart Features

- ADA Compliant
- MultiChoice® Universal Valve
- With Volume Control Monitor
- Touch Clean
- Brilliance® Finish

Product Specifications

VALVE TYPE:	Dual-function pressure balance cartridge
FLOW RATE:	2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa maximum water usage
SPRAY SETTINGS:	Full Body Spray



see what Delta can do™

LOT 2 WTR
ENSUITE

Delta Tub Spout - Pull-Up Diverter

Model Number: RP51303SS



Features & Benefits

- Pull up to divert
- 6 3/4 total length
- Sweat onto 1/2 C.W.T. or thread onto 1/2 IPS

Smart Features

★ Brilliance® Finish

Product Specifications

FLOW RATE:

SPRAY SETTINGS:



see what Delta can do[®]

LOT 2 WTR
ENSURE

Lahara Monitor® 14 Series Valve Trim Only

Model Number: T14038-SS



Features & Benefits

- Features a complete suite of coordinating products: Accessories, Faucets, and showers
- Available in four finishes: chrome, Brilliance Stainless, Venetian Bronze, and Aged Pewter which extend the look throughout the bath.
- Single function pressure balance cartridge
- Order MultiChoice® rough separately

Smart Features

-  ADA Compliant
-  MultiChoice® Universal Valve Monitor
-  Brilliance® Finish

Product Specifications

VALVE TYPE: Single-function pressure balance cartridge

FLOW RATE: 2.50 gpm @ 80 psi, 9.5 L/min @ 550 kPa

SPRAY SETTINGS: