



products

dealer locator

contact us

careers

GEAppliances.ca


>> Home > Cooking Products

Model Search:

 francals

Free Standing Range | Slide-In Range | Cooktop | Wall Oven | Warming Drawers | Range Hoods

 **Profile**
GE Profile - PCB975SPSS
Stainless Steel
30" Free Standing Electric Double Oven
Convection Range



Representational Photo
View Line Drawing

Reasons to buy:

- Electric True Convection
- True Temp™ System
- Bridge Element
- Glass Touch Controls
- 6"/9"/12" Tri-Ring Element
- Pizza Mode
- Slow-cook Mode

Other Colour(s) Available:

Approx Dimensions (in.):
Height: 46 7/8 Depth: 26-7/8 Width: 29-7/8
Approx Dimensions (cm.):
Height: 119.06 Depth: 73.34 Width: 75.88
Approx Shipping Weight:
Weight: 246 lbs./112 kgs.


For more information, please call the Mabe
Customer Service Centre at 1-800-361-1100.

 [Printer Friendly Version](#)

Capacity	
Lower Oven	4.4 cu. ft.
Upper Oven	2.2 cu.ft
Controls	
Audible Preheat Signal	Yes
Auto Self Clean	Upper/Lower
Control Lock Capability	Yes
Warm Mode	Yes
Auto Oven Shut-Off With Override	Yes
Certified Sabbath Mode	Yes
Clock & Kitchen Timer	Yes
Convection Bake	Lower Oven - Multi/Single Rack
Convection Conversion	Yes
Convection Roast	Lower Oven
C° or F° Programmable	Yes
Delay Bake Option (Time Bake)	Yes
Electronic Oven Control	Yes
Glass Touch Controls	Yes
Hi / Low Broil	Yes
Oven Temperature Display	Digital
QuickSet Controls	QuickSet VI Glass Touch Controls
TrueTemp™ System	Yes
Variable Cleaning Time	w/ Delay Clean Option
Features	
Automatic Self-Clean	Yes
Oven Door Lock	
Bake and Broil Elements (Lower Oven)	2850W/3600W
Bake and Broil Elements (Upper Oven)	2500W/2500W
Cooktop Type	Smoothtop
Dual Element Bake	Yes
Fuel Type	Electric
Glass-Ceramic Cooktop	Patterned Grey on Black Glass
Hidden Bake Oven Interior	Lower Oven
Oven Interior Light	Automatic
Oven Meat Probe	Yes
Oven Rack Positions	2 Upper, 7 Lower
Oven Shelves	4 Heavy-duty, Self-clean
Oven Type / Cleaning	Convection Self-Clean
Pizza Mode	Upper Oven
Precise Air Convection System	Lower Oven
Slow-cook Mode	Lower Oven
6" Heating Element	1 (1500 watts)
7" Heating Element	2 ribbon (1800 watt)
Bridge Element	1 (800 watt)
Convection Element	2500 watts
Infinite Heat Controls	Yes
Tri-Ring 6"/9"/12"	1 ribbon (1000/2500/3000 watt)
Heating Element	
Warming Zone	6" ribbon element, 120 watts
One-Piece Upswept Cooktop	Porcelain Enamel
Indicator Lights	
Total Indicator Lights	5
Appearance	
Colour Appearance	Stainless Steel

Easy Level System	4 Leveling Legs
Full Stainless Steel Deluxe Backsplash	Yes
Handle Style	Sculptured, Stainless Steel
Knob Colour	Stainless Steel Appearance
Other Colours Available	WH: BB
Oven Door Type	Stainless Steel
Textured Steel Side Panels	Black
Window	Big ClearView™
Weights & Dimensions	
Approximate Shipping Weight (lbs.)	246
Depth with Door Open (in.)	45
Overall Depth (in.)	28-7/8
Overall Height (in.)	46 7/8
Overall Width (in.)	29-7/8
Electrical Requirements	
Amps @ 240V/208V	40
KW Rating at 208V	10.7
KW Rating at 240V	14.2
EnerGuide Rating	
EnerGuide Rating (kWh/year)	520
Warranty	
Full 1 Year	Entire Appliance; In Home; Parts & Labour
Limited Additional 4 Years (5 Years Total)	Smoothtop Surface Against Thermal Breakage and Radiant Heating Elements & Oven Elements; Parts Only

ELECTRIC DRYERS



DLE2350

Performance

- Extra Large Load Capacity Drum (7.3 cu.ft.)

Intelligent Fabric Care



- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- SmartDiagnosis™
- 9 Drying Programs
- 5 Temperature Levels
- FlowSense™ Duct Clogging Indicator
- Wrinkle Care Option
- Custom Program

Style and Design

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Chrome Door with Glass

Technology Benefits

- LoDecibel™ Quiet Operation



White



Titanium



Life's Good

DLE2350

ELECTRIC DRYERS

Smart Diagnosis™

It's unlikely you'll experience any problems with your LG dryer, but if you ever do, this feature helps the service centre diagnose problems over the phone, helping you minimize costly, inconvenient service calls.

Ultra-Large Capacity

Do laundry a little less often. With 7.3 cubic feet of capacity, this dryer handles really large loads. Saving you time and energy.

Intelligent Electronic Controls with Dual LED Display and Dial-A-Cycle™
Let us take the guesswork out of doing the laundry. The intuitive Intelligent Electronic Control Panel with Dual LED Display and Dial-A-Cycle™ makes it easy to find the right setting every time.

Sensor Dry System


What's worse than pulling clothes out of the dryer and finding they're still damp? Our Sensor Dry System measures the moisture levels during the cycle and automatically adjusts the drying time, assuring you get dry laundry every time.

Wrinkle Care Cycle

Pressed for time? Just pop your dry clothes in for a tumble on the Wrinkle Care Cycle to reduce creases.

FlowSense™ Duct Clogging Indicator

The FlowSense™ Duct Clogging Indicator will tell you when it's time to clean the ducts out. Clean ducts mean a great drying every time.



LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3

Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com

Customer Service & Parts

1-888-LG-CANADA | lgservice.com


DLE2350

TYPE	
Front Loader	•
Design Look	Front Control
Intelligent Electronic Controls with Dual LED Display	•
Dial-A-Cycle™	•
Capacity	7.3 cu.ft.
Dry Load Capacity	>10.1 kg
DRYING PROGRAMS	
9 Programs	Sensor Dry, Cotton/Normal, Perm Press, Towels, Small Load, Delicates, Heavy Duty, Manual Dry, Speed Dry, Freshen Up, Air Dry
8 Options	More Time, Less Time, Signal (On/Off), Custom Program, Damp Dry Signal, Anti Bacterial, Wrinkle Care, Cold Lock
5 Temperature Levels	High, Medium High, Medium, Low, Ultra Low
5 Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
FABRIC CARE FEATURES	
Sensor Dry	•
CONVENIENCE FEATURES	
End of Cycle Signal	•
Child Lock	•
Venting Option	4 Way Venting
SmartDiagnosis™	•
Drum Light	•
Reversible Door	•
Remaining Time Display/Status Indicator(s)	•
FlowSense™ Duct Clogging Indicator	•
Leveling Legs	4 Adjustable Legs
Wrinkle Care Option	•
LoDecibel™ Quiet Operation	•
MATERIALS AND FINISHES	
Aluminized Alloy Steel	•
Top Plate	White, Titanium (Painted)
Cabinet	Painted Steel
Control Panel	Plastic
Transparent Glass Door	•
Door Rim	Chrome
Available Colours	White (W), Titanium (S)
POWER SOURCE	
UL Listed	
Electrical Requirements	240V, 30 Amps
Type	Electric
OPTIONS	
Pedestal	WDP4W, WDP4S
Pedestal (WxHxD)	27" x 13 3/5" x 28 2/5"
Stacking Kit	SSTK1
DIMENSIONS	
Product (WxHxD)	27" x 38 11/16" x 30" (S1'D with door open)
Carton (WxHxD)	29 1/2" x 43" x 31 1/4"
Product Weight / Shipping Weight	126 lbs / 144 lbs
UPC CODES	
DLE2350W	772454 053368
WDP4W	048231 011211
DLE2350S	772454 053399
WDP4S	772454 053412
SSTK1	048231 008587
WARRANTY	
	1 year (parts and labour) 3 years (controller) 5 years (liner and tub)

Design and specifications are subject to change without notice. All trademarks are property of their respective owners.

FRONT LOAD WASHERS

WM2350



WM2350

Performance

- 4.3 cu.ft. Ultra Capacity with NeverRust™ Stainless Steel Drum (IEC)
- DirectDrive™ Motor for the Ultimate in Durability and Reliability
- 10" TiTub™ for Easy Reach into the Rear of the Drum
- 1200 RPM Powerful Spin for Efficient Water Extraction

Intelligent Fabric Care



- 6Motion™ Technology
- ColdWash™ Technology
- TrueBalance™ Anti-Vibration System
- SenseClean™ System for Intelligent Fabric Care
- SmartDiagnosis™
- 9 Washing Programs
- 5 Temperature Levels
- Sanitary Cycle
- Delay Wash up to 19 hours for Washing Convenience

Style and Design

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Chrome Door with Glass

Technology Benefits

- LoDecibel™ Quiet Operation
- Highly Energy and Water Efficient



White



Titanium



NSF certifies the SANITARY course which is intended for reducing 99.9% of bacteria and other harmful microscopic organisms on laundry.



LG front load washers exceed Energy Star classifications by a minimum of 39%.



Inverter
DirectDrive



Life's Good

FRONT LOAD WASHERS

6Motion™

Get your clothes cleaner and help them last longer with revolutionary 6Motion™ technology. Each wash cycle combines up to 6 different wash motions to provide outstanding cleaning while being gentle on fabrics.

ColdWash™ Technology

Now using the cold cycle on your washer doesn't mean compromising how clean your clothes are. ColdWash™ technology uses cold water and enhanced washing motions to penetrate deep into fabrics, giving you cold water savings with warm water performance.

Smart Diagnosis™

It's unlikely you'll experience any problems with your LG washer, but if you ever do, this feature helps the service centre diagnose problems over the phone, helping you minimize costly, inconvenient service calls.

Direct Drive Motor 10 Year Warranty


When you buy a washer, you don't want to worry that it won't last. Because the Direct Drive Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

TrueBalance™ Anti-Vibration System

You shouldn't know your washer is on from the next room. The LG TrueBalance™ anti-vibration system is designed to reduce washer noise and vibration for smooth, quiet performance in any room of the house - even on the 2nd floor.

Sanitary Cycle

Some stains are so nasty it's hard to imagine how they'll ever come out. Our NSF-certified Sanitary Cycle heats water up to 70°C to remove the toughest stains and bacteria.



LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4C3

Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com




Customer Service & Parts

1-888-LG-CANADA | lgservice.com

WM2350	
TYPE	
Front Loader	•
Design Look	Front Control
Intelligent Electronic Controls with LED Display	•
Dial-A-Cycle™	•
Capacity*	IEC 4.3 cu.ft. >10.1kg
Dry Linen Capacity	•
ENERGY	
Energy Star Compliant	•
WASH PROGRAMS	
9 Programs	Bulky/Large Perm Press, Sanitary, Heavy Duty, Delicates, Cotton/Normal, Hand Wash/Wool, Speed Wash, Drain+Spin
5 Wash/Rinse Temperatures	Extra Hot, Hot, Warm, Cold, Tap Cold (All Warm Rinses)
Spin Speeds	Extra High (1200 max), High, Medium, Low, No Spin
No. of Water Levels	Automatically adjusts to the size of load
No. of Soil Levels	5
10 Options	ColdWash™, Prewash, Rinse & Spin, Load Size, Tub Clean, Delay Wash (up to 19 hours), Water Plus, Extra Rinse, Custom Program, Child Lock
FABRIC CARE FEATURES	
SenseClean™ System	•
ColdWash™	•
CONVENIENCE FEATURES	
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Softener
End of Cycle Signal	•
Child Lock	•
TrueBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
Load Sense	•
Auto Suds Removal	•
Forced Drain System	•
Status Indicator(s)	•
Leveling Legs	•
LoDecibel™ Quiet Operation	4 Adjustable Legs
MOTOR AND AGITATOR	•
Motor Type / Motor Speed / Axis	Direct Drive / Variable / Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Easy Loading TiltUp™	•
Cabinet	Painted Steel
Control Panel	Plastic
Top Panel	White, Titanium (Painted)
Transparent Glass Door	•
Door Rim	Chrome
Available Colours	White (W), Titanium (S)
POWER SOURCE	
Rating / Electrical Requirements / Type	UL Listed / 120V, 10 Amps / Electric
OPTIONS	
Pedestal	WDP4W, WDP4S
Stacking Kit	27" x 13 3/5" x 28 2/5"
DIMENSIONS	SSTK1
Product (WxHxD)	27" x 38 11/16" x 29 3/4"
Carton (WxHxD)	(51" D with door open)
Product Weight / Shipping Weight	29 1/2" x 42 1/4" x 31 1/4"
UPC CODES	190 / 208.5
WM2350HWC	772454 053351
WDP4W	048231 011211
WM2350HSC	772454 053382
WDP4S	772454 053412
SSTK1	048231 008587
WARRANTY	
	1 year (parts and labour) 3 years (controller) 5 years (liner and tub) 10 years (DirectDrive™ motor)

Design and specifications are subject to change without notice.
All trademarks are property of their respective owners.

FRENCH DOOR



Stainless Steel

LFX31925

30.7 Cu.Ft. Super Capacity 3 Door Refrigerator

Style and Design

- French Door Refrigerator with Slim SpacePlus™ Ice System and Bottom Freezer Drawers
- Premium Finish in Stainless Steel
- Contoured Doors with Matching Commercial Handles with Smart Pull™ Freezer Handle
- Hidden Hinges
- Premium LED Interior Light

Organization

- 3 Fixed, Spill-Protector™ Tempered Glass Shelves/1 Folding Shelf
- Slim SpacePlus™ Ice System
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers/1 Bonus Drawer
- 6 Door Baskets (2 Adjustable Gallon Size)
- 3-Tier Organization™ Freezer
- DuraBase™ Solid Drawer Base

Performance

- Linear Compressor: 10 Year Warranty
- Smart Cooling Plus System
- Fresh Air Filter
- Dual Evaporators
- Fully Integrated Tall Ice & Water Dispenser
- Premium Water Filtration System
- Multi-Air Flow Cooling
- Electronic Temperature Controls
- SmartDiagnosis™
- LoDecibel™ Quiet Operation
- Door Alarm



ENERGYSTAR® qualified models use at least 20% less energy than required by current federal standards. LG's Energy Star refrigerators allow consumers to save money, energy and protect the environment.



Linear
Compressor



Life's Good

FRENCH DOOR

Super Capacity Refrigerator

With the largest capacity for standard width refrigerator at 30.7 cu. ft., you can store more food than ever before.

Slim SpacePlus™ Ice System

It's great having an ice maker, but not if it means you can't fit all of your food in the fridge or freezer. The Slim SpacePlus™ ice system frees up additional door bin space providing more usable shelf space and additional door space.

Smart Cooling Plus System

Smart Cooling Plus technology maintains optimal humidity and temperature levels so your food stays fresher, longer. Digital sensors constantly monitor conditions within the refrigerator, while the Linear Compressor reacts quickly to keep humidity and temperature at a level that's best to keep your food fresh. Meanwhile, a Fresh Air Filter, Dual Evaporator for freshness and Multi-Air Flow Technology design means strategically-placed vents in every section surround your food with cool, fresh air no matter where you put it.

Smart Pull™ Freezer Handle


The Smart Pull™ Handle makes opening and closing the freezer quick and easy. All it takes is a simple lift of the handle for effortless access to your freezer.

Tall Ice & Water Dispensing System

From pitchers to pint glasses: finally a water dispenser that can accommodate just about all. The water- and ice-dispenser in this LG refrigerator is one of the tallest around, with the water dispenser measuring in at an ultra- accommodating 12.6 inches.

10 Year Warranty on Linear Compressor

When you buy a refrigerator, you don't want to worry that it won't last. Because the Linear Compressor motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10 year warranty.




LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9619 | LG.com
Customer Service & Parts
1-888-LG-CANADA | lgservice.com


LFX31925	
CAPACITY	
Refrigerator	20.7 cu.ft.
Freezer	10.0 cu.ft.
Total	30.7 cu.ft.
FEATURES	
Freezer Door Type	Pull Drawer
Tall External Ice & Water Dispenser	•
Water Filtration System	Compact Filter LT700P
Energy Star	•
Energy Consumption (kWh/year)	579
Smart Cooling Plus System	•
Multi-Air Flow	•
Display Type	SmoothTouch™ Control/White LED
Temperature Controls	Electronic LED
Temperature Sensors	10
Linear Compressor™	•
Fresh Air Filter	•
Dual Evaporators	•
SmartDiagnosis™	•
LoDecibel™ Operation	•
Child Lock	•
Door Alarm	•
REFRIGERATOR	
No. of Shelves	4 Split
Folding Shelf	1
Cantilevered Shelves	•
Shelf Construction	Spill Protector Tempered Glass
Crisper Bins	2 Humidity Crispers/1 Bonus Drawer
Slide N' Serve™ Drawer	•
Slim SpacePlus™ Ice Maker	•
Refrigerator Light	Coiling and Slide LED
REFRIGERATOR DOOR	
No. of Shelves / Bin	6 (2 Adjustable Gallon Size)
Dairy Corner	•
FREEZER	
Drawers	3
DuraBase™ Solid Drawer Base	•
Divider	•
No. of Door Bins/Construction	Tilting Shelf/Plastic
3-Tier Organization™	•
Smart Pull™ Handle	•
Ice Bin	•
Freezer Light	Premium LED
MATERIALS / FINISHES / STYLE	
Contour Door	•
Hidden Hinges	•
Surface	Stainless Steel
Back	Flush & Metal cover over mechanical parts
Available Colours	Stainless Steel (ST)
Handles	Matching Commercial Handle
DIMENSIONS / CLEARANCES / WEIGHT	
Depth with Handles	36 1/4"
Depth without Handles	33 3/4"
Depth without Door	29 1/2"
Depth (Total with Door Open)	48 1/8"
Height to Top of Case	68 7/8"
Height to Top of Door Hinge	70 1/4"
Width	35 3/4"
Width (Door Open 90° with Handle)	45"
Width (Door Open 90° without Handle)	40"
Door Edge Clearance with Handle	4 5/8"
Door Edge Clearance without Handle	2 1/4"
Installation Clearance	Sides 1/8", Top 1", Back 1"
Weight (lbs)	340/380 (Unit/Carton)
Carton Dimensions (WxHxD)	38" x 73" x 39"
UPC CODES	
LFX31925ST	048231 782859
WARRANTY	
	1 Year Parts and Labour
	7 Years Parts on the Sealed System
	10 Years Parts on Linear Compressor

Design and specifications are subject to change without notice.
All trademarks are property of their respective owners.



Classic Series | 52 dBA (per IEC standards, normal cycle) | 4 Cycles | 3 Options | Architect® Series II

Base model: KUDC10FXSS | MSRP: See Dealer*



Get 25% better results vs. the competition (based on combined wash and dry results of leading premium brands' highest MSRP models; dry testing conducted without rinse aid). And, the dedicated drying system with Heat Dry option ensures dry dishes every time.

PRODUCT FEATURES

- The Fully Integrated Console Design features a sleek design that will blend into any kitchen with hidden controls and the Architect II Series design and handle
- Four stainless steel wash arms spray water to ten precisely angled locations, providing maximum coverage and resisting wear
- Stainless steel interior retains heat for better drying performance while resisting wear over time
- AquaSense™ Fill System uses the precise amount of water needed for superior results
- Manual adjusters on either side of the upper rack make it simple to move the rack to pre-set positions
- ENERGY STAR® Qualified - Tier II

LOADING FEATURES

Extra Large Silverware Basket	KitchenAid
Capacity	14 Place Settings
Lower Rack	1 Row - 3 position
Premium Easy Lift Upper Rack Adjuster	Manual - 2 Position

GENERAL

ENERGY STAR® Qualified

ELECTRICAL

288 kWh per Year

AVAILABLE COLOURS

STAINLESS STEEL | KUDC10FXSS
MSRP*. SEE DEALER

For questions regarding major appliances, call 1-800-422-1230. Monday - Friday 8 a.m. - 6 p.m. local time

PERFORMANCE

Optimum Wash Sensor	Optimum Wash Sensor
Normal Cycle	•
Number of Cycles	4
Rinse Only Cycle	•
Hi Temp Wash Option	Hi Temp Scrub
Number of Options	3
4 Stainless Steel Wash Arms	4 Arm
Built-In Hard Food Disposer	•
One Hour Wash Cycle	One Hour Wash
Heated Dry Option	•
EQ Wash System	Point Chopper w/ Dynamic Fills

QUALITY CONSTRUCTION

Durakote™ Nylon Racks	Nylon
Sound Tested DBA	52
Commercial Grade Stainless Steel Tub	Stainless
Tub Design	Tall Tub
SatinGlide™ Plus Rack Glides	SatinGlide®