KitchenAid[®]

5.8 cu. ft. Slide-In Gas Range KSGG700E

LAMPLIGHTER



Black Stainless Steel with PrintShield™ Finish KSGG700EBS



Capacity	
Oven	5.8 cu. ft.
General Features &	à Properties
5 Burners	
EasyConvect™ Co	nversion
FIT System Limite	d Guarantee
AquaLift®	
Storage Drawer	
Glass Touch Cont	rols
Continuous Interlo	ocking Grates
Side Trim Accesso	ory Kit
Electrical Details	
Amps	15
Volts	120
Certifications	
AND THE RESERVE OF THE PERSON	Name of the last o

Yes

ADA Compliant

Technical Details	
Fuel Type	Gas
Range Type	Slide-In Single Oven
Oven Cooking System	True Convection
Number of Oven Racks	3
Cleaning Type	AquaLift® Self-Clean
Number of Burners	5
Burner Type	Sealed Burners
Burner Power	(1) 5000 BTU (1) 8000 BTU (1) 9200 BTU (1) 15,000 BTU (1) 17,000 BTU
Dimensions	
Product Dimensions (H x W x D)	36" x 29-7/8" x 28-7/8"
Depth with Door Open 90°	48-3/4"
Cutout Width	30"
Reference Material	

Reference Material

Dimension Guide

Install Guide

Use & Care Guide

Warranty

Key Features & Benefits

Even-Heat™ True Convection


The unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature.

Steam Rack

Offers the ability to provide additional moisture to the inside of the oven, enhancing cooking results.

5.8 Cu. Ft. Capacity

This gas slide-in range provides a large cooking capacity that's perfect for multiple dishes at once.





^{*}Visit kitchenaid.com for complete details. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. ®/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXB. KSGG700ESPECSHEETV01.

KitchenAid®

46 dBA* Front Control Dishwasher

KDFE104H





Stainless Steel with PrintShield™ Finish KDFE104HPS

KDFE104HWH

KDFE104HBL

KDFE104HBS

Capacity	
Total Place Settings	14
General Features & Prop	erties
Heat Dry Option	
SatinGlide® Max Rails (I	Jpper Rack)
Fold-Down Shelf with S	temware Holders
Filter-Based Wash System	em
Sani-Rinse Option	
Express Wash Cycle	
Extended Heat Dry Opt	ion
2-4-8-Hour Delay Wash	
Electrical Details	

z i o i ioui z oluj i iuoi.		
Electrical Details		
Amps	15 or 20	
Volts	120	
Hz	60	
Certifications		
ENERGY STAR® Certified	Yes	

Technical Details	
Dishwasher Type	Built-In
Control Location	Front
Control Type	Tap Touch
Number of Wash Cycles	5
Number of Options	6
dBA'	46
Number of Racks	2
Tub Material	Stainless Steel
Wash System	Filter
Wash System Type	Removable Filter
Number of Wash Arms	3
Dimensions	
Product Dimensions (H x W x D)	34-1/2" x 23-7/8" x 24-1/2"
Depth with Door Open 90°	49-1/2"
Deference Material	

Roforence	Material

Dimension Guide

Install Guide

Use & Care Guide

Energy Guide

Warranty

Key Features & Benefits

Also available in:

Black Stainless

PrintShield™ Finish

Steel with

Black

PrintShield™ Finish


Resists smudges and fingerprints.
The specialized coating for stainless steel is easy to clean with just water and a soft cloth, so you can spend more time cooking and less time cleaning up the kitchen.

ProWash™ Cycle

Determines the ideal cycle for washing dishes based on soil level and then makes real-time adjustments to achieve the best cleaning performance.

Durable Stainless Steel Interior

Offers the beauty and benefits of stainless steel for the dishwasher interior. It resists streaks, stains and odors while retaining heat to help improve drying performance.



^{*}Per IEC standards. **Compared to Whirlpool® dishwashers without TotalCoverage spray arm. †Compared to Normal cycle with lightly soiled loads. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

^{®/™ © 2020.} All rights reserved. Printed in the U.S.A. D200052XXA. KDFE104HSPECSHEETV01.

COVID-19: The health and safety of our customers and team members is a top priority. LEARN MORE


By closing this message, you consent to our cookies on this device in accordance with our Privacy Notice unless you have disabled them.

CLOSE

KitchenAid® LAMPULHTERS



< French Door Refrigerators



20 CU. FT. 30-INCH WIDTH S INTERIOR DISPENSE

KRFF300ESS

4.1 (556)

Write a review

MSRP: \$2,299.99

Colour: Stainless Steel



WHERE TO BUY



7/2021 Stainless Steel	l 20 cu. Ft. 30-Inch Width Standa	ard Depth French Door Refriger	rator with Interior Dispense KRFF300ESS KitchenAid
			Ease of Use
			1 1 1 1
			Features
			reatures
			Innovation
			1 ! 1
			Performance
			1 1 1 1
			Sound Levels
			1 [
			Capacity
	Helpful? Yes · 0	No · 0 Report	
1–10 of 556 Reviews			, •
SPECIFICAT	TIONS		·
Compatibility			
WORKS WITH			No
Dimensions			
CABINET WIDTH			74.93 cm, 29-1/2 in
CAPACITY			19-17/25
CUTOUT HEIGHT			172.72 cm, 68.0 in
CUTOUT WIDTH			76.20 cm, 30.0 in

CUTOUT WIDTH

DEPTH

88.58 cm, 34-7/8 in

DEPTH CLOSED EXCLUDING HANDLES

81.92 cm, 32-1/4 in

DEPTH CLOSED INCLUDING HANDLES

88.58 cm, 34-7/8 in

DEPTH EXCLUDING DOORS

71.12 cm, 28.0 in

 $https://www.kitchenaid.ca/en_ca/major-appliances/refrigeration/refrigerators/french-door-refrigerators/p.20-cu.-ft.-30-inch-width-standard-depth-fren... \\ 10/16$

1/7/2021	Stainless Steel 20 cu. Ft. 30-Inch Width Standa	rd Depth French Door Refrigerator with Interior Dispense KRFF300ESS KitchenAid
DEPTH WIT	TH DOOR OPEN 90 DEGREE	112.08 cm, 44-1/8 in
FREEZER V	OLUME	179.42 l, 6.34 cu. ft.
HEIGHT		173.67 cm, 68-3/8 in
HEIGHT TO	TOP OF CABINET	171.45 cm, 67-1/2 in
HEIGHT TO	TOP OF DOOR HINGE	173.67 cm, 68-3/8 in
REFRIGERA	STOR VOLUME	377.52 l, 13.34 cu. ft.
WIDTH		76.52 cm, 30-1/8 in
Configu	uration and Overview	*
COUNTER	DEPTH	No
NUMBER C	DF DOORS	3
Appear	rance	
CABINET F	INISH	Textured
DOOR STY	LE	Contour
HANDLE M	ATERIAL	Metal
HIDDEN HI	NGE	Yes
LCD TOUC	H SCREEN	No
REVERSIBLE	E DOOR	No
Contro	ls	
AIR FILTER	INDICATOR/RESET	Yes
AUTOMATI	C DEFROST	Yes
CONTROL	LOCATION	Interior Up Front
CONTROL	LOCKOUT	No
DOOR AJA	R/OPEN ALARM	Yes
MAX COOL	/FAST COOL	Yes 3/1,
Filter D)etails	^4

PRODUCE PRESERVER	Yes	
WATER FILTER INDICATOR/RESET	Yes	
WATER FILTER LOCATION	Interior	
Refrigerator Details		
LIGHTING	LED	
NUMBER OF INTERIOR SHELVES	3	
PANTRY DRAWER	Yes	
SUPPLEMENTARY CONTAINERS	No	
Freezer Details		
FREEZER NUMBER OF SHELVES	0	
Dispenser Details		
DISPENSER OPTIONS	Filtered Water	
DISPENSER TYPE	Interior Water Only	
TYPES OF ICE	No	
cemaker Details		
ICEMAKER LOCATION	Freezer	
Certifications		
CEE TIER	Not Rated	
ENERGY STAR® QUALIFIED	No	
PROP 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.	
ULE ENVIRONMENTALLY PREFERRED CERTIFIED	Passed 60 point AHAM (Association of Home Appliance Manufacturers) Sustainability Standards	
Refinements	^	

Whirlpool*

LAMPLIGHTERS





Shop Front Load Washers





5.2 cu. ft. I.E.C. Closet-Depth Front Load Wa

** 4.0 (385) Write a review

MSRP: \$1,449.99

Colour: Chrome Shadow





Where to buy

♥ WishList

□ Compare



Product Overview

5.2 cu. ft. I.E.C. Closet-Depth Front Load Washer with Load & Go™ XL Dispenser

Skip adding detergent to every load with a Whirlpool® closet-depth front load washing machine. The Load & Go™ XL dispenser holds enough laundry soap for 40 loads and automatically adds the right amount. Intuitive Controls let you create customized washing machine cycles, and the ENERGY STAR® certified front load washer will even help you save on your utility bills.

Features

Additional Features

PAGE 1/3

5.2 cu. ft. I.E.C. Capacity

Wash over three baskets of clothing in a single load and finish laundry fast with 5.2 cu. ft. I.E.C. washer capacity that offers enough space to handle larger loads.

Customer Reviews



			d =	
6	$n \alpha c$	NITIO 4	OITC	nc
	$D \subseteq C$	cifica	auu	113

D:	
I)Im	ensions
	011010110

Canacity

oupdoity	4-1/2
004 FEET FEEL-1800 FEEL-1800	

31-9/16 in

Depth With Door Open 90 Degree	56-1/2 in
--------------------------------	-----------

Height	38-5/8 in
rioigiit	38-5/8 in

Minimum Height	38-5/8 in

Width	27.0 in

Appearance

LCD Touch Screen	No
------------------	----

Window	Yes
--------	-----

Details

Advanced Vibration Control™	No
-----------------------------	----

Automatic Load Size Sensing Technology	Yes
--	-----

Dispense System	Detergent, Fabric Softener & Bleach
-----------------	-------------------------------------

Drum Material	Stainless Steel
---------------	-----------------

Eco Monitor/Efficiency Monitor	No

Fan Type	No
	INO

Internal Heater

Maximum Spin Speed	1160
--------------------	------

Motor Drive Type	Direct Drive

Out Of Balance Sensing	Yes

Water Factor	3-1/5

Cycles and Options

Certifications

Prop 65


Number Of Wash Cycles 35

PAGE 2/3

CEE Tier

Energy Star® Qualified ENERGY STAR® Qualified

IWF 3-1/5



Electrical

LAMPLHYHTERS **Power Cord Included**

Yes

Controls

Automatic Temperature Controls

Yes

Control Location

Front

Blue

Compatibility

LED Color

Works With

No

Options

Number Of Washer Options

9

Features

Pedestal Options

WFP2715HC

Stackable

Yes

EndecaProps

ProductOutletCategories

Laundry

Exterior

Lid/Door Lock

Yes

Lid/Door Swing

Left

Modifiers

Number Of Rinse Options

2

Number Of Soil Levels

3

Number Of Spin Speeds

5 Yes

Soil Selections

Pre Soak

Light, Normal, Heavy

Spin Speed Selections

Fast, Extra Fast, Medium, Off, Slow

Temperature Selections

Cool, Cold, Warm, Extra Hot, Hot

Manuals & Guides

Where To Buy

MAK

PAGE 3/3

Whirlpool*







Shop Electric Dryers





7.4 cu. ft. Front Load Electric Dryer with Ste



MSRP: \$1,149.99

Colour: Chrome Shadow





Where to buy

♥ WishList

□ Compare



Product Overview

7.4 cu. ft. Front Load Electric Dryer with Steam Cycles

Give your family's clothes the care they deserve with a front load electric dryer with the Wrinkle Shield™ Plus option with Steam. Advanced Moisture Sensing helps prevent overdrying by using three moisture sensors to end the cycle at just the right time. The ENERGY STAR® certified electric dryer even includes a Static Reduce option to help decrease static after drying.

Features

Additional Features

Steam Refresh Cycle

Release wrinkles and reduce odors with the Steam Refresh cycle. It uses water and heat to get clothes ready to wear without rewashing.

Wrinkle Shield™ Plus Option with Steam