

Exhibit 6032 IFS

Model number:

105520

Dimensions:

60" x 32" x 18"

Installation:

Alcove

Material:

Acrylic



Standard Features:

- Rectangular shape bathtub in alcove installation
- Available in Above-the-Floor Rough (AFR) or not
- Minimalist look with discreet armrests and textured floor
- Integrated tiling flange
- Integrated skirt with access panel when equipped with a system

Product characteristics:

- Made in North America
- Elegant design
- Integrated Tiling Flange and Skirt

Systems:

 Whirlpool

 Combined Whirlpool/Aeroeffect

 Aeroeffect

Warranty:

25 Years

Standard colors:

White (001)

Bone (004)

Biscuit (007)

Certifications

MAAX products adhere to one or more of the following certifications:



Recommended products (Visit our website for a complete list of our recommended doors)

No	Description
139398	Halo Sliding Tub Door 56 ½-59 x 59 in. 8 mm
135330	Incognito 57 Shaker Sliding Tub Door 56-59 x 56 ¾ in. 8 mm
139351	Incognito 57 Sliding Tub Door 56-59 x 56 ¾ in. 6 mm

Options (Visit our website for a complete list of our options)

No	Description
☐ OPT 10019	Removable access panel
☐ OPT 10053	Chromatherapy
☐ OPT 10095	Water heater assembly
☐ OPT 10106	Metal trim kit for whirlpool and combined systems
☐ OPT 20029	Metal trim kit for Air Push Control




Exhibit 6032 IFS

Model number:

105520

Dimensions:


60'' x 32'' x 18''

Installation:


Alcove

Material:


Acrylic



1" Single Integrated tiling flange (shown)
2" Double Integrated tiling flange (not shown)
Drop-in model (Shown)



Wood support design may vary.
Single Integrated tiling flange: 1" height x 1/4" thickness (shown)
Double Integrated tiling flange: 2" height (not shown)
All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.



Dimensions:

59 3/4 x 32 x 17 3/4 in.
(1518 x 813 x 451 mm)

Water capacity:

46 gallons - 173 liters

Weight:

78 lbs - 35.37 kg

Bathing well:

53 1/4 X 25 7/8 in.
(1353 X 657 mm)

Deep sump height:

16 1/4 in. - 413 mm

Deck width:

4 1/8 in. - 105 mm

Drain location:

Left

Right

Project:

Contractor:

Representative:

Date:

Tel:

Notes:

DS
JVB

DS
PTB

MAAX SUBMITTAL SPECIFICATIONS

Carlton I

MODEL NUMBER 100961

DIMENSIONS: 48" x 35" x 75" Fiberglass



Project :

Contractor :

MAAX Representative :

Date :

Tel :

www.maax.com

Vivez l'expérience
MAAX
Enjoy the experience

STANDARD FEATURES

- 1-piece shower without roof cap
- Integrated shelf and seat
- Center drain

OPTIONS

- ABS shower drain with Chrome stainless steel grid
- PVC shower drain with Chrome stainless steel grid
- ABS shower drain with ABS grid, white or bone

UNIQUE FEATURES

- None

SYSTEMS

- None

DOOR SELECTION

Combine with MAAX's complete shower door offering visit www.maax.com

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



2013-02-26






MAAX SUBMITTAL SPECIFICATIONS

Carlton I

MODEL NUMBER 100961

TECHNICAL DRAWINGS



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

DS JVB DS PTB

LEVANTE 1 UNDER CABINET RANGE HOOD



A NEW CHOICE IN VALUE UNDER CABINET HOODS. A new traditional under cabinet range hood that offers superior performance and styling but will not exceed your budget. With solid welded construction and recirculating vents located on top of the hood, the Levante 1 delivers the features you need.



AVAILABLE MODELS

Model #	Size / Color	Motor Class (CFM)	Sound Levels (sones)
LEVA24WH300-B	24 White	300	3.5 - 6.6 sones
LEVA24SS300-B	24 Stainless	300	3.5 - 6.6 sones
LEVA30WH300-B	30 White	300	3.5 - 6.6 sones
LEVA30SS300-B	30 Stainless	300	3.5 - 6.6 sones
LEVA30BK300-B	30 Black	300	3.5 - 6.6 sones
LEVA36WH300-B	36 White	300	3.5 - 6.6 sones
LEVA36SS300-B	36 Stainless	300	3.5 - 6.6 sones
LEVA36BK300-B	36 Black	300	3.5 - 6.6 sones



KEY FEATURES



Stylish Controls
Three speed push button control with an indicator light and on / off button for lighting



Ductless vent grate
Attractive grids sit on top of the hood for recirculation back into the kitchen if not venting outside



Dishwasher safe grease filters
Multi-layered mesh filters capture grease and allow for easy clean up in the dishwasher

LEVANTE 1 UNDER CABINET RANGE HOOD



SPECIFICATIONS

depth / height	20" d / 5 1/2" h
convertible to ductless / recirculating	yes – kit purchase separately
controls	3 speed push
lighting	2 x 35 (w) halogen
ducting top / rear (back)	7" round (top) / 3 1/4" x 10" (top or back)
grease filters	dishwasher safe mesh
AC power	260 watts / 2.1 amps

PERFORMANCE

SPEED	1	2	3
CFM	90	190	290
Sones	3.5	5.0	6.6

ACCESSORIES

FILTERS –
Charcoal Filter Kit
High quality charcoal filter for use when recirculating the air back into the kitchen. Filters out odor and should be replaced every 6 months




Rev: 6/16

2 Cabot Road Hudson, MA 01749 • TEL: (508) 358-5353 • E-Mail: info@faberonline.com www.faberonline.com


WARNING! Product specifications are subject to change without notification. Consult the installation instructions before you begin installing this range hood

DIMENSIONS

Top View



Front View



Side View

