



Sink Specifications

Colour	SKU
Anthracite	400580
Café	400581
Truffle	401179
Cinder	401415
Metallic Grey	401681
White	401705
Concrete Grey	402265
Coal Black	402653

PRECIS U 2
SILGRANIT



Design and planning tips

- Min cabinet size: 33 in (840 mm)
- Bowl Depth: 8 in (205.0 mm)

Specifications:
Mounting clips, Sink template, Installation instructions,
3½" (90 mm) stainless steel strainer(s), Limited Lifetime
Warranty

Depending on cabinet construction, a different cabinet
size may be required. Consult the cabinet manufacturer.
Codes/Standards: CSA B45.8-18/ IAPMO Z403-2018

Optional Accessories

CapFlow Strainer Cover	517666
Sink Grid	406484
Mechanical Pop-up Strainer	406244
Floating Grid	406536
Blancoclean Silgranit Cleaner	406200

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:
<https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/>




BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5


Tel & Fax
Tel: 905-494-2400 Toll free: 1-877-425-2626
Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.





Submitted Model No.: _____
Specific Features: _____



▲ Designate Proper Finish Suffix

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP-K-RP1001 Rev. A



SOAP DISPENSER

STANDARD SPECIFICATIONS:

- 10 ounce bottle.
- Refillable from above the deck.
- 1 1/4" max. deck thickness.
- Order RP31845, for extended mounting nut. Allows for 2 1/2" max. deck thickness.
- Includes RP30395 refill funnel.
- Mounts in standard hole sizes 1 1/4" - 1 1/2".


WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or, for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.




55 E. 111th Street, Indianapolis, Indiana 46280
350 South Edgeware Road, St. Thomas, ON N5P 4L1
© 2014 Masco Corporation of Indiana





Submitted Model No.: _____
Specific Features: _____



▲ Designate proper finish suffix

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP-L-586LF-MPU Rev. B



LAVATORY FAUCETS

- Arzo® Series
- Single Handle Deck Mount
- 1 or 3 Hole Sink Applications

STANDARD SPECIFICATIONS:


- Maximum flow rate 1.5 gpm @ 60 PSI, 5.7 L/min @ 414 kPa.
- Ceramic cartridge with high temperature rotational limit stop.
- 1 or 3 hole installation.
- 4 1/2" (114 mm) long, 6 7/8" (175 mm) high, rigid spout.
- Maximum 2 1/4" (54 mm) deck thickness.
- Colour coded plug button on handle for hot/cold identification.
- Handle 4 1/4" (108 mm) lever handle - ADA compliant -color indexed.
- Metal drain pop-up type fitting with plated flange and stopper.

WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or for commercial users, for 5 years from the date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.





COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
-  Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®
- Verified compliant with 0.25% weighted average Pb content regulations.




55 E. 111th Street, Indianapolis, Indiana 46280
350 South Edgeware Road, St. Thomas, Ontario Canada N5P 4L1
© 2015 Masco Corporation of Indiana





Submitted Model No.: _____
Specific Features: _____



ROMAN TUB/WHIRLPOOL FAUCET TRIM

- Arzo® Collection
- 3-Hole Installation (T2786)
- 4-Hole Installation (T4786)
- Flexible Deck or Ledge Mount

STANDARD SPECIFICATIONS:

- Washerless
- Handshower flow rate: 2.00 gpm @ 60 psi, 7.60 L/min @ 414 kPa
- Solid brass spout body
- Control mechanism shall be of the rotating cylinder type with stainless steel plate and 180° rotation, with stainless steel sockets.
- Hot and cold stems are interchangeable
- Temperature and volume controlled with handles
- All operating parts shall be replaceable from the top
- Rough-In kit must also be ordered to complete installation. (R4707 series for 4-hole, R2707 series for 3-hole or RP23611). There are separate specification sheets on each rough-in kit if more details are required.

WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or, for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- Indicates compliance to ICC/ANSI A117.1 - Valve control only
- EPA WaterSense® - Applies to handshower only - RP48296*

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP-B-T2786 Rev. D



55 E. 111th Street, Indianapolis, Indiana 46280
350 South Edgeware Road, St. Thomas, ON N5P 4L1
© 2016 Masco Corporation of Indiana





Monitor 14 Series Contemporary Square Shower Kit

MODEL#: DF-TKIT2-PBS

Finish: **Chrome**



- Monitor 14 Series valve-only trim with integrated diverter
- Single function Touch-Clean shower head
- Single setting H2Okinetic hand shower with slide bar and hose
- Shower arm and flange included
- Order MultiChoice Universal rough separately

