

Trinsic[®] Single Handle Pull-Down Kitchen Faucet In Champagne Bronze

MODEL#: 9159-CZ-DST


★★★★ 4.3 (211) Write a review Ask a question

Champagne Bronze



\$643.10

PRINT



Delta® MagnaTite® Docking uses a powerful integrated magnet to pull your faucet spray wand precisely into place and hold it there so it stays docked when not in use. Delta® faucets with DIAMOND™ Seal Technology perform like new for life with a patented design which reduces leak points, is less hassle to install and lasts twice as long as the industry standard*. Kitchen faucets with Touch-Clean® Spray Holes allow you to easily wipe away calcium and lime build-up with the touch of a finger. You can install with confidence, knowing that Delta faucets are backed by our Lifetime Limited Warranty. *Industry standard is based on ASME A112.18.1 of 500,000 cycles.

- · MagnaTite® Docking uses a powerful integrated magnet to snap your faucet spray wand precisely into place and hold it there so it stays docked when not in use and doesn't droop over
- · Soft, rubber Touch-Clean spray holes allow you to easily wipe away calcium and lime build-up with the touch of a finger
- . DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- 1 or 3-hole 8" installation
- · Optional escutcheon available for purchase separately
- ADA Compliant
- The high-arc, gooseneck design swivels 360 degrees with a 20-in. retractable hose for added convenience during everyday kitchen tasks
- Delta MagnaTite Docking holds spray wand firmly in place

Technology



DIAMOND™ Seal Technology ®




MagnaTite® Docking ®

TRINSIC®

Roman Tub Trim

MODEL#: T2759-BL



- 3-hole 8-16" installation
- Backed by Delta Faucet?s Lifetime Limited
 Warranty













PH

Rough Valve



Two Handle Flexible Mount

MODEL#: R2700

✓ SHOW MORE OPTION

Base Part



Roman Tub Trim
MODEL#: T2759-BL



Complete your bath with a beautifully designed Delta roman tub faucet, meticulously crafted to turn heads and enhance your experience. Matte Black makes a statement in your space, cultivating a sophisticated air and coordinating flawlessly with most other fixtures and accents. With bright tones, Matte Black is undeniably modern with a strong contrast, but it can complement traditional or transitional spaces just as well when paired against warm neutrals for a rustic feel akin to cast iron. You can install with confidence, knowing that Delta faucets are backed by our Lifetime Limited Warranty.

- ADA Compliant
- Trim kit only, must purchase rough-in R2707 separately to complete the unit
- Alternative rough options: R2707-PX (pex crimp applications), R2707-MF (memory fitting/cold expansion applications)
- 3-hole 8-16" installation
- · Rigid slip-on spout

Special Features


ADA Compliant 6



CLOSE

KitchenAid [®]	Q	8	Ä
36" 5-Burner Gas Cooktop with Griddle			SAVE \$250 (10%)
Sale: \$2,049.99 MSRD: \$2,000.00			ADD TO CART
COMPARE			<i>⇔</i> ♡





36" 5-Burner Gas Cooktop With Griddle

KCGS956ESS

Key Features

- 10,000 BTU Even-Heat™ Torch Burner
- 20K BTU Professional Dual Ring Burner
- Removable Griddle Included
- CookShield Finish
- Multi-Finish Back-Lit Knobs

Color

Stainless Steel



Sale: \$2,049.99 MSRP: \$2,299.99 SAVE \$250 (10%)

ADD TO CART

WHER	E TO BUY

Estimated Arrival for M3H: Thursday, Aug. 19
<u>Change this location?</u>

Ext	tended Service Plans 🔞
	No Selection
	1 Yr — \$107.99
	2 Year — \$199.99

DOWNLOAD SPECS SHEET

DOWNLOAD DIMENSION GUIDE

Height: 936.62, 3-11/16" Centimeters, Inches

Width: 9207.50, 36-1/4" Centimeters, Inches

Depth: 5334.00, 21.0" Centimeters, Inches

Dimensions

Cutout Depth	5032.38 cm, 19-13/16 in
Cutout Depth Max	5080.00 cm, 20.0 in
Cutout Depth Min	4953.00 cm, 19-1/2 in
Cutout Height	1333.50 cm, 5-1/4 in
Cutout Width	8937.62 cm, 35-3/16 in
Cutout Width Max	9048.75 cm, 35-5/8 in
Cutout Width Min	8858.25 cm, 34-7/8 in
Depth	5334.00 cm, 21.0 in
Height	936.62 cm, 3-11/16 in
Maximum Height	1095.38 cm, 4-5/16 in

Configuration and Overview

Width

Cooktop Type	Standard
Fuel Type	Gas

VIEW MORE SPECS

Reviews

*** 4.5 314 Reviews

273 out of 309 (88%) reviewers recommend this product

Search topics and reviews

Q

9207.50 cm, 36-1/4 in

DocuSign Envelope ID: 01F768BA-DE49-426A-A8D9-6313D0D09FC3 By closing this message, you consent to our cookies on this device in accordance with our Privacy Notice unless you have disabled them. Q A KitchenAid[®] Ē SAVE \$700 (12%) 30" Double Wall Oven with Even-Heat™ True Convection ADD TO CART Sale: 55,099,99 MSRD: 55,709,07 COMPARE A 0 30" Double Wall Oven With Even-Heat™ True KODE500ESS **Key Features** \bullet Even-Heat $\mbox{\footnote{True}}$ True Convection Oven (both ovens)

- Temperature Probe (both ovens)
- EasyConvect™ Conversion System
- 5.0 Cu. Ft. Capacity (each oven)
- Even-Heat™ Preheat

Color

Stainless Steel



Sale: \$5,099.99 MSRP: \$5,799.99 SAVE \$700 (12%)

ADD TO CART

	WHERE TO BUY
į	

Estimated Arrival for M3H: Tuesday, Aug. 03 Change this location?

Extended Service Plans 🔞		
No Selection		
1 Yr — \$163.99		
2 Year — 5299.99		

Provides an extra-large cooking capacity that's unsurpassed among 30" wall ovens and is perfect for large turkeys and roasts. It can even make multiple dishes at once.

VIEW MORE ~

Specifications

DOWNLOAD SPECS SHEET

DOWNLOAD DIMENSION GUIDE

Height: 13017.50, 51-1/4" Centimeters, Inches

Width: 7620.00, 30.0" Centimeters, Inches

Depth: 6889.75, 27-1/8" Centimeters, Inches

Dimensions

Fuel Type

10.00 Capacity 6096.00 cm, 24.0 in **Cutout Depth Cutout Height** 12763.50 cm, 50-1/4 in **Cutout Width** 7239.00 cm, 28-1/2 in 6889.75 cm, 27-1/8 in Depth **Depth Closed Excluding Handles** 6223.00 cm, 24-1/2 in Depth With Door Open 90 Degree 11874.50 cm, 46-3/4 in 13017.50 cm, 51-1/4 in Height 1415.00 l, 5.0 cu. ft. **Lower Oven Capacity** Net Weight 136984784.00 kg, 302 lbs Upper Oven Capacity 1415.00 l, 5.0 cu. ft. Width 7620.00 cm, 30.0 in Configuration and Overview

VIEW MORE SPECS



Monitor 14 Series Contemporary Square Shower Kit

MODEL#: DF-KIT23-PBS-WS

Finish: Chrome









- Monitor 14 Series valve-only trim with integrated diverter
- MultiChoice Universal Valve with stops
- H2Okinetic Touch-Clean raincan shower head
- 4-setting H2Okinetic hand shower with slide bar and hose
- Shower arm, flange and wall elbow included



Sink Specifications

PRECISION U SUPER SINGLE

32

Stainless steel satin polish

Colour

SKU

satin polish

400472

Design and planning tips

Min cabinet size: 36 in (915 mm)

• Bowl Depth: 10 in (254.0 mm)

Specifications:

Mounting clips, Template and installation instructions, 3½" (90 mm) premium stainless steel strainer(s), Limited Lifetime Warranty

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer Codes/Standards: ASME A112.19.3-2017/ CSA B45.4-17

20° ± 7

AP PH

Optional Accessories

Colander 406462 CapFlow Strainer Cover 517666 Sink Grid 406347

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos-for-sinks/



BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.