

Exhibit 6030 IFS AFR DTF Acrylic Alcove Bathtub

Model number:

105546

Dimensions:59.75" x 30" x 19.5"

Installation:Alcove

Material:Acrylic



Standard Features:

- Unique feature: minimalist look with discreet armrests and textured bottom
- Above-the-Floor Rough (AFR) (3 in.) included
- Alcove installation
- Double tiling flange

Product characteristics:

- Made in Canada
- Elegant Design
- Integrated Tiling Flange and Skirt

Warranty:

25 Years

Standard Colors:

White (001)

Bone (004)

Biscuit (007)

Certifications

MAAX products adhere to one or more of the following certifications:



Recommended products (Visit our website for a complete list of our recommended products)

No	Description
<input type="checkbox"/> 138760	Inverto 56-59 x 55 1/4-59 in. 8mm Sliding Tub Door for Alcove Installation
<input type="checkbox"/> 134561	Kameleon 55-59 x 57 in. 6 mm Sliding Tub Door for Alcove Installation
<input type="checkbox"/> 134670	Kameleon SC 55-59 x 57 in. 8 mm Sliding Tub Door for Alcove Installation

DS

PS

DS

AL

Exhibit 6030 IFS AFR DTF Acrylic Alcove Bathtub

Model number:

105546

Dimensions:

59.75" x 30" x 19.5"

Installation:

Alcove

Material:

Acrylic

Top View Dimensions:

- Overall Length: 59 3/4"
- Inner Length: 53 1/4"
- Inner Width: 46 1/4"
- Left Side Flange: 2 1/8"
- Left Side Height: 23 7/8" / 19 1/2"
- Right Side Height: 14"
- Right Side Flange: 4 1/8"
- Right Side Depth: 10"

Side View Dimensions:

- Front Height: 19 1/2"
- Front Flange: 17 3/4" Not AFR
- Back Height: 65"
- Back Flange: 2 3/4"
- Back Flange: 1" Not AFR
- Overflow: 17"
- Back Flange: 15 1/4" Not AFR

SKIRT

Dimensions

59 3/4 x 30 x 19 1/2 In.
(1518 x 762 x 495 mm)

Water Capacity

44 gallons - 168 liters

Weight

77 lbs - 34.92 kg

Bathing Well

53 1/4 In. x 24 In.
(1353 mm x 606 mm)

Deep Sump Height

16.5 In. - 419 mm

Deck Width

4.125 In. - 105 mm

Drain location:

Left

Right

Wood support design may vary.
Single integrated tiling flange: 1" height x 1/4" thickness (shown)
Double integrated tiling flange: 2 3/8" height (not shown)
All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Project:


Contractor:

Representative:

Date:

Tel:

Notes:



Halo 56 1/2-59 x 78 3/4 in. 8mm Sliding Shower Door for Alcove Installa


Model number:

138997

Dimensions:78.75"

Installation:

Material:



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance;;
- Ball bearing roller technology for smooth and quiet opening
- Reversible shower door for left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed Nickel, Dark Bronze, Matte Black

Product characteristics:

- Ball Bearing Roller System
- Bestseller
- Utile Compatible


Warranty:

10 Years

Frame Finish(es):

- 
Chrome (084)
- 
Dark Bronze (173)
- 
Brushed Nickel (305)

Glass Pattern(s):

- 
Clear (900)

Certifications

MAAX products adhere to one or more of the following certifications:



Halo 56 1/2-59 x 78 3/4 in. 8mm Sliding Shower Door for Alcove Installation

Model number:


138997

Dimensions: 78.75"

Installation:

Material:

STANDARD



Code	Description	H	L Adjustable	F	P Adjustable	Door Opening	Wall Adjustment
138996	Halo 78 3/4" x 47"	78 3/4"	44 1/2" - 47"	22 1/2"	-	16 1/4" - 18 3/4"	1"
138997	Halo 78 3/4" x 59"	78 3/4"	56 1/2" - 59"	28 5/8"	-	22 1/8" - 24 5/8"	1"
139393	Return Panel 30"	78 3/4"	-	-	27 7/8"	-	1"
138998	Return Panel 32"	78 3/4"	-	-	29 7/8"	-	1"
139395	Return Panel 34"	78 3/4"	-	-	31 7/8"	-	1"
139396	Return Panel 36"	78 3/4"	-	-	33 7/8"	-	1"
139394	Return Panel 42"	78 3/4"	-	-	39 7/8"	-	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions

78 3/4 in.
(2000 mm)

Glass Thickness

5/16 in.

Weight

162 lbs - 73.47 kg

Frame Type

Frameless

Door Adjustment

Frameless

Minimum Door Access

22.5"

Maximum Door Access

24.5"

Project:


Contractor:

Representative:

Date:

Tel:

Notes:



TRINSIC®

Roman Tub Trim with Hand Shower

MODEL#: T4759-BL



- Valve is not included, must purchase separately
- 4-hole 8-16" installation
- Backed by Delta Faucet's Lifetime Limited Warranty



WaterSense® Labeled

Finish: Matte Black



Rough Valve



Two Handle Flexible Mount with Hand Shower

MODEL#: R4707

✓ SHOW MORE OPTION

Base Part



Roman Tub Trim with Hand Shower

MODEL#: T4759-BL

DS
PS

DS
OL



Complete your bath with a beautifully designed Delta roman tub faucet, meticulously crafted to turn heads and enhance your experience. The included hand shower makes this a versatile addition to your bath, perfect for rinsing off, washing loved ones and pets or keeping your tub clean. Delta H2Okinetic Hand Showers look different because they are different. Using advanced technology, H2Okinetic Hand Showers sculpt water into a unique wave pattern, giving you 3X the coverage of a standard shower head.* The end result is a hand shower that provides more coverage, more warmth and more intensity for a truly drenching experience. Matte Black makes a statement in your space, cultivating a sophisticated air and coordinating flawlessly with most other fixtures and accents. With bright tones, Matte Black is undeniably modern with a strong contrast, but it can complement traditional or transitional spaces just as well when paired against warm neutrals for a rustic feel akin to cast iron. You can install with confidence, knowing that Delta faucets are backed by our Lifetime Limited Warranty. *Coverage measured in accordance with EPA WaterSense Specification for shower heads, March 4, 2010.

- Touch-Clean full body hand shower includes double check valves for backflow prevention
- Swivel slip-on spout
- Trim kit only, must purchase rough-in R4707 separately to complete the unit
- Temperature and volume controlled with handles
- Metal lever handles meet standards set by Americans with Disabilities Act (ADA)
- Red/blue indicator markings

Special Features

 ADA Compliant 

