

3/10/2021

Fireplace Design Studio



Fireplace Design Studio

Ascent™ Linear 46
(BL46)



Glass Media Kits
Topaz Glass Embers

Safety Barrier
Standard Black

Surround
Classic Black



Exhibit 6636

Model number:	106177
---------------	--------

Dimensions: 66" x 36" x 18"

Installation: Drop-in

Material: Acrylic



Standard Features:
<ul style="list-style-type: none">Rectangular shape bathtubDrop-in or alcove installation with tiling flangeMinimalist look with discreet armrests and textured floorEnd drain
Product characteristics:
<ul style="list-style-type: none">Made in North AmericaIntegrated ArmrestTherapy System Available
Systems:
Whirlpool
Combined Whirlpool/Aeroeffect
Aeroeffect
Warranty:
25 Years

Standard colors:

White (001)

Bone (004)

Biscuit (007)

Certifications

MAAX products adhere to one or more of the following certifications:

Options (Visit our website for a complete list of our options)

No	Description
<input type="checkbox"/> OPT 20137	Cable-operated waste and overflow
<input type="checkbox"/> OPT 10053	Chromatherapy
<input type="checkbox"/> OPT 10095	Water heater assembly
<input type="checkbox"/> OPT 10106	Metal trim kit for whirlpool and combined systems
<input type="checkbox"/> OPT 20029	Metal trim kit for Air Push Control






Exhibit 6636

Model number:	106177
---------------	--------

Dimensions: 66" x 36" x 18"

Installation: Drop-in


Material: Acrylic



Technical drawing is universal for all Exhibit 6636 configurations.

Wood support design may vary.
Single Integrated tiling flange: 1" height x 1/4" thickness (not shown)

All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.



Dimensions:

65 7/8 x 36 x 18 in.
(1673 x 914 x 457 mm)

Water capacity:

60 gallons - 227 liters

Weight:

78 lbs - 35.37 kg

Bathing well:

60 3/8 X 27 7/8 in.
(1534 X 708 mm)

Deep sump height:

16 1/2 in. - 419 mm

Deck width:

4 in. - 102 mm

Drain location:

End

Project:

Contractor:

Representative:

Date:

Tel:

Notes:



4/22/2015

Studio® Concealed Trapway Right Height® Dual Flush Elongated Front toilet with Seat - American Standard - Product Details



Studio® Concealed Trapway Right Height® Dual Flush Elongated Front toilet with Seat - American Standard - Product Details



This page was printed from <http://americanstandard.ca>

Product Information

Studio® Concealed Trapway Right Height® Dual Flush Elongated Front toilet with Seat

This page was printed from <http://americanstandard-ca.com>

MODEL #: 2794204, 735168-400, 4000204, 3075120, 5218110, 7381203-200 | COLLECTION: STUDIO



Description

- LXP (Luxury Performance) Toilet
- Combination dual flush bowl and tank, with seat
- 12" (305mm) rough-in
- Siphon action jetted bowl with smooth-sided, concealed trapway
- High efficiency, low consumption
 - Full Flush 1.3 gpf/6.0 Lpf
 - Conserving Flush 0.9 gpf/4.1 Lpf, utilizes 21% less water
- Meets EPA WaterSense® Criteria (Pending)
- EverClean® Surface
- PowerWash™ rim scrubs bowl with each flush
- 16-1/2" (419mm) rim height
- Fully-glazed 2-1/8" trapway
- Oversized 3" flush valve
- Generous 9" x 8" water surface area
- Includes Duroplast slow close seat and cover with concealed seat ring and easy lift-off feature for simple removal and reattachment for cleaning
- Chrome-plated top mounted push button actuator
- 2 colour matched bolt hole covers
- 5 year warranty on entire toilet
- Design coordinates with Studio® and Boulevard® lavatories

Nominal Dimensions -
Length x Width x Height:
30-1/4" x 15-3/4" x 30-3/4"
(769 x 400 x 780mm)

Features and Innovations

- 5 Year Warranty
- EverClean™ Surface
- Right Height
- Toilet Performance - Best - MAP Score between 800-1000g
- Toilet Shape - Elongated
- Water Efficient
- WaterSense® Certified

Buy Now



Product: 7381203-200.0070A
Dual Flush Push Button,Top Mount

\$25.00 Each

Qty



Videos





Exhibit 6032

Model number: 105513

Dimensions: 30 1/2" x 59 3/4" x 32" Installation: E 7/ = F*0 Material: G 3 H>3



Wood support design may vary.
Single Integrated tiling flange: 1" height x 1/4" thickness (shown)
All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.



Dimensions:

SZ\$CRLB\$C, \$R[\$D+\$0\
*, S, [B\$[, +B\$+ [\$ < -

Water capacity:

1 [\$; >/ 02\$ \$ [D\$ 0 72

Weight:

[S\$9 2\$ \$ [\SS\$MK

Bathing well:

SC\$, ED\$ D@\$0\
*, CSZ\$ \$@+\$ < -

Deep sump height:

, @\$, RL\$0 \ \$ \$, C\$ <

Deck width:

D\$R[\$0 \ \$ \$ C\$ <

Drain location:

NO? \$

U 7/ V 3 W\$

Q / 0 (7; 3 / W\$

J) = 7) 2) 0 (; (X) W\$

E ; 0 W\$

Y) W\$

O / 0 2W



HQ V X IWH & 5

Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4" Installation: Alcove Door type: Slider



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance
- Ball bearing roller technology for smooth and quiet opening
- Reversible shower door for left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed

Product characteristics:



- Ball Bearing Roller System
- Bestseller
- Utile Compatible

Warranty:

10 Years

Certifications

MAAX products adhere to one or more of the following certifications:



Frame Finish(es):

 Chrome (084)

 Dark Bronze (173)

 Brushed Nickel (305)

 Matte Black (340)

Glass Pattern(s):

 Clear (900)

Recommended products (Visit our website for a complete list of our recommended products)

No	Description
410011	ModulR 6032 Corner left (without armrests)
102003	Rectangular Base 6034 - 3 in.
105055	Rectangular Base 6030 - 5 in.



Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm


Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4"

Installation: Alcove

Door type: Slider

STANDARD



Code	Description	H	L Adjustable	F	P Adjustable	Door Opening	Wall Adjustment
138996	Halo 78 3/4" x 47"	78 3/4"	44 1/2" - 47"	22 1/2"	-	16 1/4" - 18 3/4"	1"
138997	Halo 78 3/4" x 59"	78 3/4"	56 1/2" - 59"	28 5/8"	-	22 1/8" - 24 5/8"	1"
139393	Return Panel 30"	78 3/4"	-	-	27 7/8"	-	1"
138998	Return Panel 32"	78 3/4"	-	-	29 7/8"	-	1"
139395	Return Panel 34"	78 3/4"	-	-	31 7/8"	-	1"
139396	Return Panel 36"	78 3/4"	-	-	33 7/8"	-	1"
139394	Return Panel 42"	78 3/4"	-	-	39 7/8"	-	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:
56 1/2-59 x 78 3/4 in. (1435-1499 x 2000 mm)
Glass Thickness:
5/16 in. (8 mm)
Weight:
162 lbs (73.47 kg)
Frame type:
Frameless
Opening:
Reversible
Door adjustment:
For out of plumb walls
Minimum access:
22 1/2 (572 mm)
Maximum access:
24 1/2 (572 mm)

Project:

Contractor:

Representative:

Date:

Tel:

Notes:



P D I Q # R U # I Q V X I W H #

Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4" Installation: Alcove Door type: Slider



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance
- Ball bearing roller technology for smooth and quiet opening
- Reversible shower door for left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed

Product characteristics:



- Ball Bearing Roller System
- Bestseller
- Utile Compatible

Warranty:


10 Years


Certifications


MAAX products adhere to one or more of the following certifications:




Frame Finish(es):

 Chrome (084)

 Dark Bronze (173)

 Brushed Nickel (305)

 Matte Black (340)

Glass Pattern(s):



Clear (900)

Recommended products (Visit our website for a complete list of our recommended products)

No	Description
410011	ModulR 6032 Corner left (without armrests)
102003	Rectangular Base 6034 - 3 in.
105055	Rectangular Base 6030 - 5 in.




Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4" Installation: Alcove

Door type: Slider

STANDARD



Code	Description	H	L Adjustable	F	P Adjustable	Door Opening	Wall Adjustment
138996	Halo 78 3/4" x 47"	78 3/4"	44 1/2" - 47"	22 1/2"	-	16 1/4" - 18 3/4"	1"
138997	Halo 78 3/4" x 59"	78 3/4"	56 1/2" - 59"	28 5/8"	-	22 1/8" - 24 5/8"	1"
139393	Return Panel 30"	78 3/4"	-	-	27 7/8"	-	1"
138998	Return Panel 32"	78 3/4"	-	-	29 7/8"	-	1"
139395	Return Panel 34"	78 3/4"	-	-	31 7/8"	-	1"
139396	Return Panel 36"	78 3/4"	-	-	33 7/8"	-	1"
139394	Return Panel 42"	78 3/4"	-	-	39 7/8"	-	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:

56 1/2-59 x 78 3/4 in.
(1435-1499 x 2000 mm)

Glass Thickness:

5/16 in. (8 mm)

Weight:

162 lbs (73.47 kg)

Frame type:

Frameless

Opening:

Reversible

Door adjustment:

For out of plumb walls

Minimum access:

22 1/2 (572 mm)

Maximum access:

24 1/2 (572 mm)

Project:

Contractor:

Representative:

Date:

Tel:

Notes:



P DVWHU #IQ VX IWH

Reveal Sleek 71 Pivot Shower Door 56-59 x 71 ½ in. 8 mm

Model number: 139580

Dimensions: 56-59" x 71 1/2" Installation: Alcove Door type: Pivot



Standard Features:

- Wide opening to ease the access in and out of the shower
- Strongly built sill, permanently fixed on the base, better water barrier
- Hinge with patent mechanism that offers 3 in. of lateral adjustment
- Additional 3/4 in. of out-of-plumb adjustment
- Header-less door, no height restriction
- New design, 1 7/8 in. deep, makes it compatible with many bases and tile

Product characteristics:

- 8mm Tempered Glass
- Utile Compatible
- Wide Opening

Warranty:


10 Years

Certifications


MAAX products adhere to one or more of the following certifications:




Frame Finish(es):

 Chrome (084)

 Dark Bronze (173)

 Brushed Nickel (305)

 Matte Black (340)

Glass Pattern(s):

 Clear (900)

Recommended products (Visit our website for a complete list of our recommended products)

No	Description
145036	KDS 3060
105666	Rectangular Base 6036 - L/R Drain - 3 in.
105706	Rectangular Base 6032 - 3 in.



Reveal Sleek 71 Pivot Shower Door 56-59 x 71 1/2 in. 8 mm


Model number:	139580
---------------	--------

Dimensions: 56-59" x 71 1/2"

Installation: Alcove

Door type: Pivot

STANDARD



Code	Description	L	F	O
139575	Reveal Sleek 71 1/2" x 32 1/2" - 35 1/2"	32 1/2" - 35 1/2"	5 3/8"	23 3/4" - 26 3/4"
139576	Reveal Sleek 71 1/2" x 38" - 41"	38" - 41"	10 7/8"	23 3/4" - 26 3/4"
139577	Reveal Sleek 71 1/2" x 41 1/2" - 44 1/2"	41 1/2" - 44 1/2"	14 3/8"	23 3/4" - 26 3/4"
139578	Reveal Sleek 71 1/2" x 44" - 47"	44" - 47"	16 7/8"	23 3/4" - 26 3/4"
139579	Reveal Sleek 71 1/2" x 51 1/2" - 54 1/2"	51 1/2" - 54 1/2"	24 3/8"	23 3/4" - 26 3/4"
139580	Reveal Sleek 71 1/2" x 56" - 59"	56" - 59"	28 7/8"	23 3/4" - 26 3/4"

- Wall adjustment = 3/4"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:
56-59 x 71 1/2 in. (1422-1499 x 1816 mm)
Glass Thickness:
5/16 in. (8 mm)
Weight:
142 lbs (64,5 kg)
Frame type:
Frameless
Opening:
Reversible
Door adjustment:
3 in.
Minimum access:
23 3/4 (603 mm)
Maximum access:
26 3/4 (603 mm)

Project:

Contractor:

Representative:

Date:

Tel:

Notes:



P DVWHU #HQ VX IWH†

athroom / Showering / Shower Only

Monitor 14 Series Contemporary Square Shower Kit


MODEL#: DF-KIT23-PBSCZ-WS

Finish: Champagne Bronze



- Monitor 14 Series valve-only trim with integrated diverter
- MultiChoice Universal Valve with stops
- H2Okinetic Touch-Clean raincan shower head
- 4-setting H2Okinetic hand shower with slide bar and hose
- Shower arm, flange and wall elbow included

Special Features

 **Brilliance[®] Finish** 

