

Ariosa 6636

Model number:	106267
---------------	--------

Dimensions: 66" x 36" x 28" Installation: Freestanding Material: Acrylic



Standard Features:

- 2-piece bathtub with symmetrical look and concealed seam
- Recessed deck with ample space for faucet installation
- Maximized bathing well with center drain
- Above-the-Floor Rough (AFR) and F² Drain compatible
- MAAX innovative leveling legs
- Apron available in white and 5 designer

Product characteristics:

- Bestseller
- Deck Space for Faucet
- F2 Drain compatible

Warranty:

25 Years

Standard colors:

White (001)

Certifications

MAAX products adhere to one or more of the following certifications:



Options (Visit our website for a complete list of our options)

No	Description
☐ OPT 20252	Linear Waste and overflow
☐ OPT 20137	Cable-operated waste and overflow
☐ OPT 20250	Brass waste and overflow for high-rise construction

Ariosa 6636


Model number:

106267

Dimensions: 66" x 36" x 28"

Installation: Freestanding

Material: Acrylic



() : Recommended faucet area of 15" (L) x 4" (W).
Depth recommended for straight pipes 8".
All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:
66 x 36 x 28 in. (1676 x 914 x 711 mm)
Water capacity:
56 gallons - 214 liters
Weight:
98 lbs - 44.44 kg
Bathing well:
63 1/2 X 28 1/2 in. (1613 X 724 mm)
Deep sump height:
18 7/8 in. - 479 mm
Deck width:
4 3/8 in. - 111 mm
Drain location:
Center

Project:

Contractor:

Representative:

Date:

Tel:

Notes:

Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:

138997

Dimensions: 56 1/2-59" x 78 3/4"

Installation: Alcove

Door type: Slider



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance
- Ball bearing roller technology for smooth and quiet opening
- 48 in. and 60 in. reversible showers door allowing left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed

Product characteristics:

- Ball Bearing Roller System
- Bestseller
- Utile Compatible

Warranty:

10 Years

Certifications
MAAX products adhere to one or more of the following certifications:



Frame Finish(es):

 Chrome (084)

 Dark Bronze (173)

 Brushed Nickel (305)


 Matte Black (340)

Glass Pattern(s):

 Clear (900)

Recommended products (Visit our website for a complete list of our recommended products)

No	Description
410011	ModulR 6032 Corner left (without armrests)
102003	Rectangular Base 6034 - 3 in.
105055	Rectangular Base 6030 - 5 in.




Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number: 138997

Dimensions: 56 1/2-59" x 78 3/4" **Installation:** Alcove

Door type: Slider

STANDARD



Code	Description	H	L Adjustable	F	P Adjustable	Door Opening	Wall Adjustment
138996	Halo 78 3/4" x 47"	78 3/4"	44 1/2" - 47"	22 1/2"	-	16 1/4" - 18 3/4"	1"
138997	Halo 78 3/4" x 59"	78 3/4"	56 1/2" - 59"	28 5/8"	-	22 1/8" - 24 5/8"	1"
139393	Return Panel 30"	78 3/4"	-	-	27 7/8"	-	1"
138998	Return Panel 32"	78 3/4"	-	-	29 7/8"	-	1"
139395	Return Panel 34"	78 3/4"	-	-	31 7/8"	-	1"
139396	Return Panel 36"	78 3/4"	-	-	33 7/8"	-	1"
139394	Return Panel 42"	78 3/4"	-	-	39 7/8"	-	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:

56 1/2-59 x 78 3/4 in.
(1435-1499 x 2000 mm)

Glass Thickness:

5/16 in. (8 mm)

Weight:

162 lbs (73.47 kg)

Frame type:

Frameless

Opening:

Reversible

Door adjustment:

For out of plumb walls

Minimum access:

22 1/2 (572 mm)

Maximum access:

24 1/2 (572 mm)

Project:

Contractor:

Representative:

Date:

Tel:


Notes:

DS
UX
DS
WJ

Product Specification Sheet



B1928 Undermount Double Sink with 15mil Radius Corners



Colour Finish

Stainless Steel

Model No.

B1928

Description

- Double Bowl Undermount Sink with 15mil radius corners
- Outside dimensions: 32" x 19"x 10"
- Minimum Cabinet Size: 33"
- Stainless Steel Double Bowl Sink
- 16 Gauge Type 304 Stainless Steel
- Stone Guard undercoating over rubber pad
- 3 1/2" drain opening
- Supplied with installation clip, template and strainer
- cUPC certified

Available accessories

- BG1928SM - Stainless Steel Grid Small
- BG1928LG - Stainless Steel Grid Large
- Colander Strainer - Stainless Steel
- Zero Radius Basket
- Drying Rack



MAIN LOCATION

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9

CONTACT

Tel: 1 (800) 930-0214
Fax: 1 (866) 310-7580
Email: sales@bristolsinks.com

