

Terms of Sale | Privacy Policy | Shipping & Returns | Sitemap

All Prices are in Canadian Dollars • Berenson Inc. © 2009 All rights reserved 321 Hanlan Rd, Unit 1, Woodbridge, ON L4L 3R7 • Phone: 905-264-1494 • Fax: 905-264-0360 • Toll Free: 800-268-0578

1 of 1 09/12/2015 11:39 AM

# SCB316 | ALITO Collection







#### **Wall Mount**



We've learned that sometimes the best way to anticipate the needs and desires of your market is to listen to the men and women who install your product. Inspired by our most popular model, the SC300, we have designed an install-friendly hood that makes all the "what if's" of installation a non-issue. Keeping the pyramid shape, we expanded the chimney flue (duct cover) just wide enough to conceal off-centre ducting. Bringing our lights to the front of the hood provides greater ambience in the most used cooking area and also avoids drawing attention towards any imperfections from the backsplash. We also slanted our baffle filters to maximize air and grease collection. The SCB316 has every kind of installer in mind.

### **Green Features**



3 Speed Push Button Control Panel



Long-Lasting LED Lights





Model	Colour	Ducting	Filters	Size	CFM
SCB31630SS	Stainless Steel	6"	Baffle	30"	300
SCB31636SS	Stainless Steel	6"	Baffle	36"	300
SCB31630MB	Matte Black	6"	Baffle	30"	300
SCB31636MB	Matte Black	6"	Baffle	36"	300


#### Cyclone Range Hoods Inc.


# SCB316 | ALITO Collection



## **Features**

- · Wall mount range hood
- 6" round duct adapter
- · Non-stick aluminum fan blades
- 3 speed push button control
- 2 LED lights (2 x 1.4W, 4000K)
- · Quick release stainless steel baffle filters
- · Standard chimney fits up to 9 ft. ceiling
- · Plug-in connection





## **Options**

- · Finishes: Stainless Steel, Matte Black
- Chimney Flues:

B3.CH16 - short (7'-8' ceilings)
B3.CH22 - standard (8'-9' ceilings)
B3.CH32 - extended (9'-11' ceilings)

· Widths: 30", 36"



# **Specifications**

Air Flow Volume: 300 CFM

Electrical Connection: 120 V/60 Hz

Power Consumption: 300 Watts

Current: 2.5 Amps

Fan Speed: 1350 RPM

Fan Type: Centrifugal Blower

· Finishes: Stainless Steel, Matte Black

· Ducting: 6" Round

Noise Level: Min. 2 Sones
 Max. 4 Sones

