


STANDARD UNDERMOUNT VANT , SINK WITH SOLID SURFACE COUNTERTOP

Product Specification Sheet

B608 Porcelain Vanity Bowl



Colour Finish
Porcelain

Model No.
B608

- Description
- White Undermount Porcelain Sink
 - Outside Dimensions 18" x 13" x 7"
 - Inside Dimensions 16" x 11" x 5-3/4"
 - Minimum Cabinet Size: 20"
 - True Vitreous China
 - Cardboard Template Included
 - Mounting Clips Included
 - Limited Lifetime Warranty
 - cUPC Certified

Available accessories

- Pop Up Drain – No Overflow (Brushed Finish)
- Pop Up Drain – No Overflow (Chrome Finish)
- Pop Up Drain – Overflow (Brushed Finish)
- Pop Up Drain – Overflow (Chrome Finish)



MAIN LOCATION

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9



CONTACT

Tel: 1(800) 930-0214
Fax: 1(866) 310-7580
Email: sales@bristolsinks.com

CALI ONE PIECE TOILET

4.8LPF / 1.28GPF

- ☐ 4710BOV
- Lined Tank
- ☐ 4710BOVU
- Unlined Tank

PRODUCT SPECS:

- High efficiency toilet
- 4.8Lpf / 1.28Gpf
- Elongated bowl with concealed skirted trapway
- Vitreous china
- 17" Plus Height for greater comfort
- Soft white tank lever
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Flapper
- Siphon jet flush action
- Water surface: 7⅝" x 5⅝" (198mm x 143mm)
- Decorative soft white side caps included
- Smooth close toilet seat included

DIMENSIONS:

392mm W x 725mm D x 765mm H
15½" W x 28½" D x 30⅝" H

COMPLIANCE CERTIFICATIONS

- Meets or exceeds the following:
- IAPMO cUPC
 - ASME A 112.19.2 / CSA B45.1
 - ADA Guidelines & ANSI A117.1
 - LEED Compliant
 - CSA B651 barrier-free standard
 - US EPA WaterSense
 - MaP Tested 1000g

SHIPPING

Cube	9.39
GW	92.5 lbs




TO BE SPECIFIED

- Colour:
- ☒ Soft White

NOTES: This toilet is designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately.

Important: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Product is designed to comply with ADA / ANSI A117.1 and CSA B651 Barrier-Free Standard requirements, if installed according to the standard and local building codes. It is the responsibility of the installer to comply with this standard and local building codes prior to installation.



Single Handle Lavatory Faucet

MODEL#: 563LF-BL-LPU



Finish: **Matte Black**



List Price*:

\$333.30

Product Support, Repair Parts & Technical Specifications

[View Maintenance & Installation Sheet](#)

[View Series Technical Specifications](#)

Installation Information



1 or 3-hole 4" installation



KITANO

14 Series Shower
Trim

MODEL#: T14263-BL

Finish: **Matte Black**



List Price*:

\$290.80

Special
Features



Touch-Clean®





MultiChoice®
Universal
Valve





Single Handle Lavatory Faucet

MODEL#: T3763-BL



Finish: **Matte Black**



List Price*:

\$564.10

Product Support, Repair Parts & Technical Specifications

[View Maintenance & Installation Sheet](#)

[View Technical Specifications](#)

Installation Information

