Café[™] Energy Star® 23.1 Cu. Ft. Counter-Depth French-Door Refrigerator

CWE23SP4MW2 / CWE23SP2MS1 / CWE23SP3MD1





ALSO AVAILABLE IN



CWF23SP2MS1 Connect Plus Ready Stainless Steel with Brushed Stainless handles



CWE23SP3MD1 Built in Wifi Matte Black with Brushed Stainless

CWE23SP4MW2 Built in Wifi Matte White with Brushed Bronze handles













Create a built-in look with **counter-depth design** that fits flush with surrounding cabinetry.

Enjoy a cleaner appliance appearance with internal water dispenser.

Always have plenty of ice ready whenever you need it with a factory-

Keep key ingredients fresh and within sight with a full-width, electronic, temperature-controlled drawer that uses an LED colored lighting system.

Food remains fresh longer with $\textbf{TwinChill}^{\mbox{\tiny IM}}$ evaporators that accurately maintain and control separate freezer and refrigerator environments.

Display groceries like a gallery with $\textbf{showcase} \; \textbf{LED} \; \textbf{lighting} \; \textbf{positioned}$ throughout the interior to spotlight your favorite foods and containers.

Eliminate the guesswork of temperature setting with in-the-door controls with a easily-adjustable digital temperature display.

Protect your family and guests with an advanced water filtration system

that removes 98% of pharmaceuticals from ice and water $\!\!\!^*$.

Removes 98% of ibuprofen, atenolol, fluoxetine, progesterone and trimethoprim These pharmaceuticals are not necessarily in all users' water.

ADDEARANCE

Yes
Flat doors
GE Café
Yes
Case only—Dark gray

FEATURES

121110100	·
Configuration	French door
WiFi connect	CWE23SP3MD1 and CWE23SP4MW2 are built in
	Amazon Alexa The Google Assistant IFTTT
Connected capabilities	CWE23SP2MS1 is Connect Plus Ready
Temperature management system	TwinChill™ evaporators
Defrost type	Frost Guard
Control type	Internal electronic digital temperature display
Dispenser	Internal water
Dispenser features	Door alarm; Internal dispenser
Icemaker	Factory-installed
Water filtration	Advanced filtration system Removes pharmaceuticals Water filter indicator light
Filter location	Left wall
Fresh food cabinet drawers	3 total 2 adjustable humidity drawers 1 full-width, adjustable temperature with LED light
Fresh food cabinet shelves	5 total—glass with silver trim 4 split adjustable 11ull-width 3 spill proof 1 Quick Space shelf
Fresh food door bins	6 total (4 adjustable with gallon storage)
Fresh food door features	Dairy compartment; Drop down tray
Fresh food features	Showcase LED lighting (7) Deli pan
Freezer storage baskets	2 full-width (with ice bucket)
Freezer features	Interior lighting—showcase LED (2)
Exterior style	Counter-depth
Leveling system	2 front leveling legs
Performance features	Easily removable door gaskets; Sabbath Mode capable

CAPACITY

Total capacity (cubic feet)	23.1 cu. ft.
Fresh food capacity	15.9 cu. ft.
Freezer capacity	7.2 cu. ft.

WEIGHTS & DIMENSIONS

Overall depth	31-1/4 in.
Overall height	69-7/8 in.
Overall width	35-3/4 in.
Case depth without door	24-3/8 in.
Depth with door open 90°	43-3/8 in.
Depth without handle	28-3/4 in.
Height to top of case	69 in.
Width with door open 90° including handle	44-3/4 in.
Approximate shipping weight	363 lb.
Net weight	333 lb.





Café[™] Energy Star[®] 23.1 Cu. Ft. Counter-Depth French-Door Refrigerator




CWE23SP4MW2 / CWE23SP2MS1 / CWE23SP3MD1

WARRANTY

Parts warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system	
Labor warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system	
Warranty notes	See written warranty for full details	

DIMENSIONS



Height to top of door (in.) A	70-1/2
Height to top of hinge (in.) B	69-7/8
Height to top of case (in.) C	69
Case depth without door (in.) D	24-3/8
Case depth less door handle (in.) E	28-3/4
Case depth with door handle (in.) F	31-1/4
Depth with fresh food door open 90° (in.) G	43-3/8
Width (in.) H	35-3/4
Width with door open 90° with door handle (in.) I	44-3/4
Width with doors open fully (in.) J	57
Min distance between side of case and wall, in either direction, to allow doors to open fully (in.) K	13-1/8
Depth with FZ door completely open (w/o handle) (in.) X	44-1/4
Depth with FZ door completely open (w/ handle) (in.) Y	46-3/4

ADDITIONAL ACCESSORIES



CXLB3H3PMBZ Brushed Bronze 3 handles (Standard on Matte White)



CXLB3H3PMSS Brushed Stainless 3 handles (Standard on Matte Black and Stainless Steel)



CXLB3H3PMBT Brushed Black 3 handles



CXLB3H3PMCU Brushed Copper 3 handles



CXLB3H3PMCG Brushed Brass 3 handles



CXLB3H3PMFB Flat Black 3 handles

BXB609 | PRO Collection





Insert

Introducing Cyclone's latest addition, the BXB609 insert is a blend of subtlety and strength. With a potent 900 CFM, it excels in high-heat culinary tasks. Its stainless steel baffle filters are dishwasher-safe, and the unit features three-speed controls, plus dual vivid LED lights.

Green Features



3 Speed Push Button Control Panel



Dishwasher Safe Baffle Filters



Long-lasting LED Light Bulbs




Model	Colour	Ducting	Filters	Size	CFM	Fits Cabinet
BXB60934	Stainless Steel	8"	Baffle	34"	900	36"
BXB60940	Stainless Steel	8"	Baffle	40"	900	42"
BXB60946	Stainless Steel	8"	Baffle	46"	900	48"
BXB60934MB	Matte Black	8"	Baffle	34"	900	36"
BXB60940MB	Matte Black	8"	Baffle	40"	900	42"
BXB60946MB	Matte Black	8"	Baffle	46"	900	48"

Cyclone Range Hoods Inc.

1361 Huntingwood Drive, Unit 16. Toronto, ON. M1S 3J1. Canada.

Toll Free: 1-888-293-5662 Tel: (416) 293-0933 Fax: (416) 293-4793 Website: www.CycloneRangeHoods.com




BXB609 | PRO Collection



Features

- Insert range hood
- · 8" round duct adapter
- · Non-stick aluminum fan blades
- 3 speed push button control
- · Quick release dishwasher-safe baffle filters
- 3 LED lights (3 x 1.4W, 4000K)
- · 3 minutes time-delay OFF feature
- · Plug-in connection



32 ½"/38½ "/44 ¼" 32 ½"/38½ "/44 ½" 34"/39 ¾"/45 ½" FRONT

Options

- Widths: 34", 40", 46"
- Finishes: Stainless Steel, Matte Black

Specifications

• Air Flow Volume: 900 CFM

• Electrical Connection: 120 V/60 Hz

Power Consumption: TBD

· Current: TBD

Fan Speed: TBD

Fan Type: Centrifugal Blower

• Finishes: Stainless Steel, Matte Black

Ducting: 8" Round

Noise Level: Min. TBD

Max. TBD



WTR4 LOT 126 - MAIN FLOOR DRYER

DVE45B6305P

SAMSUNG

Samsung Smart Front Load Electric Dryer with Steam Sanitize+ 7.5 cu. ft. Capacity DOE



Signature Features

SmartThings Enabled

Wi-Fi connected so you can remotely start or stop your cycle, schedule laundry on your time, receive end of cycle alerts, and more right from your smartphone.1

Steam Sanitize+

The Steam Sanitize+ cycle removes 99.9% of germs and bacteria, over 95% of pollen, and kills 100% of dust mites². Multi-Steam Technology steams away wrinkles, odors, and static.

Sensor Dry

Automatically optimizes the time and temperature of your drying cycle to protect your clothes from heat damage, while avoiding excess energy use.

Available Colours



Platinum (shown)



Champagne



SmartThings Enabled



Steam Sanitize+

Features

- SmartThings Enabled
- Steam Sanitize+
- Sensor Dry
- · Vent Sensor
- Interior Drum Light
- 12 Preset Drying Cycles10 Additional Drying Options
- 5 Temperature Lévels
- 4-Way Venting (3-Way for Gas)
- Dual Heaters
- Reversible Tempered Glass Door
- LED Display: Ice Blue

Convenience

- Child Lock
- Filter Check Indicator

Rating




- ENERGY STAR® Rated
- **Energy Consumption** (annual) = 608 kWh/yr



#1 Highest in Customer Satisfaction with Clothes Dryers in the U.S., 3 Years in a Row.³

³ For J.D. Power 2020 award information, visit jdpower.com/awards





¹ Samsung Smart Washer/Dryer app is available at the App Store. Please check app for compatibility with your smartphone before downloading.


² Based on internal testing and independently verified by Intertek. Individual results may vary.

DVE45B6305P

SAMSUNG

Samsung Smart Front Load Electric Dryer with Steam Sanitize+7.5 cu. ft. Capacity DOE

Dimensions




Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of $72 \, \text{in}^2$ (see stacked build below). Your washer alone does not require a specific air opening.


* Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



2. With stacked washer and dryer



7.5 cu. ft. Capacity

4-Way Venting (Electric)3-Way Venting (Gas)

12 Preset Drying Cycles:

Refresh, Steam Sanitize+, Normal, Heavy Duty, Permanent Press, Active Wear, Bedding, Delicates, Time Dry, Air Fluff, Quick Dry, Downloaded

9 Additional Downloaded Cycles:

Wrinkle Away, Eco Normal, Towels, Wool, Sanitize, Shirts, Denim, Low Temperature, Rack Dry

10 Additional Drying Options:

Damp Alert, Wrinkle Prevent, Smart Control, Adjust Time (Up), Adjust Time (Down), Eco Dry, Drum Light, Child Lock, Smart Care, Alarm Off

5 Temperature Levels:

High, Medium High, Medium, Medium Low, Low

5 Dry Levels:

More Dry, Normal-More Dry, Normal Dry, Normal-Less Dry, Less Dry

Warranty

One (1) Year Parts and Labour

Product Dimensions & Weight (WxHxD)

Dimensions: $27'' \times 38^{3}/4'' \times 31^{1}/2''$ Weight: 123 lbs (55.8 kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29 \frac{3}{8}$ " x $42 \frac{9}{16}$ " x $33 \frac{1}{2}$ " Weight: 130 lbs (59 kg)

Electric Dryer Platinum Champagne	Model # DVE45B6305P DVE45B6305AC	UPC 887276652153 887276652146
Matching Washer Platinum Champagne	Model # WF45B6300AP WF45B6300AC	UPC 887276627410 887276627403
Gas Dryer Platinum	Model # DVG45B6305P	UPC 887276652146
Matching Pedestal Platinum Champagne	Model # WE402NP WE402NC	UPC 887276310145 887276310121
Accessories Stacking Kit	SKK-8K	887276344034

Actual colour may vary. Design, specifications and colour availability are subject to change without notice. Non-metric weights and measurements are approximate. © 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

WTR4 LOT 126 - MAIN FLOOR WASHER

WF45B6300AP

SAMSUNG

Samsung Smart Front Load Washer with Super Speed 5.2 cu. ft. Capacity



Signature Features

Super Speed

Uses advanced cleaning technologies to wash a full load of laundry in just 30 minutes¹, without sacrificing cleaning performance.

SmartThings Enabled

Wi-Fi connected so you can remotely start or stop your cycle, schedule laundry on your time, receive end of cycle alerts, and more right from your smartphone.²

Powerful stain removal without pretreatment, while still gentle on your clothing.

Available Colours



Platinum (shown)



Champagne



SuperSpeed



Steam

Features

- SmartThings Enabled
- Super Speed
- Steam
- VRT Plus™ Technology
- Swirl+ Drum Design
- Self Clean+
- Closet-Depth Fit³
- Stackability
- Internal Water Heater
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor
- 12 Preset Washing Cycles

- 9 Additional Washing Options
- 5 Temperature Levels
- Tempered Glass Door
- LED Display: Ice Blue
- 24-Hour Delay End

Convenience

- Child Lock
- Door Lock
- Dispenser Trays: Main Wash, Softener, Bleach

Rating



- ENERGY STAR® Rated
- CEE Tier 3 • IMEF = 3.1
- IWF = 2.9

#1 Highest in Customer Satisfaction with Top-Load Clothes Washers in the U.S., 3 Years in a Row.4

⁴ For J.D. Power 2020 award information, visit jdpower.com/awards






Based on using SuperSpeed on a normal cycle with an 8lb load.
 The Samsung SmartThings application is required and is available on Android and iOS devices. A Wi-Fi connection is required. User will be solely responsible for any consequence(s) that may result, including but not limited to any damage or harm caused by incorrect information provided by the user.
 Designed to fit a 40" installation depth.

WF45B6300AP

SAMSUNG

Samsung Smart Front Load Washer with Super Speed 5.2 cu. ft. Capacity

Dimensions




Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72 in² (see stacked build below). Your washer alone does not require a specific air opening.


* Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



2. With stacked washer and dryer



5.2 cu. ft. Capacity

12 Preset Washing Cycles:

Normal, Heavy Duty, Bedding, Quick Wash, Delicates, Towels, Eco Cold, Rinse/Spin, Self Clean+, Steam Sanitize, Steam Normal, Steam White, Downloaded

11 Downloadable Cycles:

Permanent Press, ActiveWare, Wool, Eco Cold, Colours, Outdoor, Denim, Steam Allergen, Power Steam, Steam Bulky, Power Rinse

9 Additional Washing Options:

Presoak, Steam, Delay End, Smart Control, Super Speed, Alarm Off, Child Lock, Smart Care, Spin Only

5 Temperature Levels:

Hot, Warmer, Warm, Cool, Cold

5 Spin Speeds:

High, Medium High, Medium, Low, No Spin

5 Soil Levels:

Heavy, Medium Heavy, Normal, Medium Low, Light

Dispenser Trays:

Main Wash, Softener, Bleach

Warranty

One (1) Year Parts and Labour Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: $27" \times 38^{3}/_{4}" \times 31^{3}/_{8}"$ Weight: 201 lbs. (91.2 kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29^{3}/8'' \times 42^{3}/8'' \times 34^{1}/8''$ Weight: 205 lbs. (93 kg)

Electric Washer Platinum Champagne	Model # WF45B6300AP WF45B6300AC	UPC 887276627410 887276627403
Matching Electric Dryer Platinum Champagne	Model # DVE45B6305P DVE45B6305AC	UPC 887276652153 887276652146
Gas Dryer Platinum	Model # DVG45B6305P	UPC 887276652146
Matching Pedestal Platinum Champagne	Model # WE402NP WE402NC	UPC 887276310145 887276310121
Accessories Stacking Kit	SKK-8K	887276344034

Actual colour may vary. Design, specifications and colour availability are subject to change without notice. Non-metric weights and measurements are approximate. © 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

WTR4 LOT 126 - MICROWAVE/OVEN

Café[™] 30" Five in One Oven with 240V Advantium® Technology

CSB923P4NW2 / CSB923P2NS1 / CSB923P3ND1





ALSO AVAILABLE IN

CSB923P2NS1 Stainless Steel with Brushed Stainless handle



CSB923P3ND1 Matte Black with Brushed Stainless handle

FEATURES & BENEFITS

Unmatched versatility to unleash your imagination - Enjoy a whole new level of cooking flexibility with a single oven that can be used in five different ways. Use it as a Convection Oven, Microwave, Toaster Oven, Warming/ Proofing Oven, and Precision Cook Oven with Advantium Technology.

Cook smarter, not longer - Achieve oven-quality results in a fraction of the time as halogen light, microwave energy and True European Convection work together to provide the exact amount and type of heat your food needs, precisely when it needs it

Say goodbye to rubbery leftovers - Achieve crispy results at microwave speed with more than 20 reheat programs that make leftovers taste like new $\,$

The perfect marriage of quality and speed - Eliminate the need for preheating and cook your favorite foods two- to four-times faster than a conventional oven

Healthy meals without the fuss - Fresh vegetables and rice are perfectly prepared with a steam cook option that simplifies the entire process $% \left(1\right) =\left\{ 1\right\} =\left\{ 1$

Create a look that matches your personal style - Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

Clean-up has never been easier - Keep your oven looking like new at all times with steam clean $\,$

The perfect fit you've always dreamed of - When you're updating your kitchen, attention to detail is a priority. That's why Café Advantium wall ovens are guaranteed for an exact fit for an easy and seamless replacement.

APPEARANCE

Color Appearance	Matte White
Handle	Café Pro Style

FEATURES	
Cooking Modes	Precision Cook; Crisp Reheat; Convection; Microwave; Proof, Warm
Style	Built-In
Control Type	7" Full Color LCD Touch Control
Interior Oven Light	Yes
Oven Interior	Stainless Steel
Microwave Watts (IEC-705)	950
Turntable Size	16
Control Features	Add 30 Sec; Over 175 Programmed Menu Selections
Cooking Technology	5 in 1 Oven with 240V Advantium
Grill Pan	Yes
Rack Type	Wire Oven Rack

CAPACITY Total Capacity (cubic feet) 1.7

POWER / RATINGS

Electrical Input - 240V Watts	6300
Voltage (MIN)	208
Voltage (MAX)	240
Volts/Hertz	240V; 60Hz
Amps 240V/208V	30
Broiler Wattage	2400W

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	92
Cavity (W x H x D)	20-1/16 x 8-1/2 x 17
Height (Front)	20-1/8
Net Weight	82
Overall Height	20-1/8
Overall Width	29-3/4
Overall Depth	21-1/2
Cabinet Width	30

ACCESSORIES

Metal Oven Pan Yes - F	recision Cooking Tray






Café[™] 30" Five in One Oven with 240V Advantium® Technology





WARRANTY

	Limited 1-year entire appliance
Parts warranty	Limited 5-year magnetron tube
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details



Café[™] 30" Five in One Oven with 240V Advantium® Technology

CSB923P4NW2 / CSB923P2NS1 / CSB923P3ND1

DIMENSIONS AND INSTALLATION INFORMATION

Preparation with an Accessory Drawer

Prepare the opening: The Advantium 240V can be installed in combination with other GE/Monogram appliances. Always follow each product's Installation Instructions to compete the installation.

Single oven installation: Order a 30" wide single oven cabinet or cut the opening in a wall to the dimensions shown.

- * For existing cutouts, a maximum width of 28-1/2" is acceptable. If the opening is slightly wider, secure a furring strip on each side of the cutout for securing the oven.
- Always maintain 36-3/4" minimum height from the floor to the cutout in any single or combined installation.
- Allow 3/4" to 2-1/8" case trim overlap on the sides and 1" overlap on the bottom of the opening for all models. The amount of overlap on the sides depends on the actual cutout width. Allow 2-1/4" case trim overlap on the top.
- Oven overlaps will conceal cut edges on all sides of the opening.

When installed over a single oven or a warming drawer, allow at least 2" between the two openings. This separation will provide clearance for bottom overlap of the Advantium 240V and the other appliance overlaps. Construct a solid oven floor of 3/8" min. thick plywood supported by 2 \times 4 or 2 \times 2 runners on all sides.

- the support must be level and rigidly mounted, flush with the bottom edge of the cutout.
- * For existing cutouts, a maximum width of 28-1/2" is acceptable. If the opening is slightly wider, secure a furring strip on each side of the cutout for securing the oven.

Note: Additional clearances between the cutouts may be required. Check to be sure the oven supports above the Warming Drawer location do not obstruct the required interior depth and height. See Warming Drawer installation instructions for details.


Installation Over a Wall Oven and Warming Drawer:

* For existing cutouts, a maximum width of 28-1/2" is acceptable. If the opening is slightly wider, secure a furring strip on each side of the cutout for securing the oven.


Note: Additional clearances between the cutouts may be required. Check to be sure the oven supports above the Warming Drawer location do not obstruct the required interior depth and height. See Warming Drawer installation instructions for details.

Caution: For personal safety, the mounting surface must be capable of supporting the cabinet load, in addition to the added weight of this approximate 80-pound oven and 30-pound drawer, plus additional oven loads of up to 50 pounds or a total weight of 160 pounds.






Installation over Warming Drawer:



Installation over a Wall Oven and Warming Drawer:



ADDITIONAL ACCESSORIES



CXWS0H0PMBZ Brushed Bronze 1 handle (standard on Matte White)



CXWS0H0PMSS
Brushed Stainless
1 handle
(standard on Matte Black)



CXWS0H0PMBT Brushed Black 1 handle



CXWS0H0PMCU Brushed Copper 1 handle

Café[™] 48" Dual-Fuel Commercial-Style Range with 6 Burners and Griddle (Natural Gas)

C2Y486P2TS1 / C2Y486P3TD1 / C2Y486P4TW2





ALSO AVAILABLE IN

C2Y486P2TS1 Stainless Steel with Brushed Stainless handle and knobs



and knobs

FEATURES Configuration	Double Oven Range
Cooking Technology	Convection
Oven Cleaning Type	Self-Clean with Steam Clean Option (Both Ovens)
Burner - Left Front	21,000 BTU
Burner - Left Rear	18,000 BTU
Burner - Right Front	10,000 BTU
Burner - Right Rear	18,000 BTU
Burner - Center	12,000 BTU Front / 12,000 BTU Rear
Griddle	18,000-BTU (NG) and 16,000-BTU (LP)
Cooktop Burner Type	Sealed
Cooktop Surface	Porcelain-Enamel
Cooktop Surface	Gray
Dishwasher Safe Knobs	Yes
Control Location	Front controls
Control Type	Digital Temperature Display
	with Timer Display Knob (Both Ovens)
Valves (Degree of Turn)	270
WiFi-Enabled Features	Remote Oven Control
	Remote Notifications
	Scan-to-Cook
	Voice Control
	Precision Cooking Modes No Preheat Air Fry
	Meat Probe (App-Based func)
Connected Integrations	Amazon Alexa
	DiGiorno
	Drop
	IFTTT
	Innit Sonos
	The Google Assistant
Range Control Features	Audible Preheat Signal
	Auto Oven Shut-Off
	Auto Self Clean
	Electronic Timer
	Front Controls
	In-Oven Broiling Self-Clean Cool Down Time Display
	Temperature Probe
	Sabbath Mode: Shabbos Keeper required, sold separately
Oven Cooking Modes	Convection Bake Multi/Single Rack (Both Ovens)
Over cooking modes	Convection Broil Hi/Lo (Both Ovens)
	Convection Roast (Both Ovens)
	Proof (Both Ovens)
O	Warming (Both Ovens) 8-Pass Broil Element
Oven Features	Hidden bake
Cooktop Burner Grate Features	Continuous Grates
COOKIOP Builler Orate Features	Heavy-Cast Edge-to-Edge Grates
Cooktop Burner Grate Material	Heavy Cast
Cleaning Time	Variable with Delay Clean Option
Self-Clean Oven Door Lock	Automatic Automatic
Oven Rack Features	1 Self-Clean Extension Rack (Caterer Oven)
o. o Nack i Catalico	1 Self-Clean Extension Rack (Everyday Oven)
	1 Self-Clean Flat Rack (Everyday Oven)
	2 Self-Clean Flat Oven Racks (Caterer Oven)
	4 Rack Positions (Everyday Oven)
	5 Rack Positions (Caterer Oven)

ADA COMP UNIT



FEATURES & BENEFITS

Versatile Cooktop - The versatile cooktop on this commercial-style range features an entire arsenal of burners that give you the right amount of heat and control to perfectly cook anything from delicate sauces to expertly seared meats.

Caterer Oven - A large capacity oven fits a full-size catering pan and has three racks, large 8-pass bake and broil elements for even heat coverage and Precision Oven modes to help guarantee results for meals of any size.

Second Oven for everyday use - A second everyday oven gives you the space and features you need for family meals, including enough room for two 9" \times 13" casserole dishes, two self-clean racks, no-preheat air fry, convection cooking, a precision temperature probe and more.

Color-Matched Manifold with LCD Control - Get a coordinated look with a manifold that matches the range's finish and an LCD control panel that provides information like oven and probe temperatures and cooking time for perfect cooking results.

Superior Heat Distribution - The industry-exclusive Inspiral burner swirls the cooktop flame under cookware to more evenly spread heat from the center to the edges.

Multi-Ring Burner - A versatile burner offers different-sized flame rings on a single burner element, so it's like having multiple burners in one.

Built-in Griddle with Thermostat - An 18,000-BTU, Stainless Steel and Aluminum Clad griddle features an integrated thermostat, which automatically adjusts heat to hold your set temperature.

Two Griddle Burners - Cook more at once with two 12,000-BTU powerful burners that can be used together or separately with an optional griddle grill accessory.

Two High-Heat Burners - Boil water quickly with two 18,000-BTU Power Boil burners that give you more cooking power.

WIFI-ENABLED FEATURES

Built-in WiFi - This smart oven features WiFi connection so you can control oven functions with the SmartHQ app on your smart device.

No-Preheat Air Fry - Cook healthier, crispier versions of your favorite foods in less time, thanks to an air fryer right in your oven that doesn't require preheating, a basket or a special tray.

Enhanced Shabbos Mode – The Shabbos Keeper connects to your range to automatically enable Shabbos compatible modes each week and before every holiday (Shabbos Keeper sold separately, visit www.zmantechnologies.com for details). WiFi connection via the SmartHQ app required for initial setup.

CAPACITY

Fuel Type

Style

Ignition System

Leveling System

Cooking System

CHINCITI	
Total Capacity (cubic feet)	8.25 cu ft
Capacity (Cu. Ft.)	5.75 Caterer Oven / 2.5 Everyday Oven

4 Leveling Legs

Commercial

5 Rack Positions (Caterer Oven)

True Convection with Reverse Air

240V Electric and Natural Gas

Electronic w/Auto Reignition





Café[™] 48" Dual-Fuel Commercial-Style Range with 6 Burners and Griddle (Natural Gas)





ACCESSORIES

Conversion Kits	LP kit included Optional WB28X39728: High Altitude Natural Gas Optional WB28X39729: High Altitude LP
Griddle	UXPRRGG: Reversible grill/griddle Stainless Steel and Aluminum Clad Included
Backsplash	UXADJB48PSS: 30"-36" adjustable-height backsplash with warming shelf UX12BS48PSS: 48" Professional 12" Backsplash
Griddle Cover	WB34X39889
Toe Kick	CXPR8TKPMSS: 48" Stainless Steel Toe Kick

APPEARANCE

Color Appearance	Matte White	
Cooktop Burner Grate Color	Matte Black	
Oven Door Features	Big Clear View Oven Window	
Handle Color	Brushed Bronze	
Handle Design	Café Consumer Removable	
Control Knobs	Consumer Removable Dishwasher Safe Commercial-Style Stainless Steel	

WEIGHTS & DIMENSIONS

Cabinet Opening	30 in
Depth with Door Open	43 7/8 in
Approximate Shipping Weight	672 lb
Net Weight	576 lb
Overall Height	35 1/4 in
Height to Cooking Surface (in.)	35-1/4 to 36-3/4
Overall Width	47 7/8 in
Cabinet Width	48 in
Overall Depth	28-1/4
Interior Dimensions - Companion Oven (WxHxD) (in.)	12-1/4" x 16-3/8" x 21-3/4"
Interior Dimensions - Main Oven (WxHxD) (in.)	28-1/4" × 16-1/4" × 21-3/4"

POWER / RATINGS

I O WELL TURE I OO	
Bake/Broil Wattage - Main Oven	2700/4000W
Top Burner BTU Rating - LP (000's BTU's)	(1) 18.0; (2) 15.0; (2) 12.0; (1) 9.1
Top Burner BTU Rating - Nat. Gas (000's BTU's)	(1) 21.0; (2) 18.0; (2) 12.0; (1) 10.0
Volts/Hertz/Amps	240V; 50A
Power Connection	Power Cord - Included
Main Convection Wattage	2500W
Companion Convection Wattage	1500W

WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION

Electrical Requirements: Ranges must be hooked up to a 208/240V, 60Hz properly grounded dedicated circuit protected by a 50-amp circuit breaker or time-delay fuse.

Gas Pressure Regulator: You must use the gas pressure regulator supplied with this range. For proper operations the inlet pressure to the regulator should be as follows:

Natural Gas:

Minimum pressure: 6" of Water Column Maximum pressure: 13" of Water Column

Propane (LP) Gas:

Minimum pressure: 11" of Water Column Maximum pressure: 13" of Water Column See installation instructions for more details

Optional Backsplash Accessories: The range requires a 12" minimum clearance to a vertical combustible surface at the rear. A backsplash is required for installations with less than 12" clearance. The following backsplash accessories are available, or a custom, non-combustible backsplash can be used.

Order one with a 48"-wide range backsplash:

- $\hbox{-} \mbox{UXADJB48PSS} \mbox{30"-36"} \mbox{ adjustable-height backsplash with warming shelf} \\$
- UX12BS48PSS 48" Professional 12" Backsplash

NOTE: Commercial-style ranges offer a number of choices in size and cooktop configurations. All commercial-style ranges are factory set for natural gas.

Conversion kits are included with the range. High Altitude Kit, High Altitude Natural Gas: WB28X39728; High Altitude LP: WB28X39729 are also available. The kits must be installed by a qualified service technician at additional cost.


Installation Information: Before installing, consult installation instructions packed with product or online at geappliances.com for current dimensional data. A suitable 48" or wider vent hood is required for installation over ranges with a grill and recommended for all other ranges.

Advance Planning: Refer to dimensional drawings for appropriate placement and necessary clearances when planning the installation.

- Working areas adjacent to the range should have 18" minimum clearance between countertop and cabinet bottom.
- Clearance between range and side wall or combustible material must be at least 12" on each side.
- Installation must conform with local codes. In the absence of local codes, the range must comply with the National Fuel Gas Code, ANSI Z223.1-1990.

WARNING: Installations without a hood require 48" minimum to combustibles. A custom hood installation with exposed horizontal combustible surfaces must have an Auto-On feature. Refer to hood installation instructions for specific hood clearances.

The surface of the entire back wall above the range and below the hood must be covered with a non-combustible material such as metal, ceramic tile, brick, marble or other stone.




Café[™] 48" Dual-Fuel Commercial-Style Range with 6 Burners and Griddle (Natural Gas)

C2Y486P2TS1 / C2Y486P3TD1 / C2Y486P4TW2





DIMENSIONS AND INSTALLATION

UTILITY LOCATIONS



SIDE VIEW WITH BACKSPLASH





ADDITIONAL CLEARANCES

Allow 12" minimum clearance to an adjacent wall on each side. Working areas adjacent to the rangetop should have 18" minimum clearance between countertop and the bottom of the wall cabinet.

ADDITIONAL ACCESSORIES



CXPR8HKPTBZ **Brushed Bronze** 2 handles, 9 knobs (standard on Matte White)



CXPR8HKPTBT Brushed Black 2 handles, 9 knobs



CXPR8HKPTCU Brushed Copper 2 handles, 9 knobs



CXPR8HKPTSS Brushed Stainless 2 handles, 9 knobs (standard on Matte Black)



CXPR8HKPTCG **Brushed Brass** 2 handles, 9 knobs



CXPR8HKPTFB Flat Black 2 handles, 9 knobs



UXPRRGG Grill/Griddle Accessory



WB34X39889



CXPR8TKPMSS Stainless Steel Toe Kick Pro Range 48"



UXAD IB48PSS Stainless Steel 48" Backsplash with Shelf

UX12BS48PSS 48" Professional 12" Backsplash

Café[™] 5.7 Cu. Ft. Built-In Dual-Drawer Refrigerator







ALSO AVAILABLE IN

CDE06RP2NS1 Stainless Steel with Brushed Stainless handles



CDE06RP3ND1 Matte Black with Brushed Stainless handles

CDE06RP4NW2 Matte White with Brushed Bronze handles





FEATURES & BENEFITS

Impress your guests every time you open the drawers with an attractive stainless steel interior that is also easy to clean.

Never let grabbing a quick snack interrupt your conversations, thanks to **soft-close drawers** that slide quietly closed.

Favorite wines are always perfectly chilled and ready to serve with a large **5.7 cu. ft. capacity** that easily holds upright bottles.

Keep all your fresh foods and drinks organized with an **adjustable divider** that maximizes flexibility and storage capacity in both drawers.

Fresh vegetables and craft beers are always stored in their ideal climate, thanks to an **exact temperature control** that chills items between 34° and 45° F.

Sharable foods are easy to find and easy to serve with **LED lighting** that provides clear, bright light throughout the drawers.

APPEARANCE

Exterior design	Flat doors
Handle design	Café

FEATURES

Control Type	Electronic
Interior Lighting	LED
Leveling System	Leveling Legs
Defrost Type	Auto
Defrost Water Drain	Yes
Sabbath Mode	Yes
Sort Capacity	5.7

CAPACITY

Total Capacity (cubic feet)	5.7 cu ft
-----------------------------	-----------

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	135 lb
Net Weight	126 lb
Depth Without Handle	23 3/4 in
Overall Depth	26 in
Height (including hinge cover)	34 1/4 in
Height (top of case only)	33 7/8 in
Overall Width	23 7/8 in





Café[™] 5.7 Cu. Ft. **Built-In Dual-Drawer Refrigerator**




CDE06RP4NW2 / CDE06RP3ND1 / CDE06RP2NS1

WARRANTY

Parts warranty	Limited 1-year entire appliance	
Labor warranty	Limited 1-year entire appliance	
Warranty notes	See written warranty for full details	

DIMENSIONS



ADDITIONAL ACCESSORIES



CXQD2H2PNBZ Brushed Bronze 2 handles (Standard on Matte White)



CXQD2H2PNSS Brushed Stainless 2 handles (Standard on Matte Black and Stainless Steel)



CXQD2H2PNBT Brushed Black 2 handles



CXQD2N2PNCU Brushed Copper 2 handles



CXQD2H2PNCG Brushed Brass 2 handles



CXQD2H2PNFB Flat Black 2 handles

Café[™] CustomFit Stainless Interior Built-In Dishwasher with Hidden Controls

CDT888P4VW2/CDT888P2VS1



DISTINCT BY DESIGN™



ALSO AVAILABLE IN



CDT888P2VS1 Fingerprint Resistant Stainless Steel with Brushed Stainless handles

CDT888P4VW2 Matte White with Brushed Bronze handles







FEATURES & BENEFITS

 $\label{lem:Leminous LED Lights - Shine bright with uniform LED lighting throughout this well-lit dishwasher for simplified loading and unloading. \\$

39 dBA Dishwasher – Enjoy a peaceful kitchen while delivering a powerful wash thanks to this super-silent 39 dBA dishwasher.

CustomFit Top Rack with Ultra Wash – Load your way in this dishwasher with a customizable top rack. The CustomFit Top Rack can be configured to maximize flexibility. In addition, the Ultra Wash Zone uses powerful jets to target stuck-on food on silverware, spatulas, ramekins and lids.

CustomFit Basket with Ultra Wash – Load more than just silverware in this flexible basket with dedicated wash jets below. The CustomFit Basket holds all your silverware, 9" tall stemware and reusable straws, so items that were hand-washed before can safely be washed in the dishwasher.

CustomFit Lid Caddy – Cup lids and blender blades can easily dry thanks to the CustomFit Lid Caddy. It is designed to hold items at the perfect position for cleaning and restricts water from pooling, so pieces come out clean and dry after every wash.

Smart Features Powered by SmartHQ $^{\bowtie}$ – Built-in WiFi and the SmartHQ $^{\bowtie}$ app make it easy to control and monitor your smart dishwasher from anywhere. You can also conveniently access the latest features like Favorites, which allows you to access your favorite cycles with a single button.

Smart Assist – Smart Assist makes it simple for you to unlock optimal wash and dry performance. Innovative dishwasher sensors and intelligent machine learning enhance and improve cycles over time.

Ultra Wash & Dry — This ultra-wash and dry dishwasher ensures table-ready dishes. Ranging from gentle for delicate stemware to intense for pots and pans, flexible wash options ensure that dishes get full coverage and the right amount of pressure for an ideal clean.

Dual Convection Ultra Dry with Hidden Heat – Expect precision cleaning and superior dryness on fine china, dinnerware and plastics in this ultra-wash and dry dishwasher. The Dual Convection Ultra Dry with Hidden Heat ensures that every item is fully dried, even dishwasher-safe plastics.

Customizable Dishwasher Handles – Choose from six unique Café handle finishes to complement the rest of your kitchen thanks to this dishwasher with customizable hardware.

4 Bottle Wash Jets – This dishwasher with 4 bottle wash jets ensures a deep clean for tall items, narrow glasses, jars and more. In the upper rack, each of the jets directs water and detergent inside to effectively wash hard-to-reach areas.

Silverware Wash – Powerful jets in the top rack and CustomFit basket work in unison using targeted washing action to clean even the most stuck-on foods from silverware, cooking utensils and more.

Presoak + Sanitize – Save time with a high-temperature cycle that steams and sanitizes. Loosen tough soils before the wash cycle begins without the need to prerinse or soak. Plus, a sanitization cycle reduces 99.999% of bacteria on dishes.

Leak Defense with Active Flood Protect – Leak Defense with Active Flood Protect senses and prevents potential overflows. A powerful water sensor alerts and guides you through the new Smart Assist feature if even a small amount of water leaks below the unit.

Wash Zones – Wash a true half load in the upper or lower rack whenever you need to in this dishwasher with loading flexibility. Just choose your wash zone: upper or lower. The feature works in combination with most cycles, saving you time and conserving energy.

Smooth-Glide Adjustable Middle Rack – Load your dishwasher your way thanks to an adjustable middle rack. Easily move it up and down to fit bottles, large platters and other items as tall as 10.5".

Middle and Lower Rack Fold-Down Tines – Two rows of adjustable tines in both the middle and lower rack allow you to load the way you want. Sixteen different tine positions offer the ultimate customization to fit all of your items.

Flush Installation - Cabinet-depth flush installation ensures your dishwasher blends in with the design of your kitchen without sacrificing space for dishes inside.

Piranha™ Hard Food Disposer – The Piranha™ Hard Food Disposer lets you use your dishwasher without pre-rinsing. Its stainless steel impellers rotate to pulverize food particles and an anti-jamming design make sure wash arms stay unclogged.

FEATURES

Style	Built-In		
Tub and Door Liner	Stainless Steel		
Tub Type	Tall Tub		
Control Type	Top Controls; Cap Touch Controls; 12 Touchpads		
Dishwasher Control Features	Audible End-of-Cycle Signal; Cycle Countdown with Bi-Color LED Status Light on door; Cycle Progress Indicators: Clean/Sanitized/Smart Assist/WiFl/Remote Enabled; Last Cycle Memory; Fingerprint Resistant		
Wash System	3-Level; 800 Series		
Wash System Features	90+ Spray Jet Wash System; Automatic HotStart; Automatic Temperature Control; Bottle Jets (4); Deep Clean Silverware Jets; Drain Pump; Hard Food Disposer with removable filter; Hidden Heater; Lower Wash Arm; Middle Wash Arm; Side Jets; Variable Speed Dual Pumps and Motors		
Sensor	Clean Sensor		
Wash Arms	3rd Rack; 4 Wash Levels; Bottle Jets; Deep Clean Silverware Jets; Lower; Middle; Upper; CustomFit Basket with Ultra Wash Jets		
Water Filtration System	100% Filtration with Hard Food Disposer and Removable Filter		
Dispenser	Rinse Aid with Indicator and Adjustment; Electronic Low Rinse Aid Sensor $$		
Number of Cycles	5		
Dishwasher Cycles	Auto Wash; Cascade Platinum Plus (on app); Cookware; Express; Gentle; Normal		
Number of Options	15		
Dishwasher Options	1/2 Load (on app); Bottle Wash (on app); Delay Start 1-12 Hr.; Favorites (on app); Heated Dry Off; Hi-Temp Wash; Lock Controls; Normal Dry; Presoak + Sanitize (Certified to NSF Standard 184); Sabbath Mode; Silverware Wash; Start/Cancel; Ultra Dry; WiFi/Remote Enabled; Favorites on Machine and App		
Rack Features	Adjustable Upper Rack; Ball-Tipped Tines; Cafe Flex Silverware Basket; Full Extension Slides – Middle; CustomFit Lid Caddy		
Racking Material	Nylon		
Rack Color	Black Pearl		
Number of Place Settings	Up to 16		
Upper Rack	1 Rack handle; 1/2 fixed tines, 1/2 fold down tines; Ball-Tip Tines; Fixed tines with Bottle Jets; Lid Manager; Premium Height Adjustable; Smooth Glide Middle Rack		
Lower Rack	Ball-Tip Tines; 1/2 fixed tines, 1/2 fold down tines		
Additional Protection	Active Flood Protect; Leak Defense with Active Flood Protect		
Dishwasher Drying Features	Dual Convection Ultra Dry; Ultra/Normal/Off; Dual Fan Assist		
Cutlery Tray	CustomFit Top Rack with Ultra Wash		
Floor Protection	Leak Defense with Active Flood Protect; Leak Pan with Sensor		
Leveling System	3 Point Leveling		
Latch	Pull with Handle		
Showroom Power Mode	Yes		
WiFi Connect	Built-In		
Exterior Style	Traditional		
Racking System	Full 3rd Rack		

ECONOMICAL/QUIET

Quiet Package	39 dBA	
Quiet Features	Quiet Water Valve; Sealed Toe Kick; Tub Collar Trim	
Motor Type	Variable Speed	
Outer Wrap	Full-wrap Blanket; Bitumen	
Door Insulation	Insulation; Mastic	

WEIGHTS & DIMENSIONS

Cabinet Width	24 in
Approximate Shipping Weight	137 lb
Net Weight	124 lb
Overall Height	34 in
Height w/Legs Retracted - Minimum Height	33-3/8 in
Height w/Legs Extended - Maximum Height	34-5/8 in
Overall Depth	24 in
Overall Width	23-3/4 in

APPEARANCE

Door Style	Long Door with Top Controls
Installation	Side Installation or Top Installation Included; Built-Up Floor Capable; Flush Cabinet Installation
Door Appearance	Full-length flat door

Café[™] CustomFit Stainless Interior Built-In Dishwasher with Hidden Controls

CDT888P4VW2/CDT888P2VS1




TECHNICAL DETAILS

Calrod Heater Watts	1200/400
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120 V; 60 Hz; 10.8 A


WARRANTY

Parts warranty	Limited 1-year entire appliance	
Labor warranty	Limited 1-year entire appliance	
Warranty notes	See written warranty for full details	

DIMENSIONS



INSTALLATION DIMENSIONS



ADDITIONAL ACCESSORIES



CXADTH1PVBT ACC Brushed Black Handle Kit



CXADTH1PVBZ ACC Brushed Bronze Handle Kit (Standard on Matte White)



CXADTH1PVCU ACC Brushed Copper Handle Kit



Brushed SS
Handle Kit
(Standard on
Matte Black and
Stainless Steel)

CXADTH1PVSS ACC



CXADTH1PVCG ACC Brushed Brass Handle Kit



CXADTH1PVFB ACC Flat Black Handle Kit

DVE53BB8700

Bespoke 7.6 cu. ft. Ultra Capacity Electric Dryer with Super Speed Dry and AI Smart Dial





Features

- Bespoke Design
- Super Speed Dry
- AI Smart Dial
- MultiControl™
- Steam Sanitize+
- ENERGY STAR® Certi ied
- Shallow Closet-Depth Fit1
- Flexible Installation
- Wi-Fi Connectivity²
- Sensor Dry
- 7.6 cu. ft. Ultra Capacity
- Vent Sensor
- Lint Filter Indicator
- Stainless Steel Drum
- Premium Tempered Glass Door
- Internal Drum Light
- Drying Rack
- Reversible Dryer Door
- 19 Total Drying Cycles
- 14 Options
- 5 Temperature Settings
- 4-Way Venting

Convenience

- Child Lock
- Filter Check Indicator

Ratings



ENERGY STAR® Rated: 608 kWh/yr

Electrical Requirements

240 V / 60 Hz 30 Amps

¹Designed to fit a 38" installation depth.



Specifications

19 Preset Drying Cycles:

Steam Refresh, Wrinkle Away, Steam Sanitize+, Super Speed, Eco Normal, Normal, Heavy Duty, Towels, Permanent Press, Activewear, Bedding, Delicates, Wool, Shirts, Denim, Time Dry, Air Fluff, Small Load, Rack Dry

14 Options:

Damp Alert, Wrinkle Prevent, AntiStatic, My Cycles, Smart Control, Eco Dry, Drum Light, Child Lock, Alarm, Al Pattern, Wi-Fi, Language, Vent Blockage Test, Factory Reset

5 Temperature Settings:

High, Medium, Medium Low, Low, Extra Low

Available Colors



Stainless Steel DVE53BB8700T



Black Stainless Steel DVE53BB8700V

5 Dry Levels:

Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: $27'' \times 38^{3}/_{4}'' \times 31^{7}/_{16}''$

Weight: 125.7 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29^{3}/_{8}$ " x $42^{15}/_{16}$ " x $34^{11}/_{16}$ "

Weight: 132.3 lbs


Electric Dryer	Model #	UPC Code	Optional Accessories	Model #	UPC Code
Stainless Steel	DVE53BB8700T	887276660103	Stainless Steel Pedestal	WE502NT	887276665283
Black Stainless Steel	DVE53BB8700V	887276660110	Black Stainless Steel Pedestal	WE502NV	887276665290
Matching Washer			Stainless Steel Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCT	887276667379
Stainless Steel	WF53BB8700AT	887276652238	Black Stainless Bespoke Stacking	SKK-9MCV	887276667386
Black Stainless Steel	WF53BB8700AV	887276652245	and MultiControl™ Combo Kit		
	5522507 007 (Vent Kit	DV-2A	887276146416

SAMSUNG

Bespoke 7.6 cu. ft. Ultra Capacity Electric Dryer with Super Speed Dry and AI Smart Dial

Dimensions


Required dimensions for installation with pedestal:



Installation Specifications – Side-by-Side

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch². Your washer alone does not require a specific air opening.

Alcove or closet installation Minimum clearance for closet and alcove installations:



Connection Dimensions

Back and side view of dryer


LEGEND:

Cold Water Connection

Actual colour may vary. Design, specifications and colour availability are subject to change without notice.

Non-metric weights and measurements are approximate.

© 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.




SAMSUNG

Bespoke 7.6 cu. ft. Ultra Capacity Electric Dryer with Super Speed Dry and AI Smart Dial

Installation Specifications – Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



Connection Dimensions

Back and side views of stacked pair


LEGEND:

Cold Water ConnectionHot Water Connection

Actual colour may vary. Design, specifications and colour availability are subject to change without notice.

Non-metric weights and measurements are approximate.

© 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.



WF53BB8700

Bespoke 6.1 cu. ft. Ultra Capacity Front Load Washer with Super Speed Wash and AI Smart Dial





Features

- Bespoke Design
- 6.1 cu. ft. Ultra Capacity
- Super Speed Wash
- AI Smart Dial
- MultiControl™
- ENERGY STAR® Most Efficient
- Shallow Closet-Depth Fit1
- Flexible Installation
- Wi-Fi Connectivity²
- Steam
- Self Clean+
- Premium Tempered Glass Door
- Vibration Reduction Technology+
- Swirl+ Drum Interior
- Internal Drum Light
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor
- 24 Total Washing Cycles
- 14 Options

IMBOUT OF THE STATE OF THE STAT

Specifications

24 Total Washing Cycles:

Normal, Heavy Duty, Bedding, Permanent Press, Delicates, Activewear, Wool, Towels, Eco Cold, Rinse + Spin, Self Clean+, Small Load, Colours, Spin Only, Outdoor, Denim, Super Speed, Steam Sanitize, Steam Allergen, Steam Normal, Power Steam, Steam Whites, Steam Bulky, Power Rinse

14 Additional Washing Options:

Presoak, Extra Rinse, My Cycles, Delay End, Smart Control, Super Speed, Drum Light, Child Lock, AI Pattern, Alarm, Calibration, Wi-Fi, Language, Factory Reset

5 Temperature Settings:

Machar

Extra Hot, Hot, Warm, Cold, Tap Cold

Available Colours



Stainless Steel WF53BB8700AT



Black Stainless Steel WF53BB8700AV

7 Spin Settings:

Extra High, High, Medium, Low, Extra Low, No Spin, No Drain

5 Soil Settings:

Extra Heavy, Heavy, Normal, Light, Extra Light

Warranty

One (1) Year Parts and Labour Ten (10) Years DD Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: $27" \times 38^{3}/_{4}" \times 34^{1}/_{2}"$

Weight: 224.9 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29^{3}/_{8}$ " x $42^{15}/_{16}$ " x $36^{1}/_{4}$ "

Weight: 231.5 lbs

Convenience

- Child Lock
- Dispenser Trays: Main Wash, Softener, Bleach

Ratings



CEE Tier 3 IMEF = 3.1 IWF = 2.9 103 kWh/yr

Electrical Requirements

120 V / 60 Hz 15 Amps

wasner	Model #	UPC Code			
Stainless Steel	WF53BB8700AT	887276652238			
Black Stainless Steel	WF53BB8700AV	887276652245			
Matching Electric Dryer					
Stainless Steel	DVE53BB8700T	887276660103			
Black Stainless Steel	DVE53BB8700V	887276660110			

Model #

Optional Accessories	Model #	UPC Code
Stainless Steel Pedestal	WE502NT	887276665283
Black Stainless Steel Pedestal	WE502NV	887276665290
Black Stainless Steel Riser	WE272NV	887276197630
Stainless Steel Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCT	887276667379
Black Stainless Steel Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCV	887276667386

LIDC Code

¹Designed to fit a 38" installation depth.


Requires wireless network, Samsung account and Samsung SmartThings App. The Samsung SmartThings App supports Android OS 4.0 (ICS) or later which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Samsung SmartThings App available in App Store and Play Store.

SAMSUNG

Bespoke 6.1 cu. ft. Ultra Capacity Front Load Washer with Super Speed Wash and AI Smart Dial

Dimensions


Required dimensions for installation with pedestal:



Installation Specifications – Side-by-Side

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch². Your washer alone does not require a specific air opening.

Alcove or closet installation Minimum clearance for closet and alcove installations:



Connection Dimensions

Back view of washer

LEGEND:


Cold Water Connection

Hot Water Connection

Actual colour may vary. Design, specifications and colour availability are subject to change without notice.

Non-metric weights and measurements are approximate.

© 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.




SAMSUNG

Bespoke 6.1 cu. ft. Ultra Capacity Front Load Washer with Super Speed Wash and AI Smart Dial

Installation Specifications - Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



Connection Dimensions

Back and side views of stacked pair

LEGEND:

Cold Water Connection

Hot Water Connection

Actual colour may vary. Design, specifications and colour availability are subject to change without notice.

Non-metric weights and measurements are approximate.

© 2022 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

