

## SUITES' KEY NOTES (TYPICAL)

(2) SUITE INTRUSION ALARM AND KEYPAD WITH DIGITAL DISPLAY

(3) IN SUITE TELEPHONE/TV COMBO DISTRIBUTION PANEL

(5) 120 U-GROUND DUPLEX RECEPTACLE FOR GENERAL PURPOSES

7) WALL MOUNTED TELEPHONE OUTLET

(8) 120V, 15A, RECEPTACLE FOR FRIDGE

(ALL RECEPTACLES LOCATED WITHIN 1.5M OF KITCHEN SINKS ALONG THE WALL BEHIND THE COUNTERS SHALL BE PROTECTED BY GFI BREAKERS OF THE CLASS A TYPE)

10) UNDER COUNTER LIGHTING TYPE TO BE CONFIRMED BY CLIENT

250V, 10, 4W, 50A, RECEPTACLE FOR RANGE. CONNECT WITH 3#10 BX OR 3#8
TWH-19MM CONDUIT

(12) RECEPTACLE FOR KITCHEN MICROWAVE AND EXHAUST FAN

(14) WALL MOUNTED COMBINATION TV/TELEPHONE OUTLET

(16) CEILING MOUNTED 120V SMOKE ALARM/CARBON MONOXIDE COMBO DETECTOR (FOR 1ST, 2ND, 3RD, 6TH AND 7TH FLOORS) CEILING MOUNTED 120V SMOKE ALARM DETECTOR 🛑

ALL DETECTORS WITHIN SAME SUITE TO BE INTERCONNECTED AND HAVE A VISUAL SIGNALING COMPONENT IN ACCORDANCE WITH OBC

(17) DIRECT CONNECTION FOR VERTICAL FAN COIL UNIT REFER TO MECHANICAL DRAWING FOR MORE DETAILS

(18) 120V U-GROUND DUPLEX GFI RECEPTACLE FOR WASHROOM

(19) 120V, 15A, RECEPTACLE FOR WASHER

0) 250V. 10 .4W. 30A. RECEPTACLE FOR DRYER. CONNECT TO 3#10 BX OR 3#10

(23) DIRECT CONNECTION FOR WASHROOM EXHAUST FAN

[24] FLUSH MOUNTED SUITE SERVICE PANEL. SEE DRAWING E-16 FOR SUITE PANEL SCHEDULE 25) 120V U-GROUND DUPLEX GFI, WEATHER PROOF RECEPTACLE IN BALCONY

120V U-GROUND DUPLEX WEATHER PROOF RECEPTACLE IN BALCONY (TYPICAL FOR 2ND TO 7TH FLOOR)

ALSO REFER TO TYPICAL SUITES NOTES ON DRAWING E-9B. (ALL RECEPTACLES SHALL BE

## **GENERAL KEY NOTES**

> JUNCTION BOX FOR TRI—SORT GARBAGE SYSTEM

(4) KEY SWITCH ELEVATOR RECALL CO-ORDINATE EXACT LOCATION WITH ELEVATOR CONTRACTOR

5 FIRE ALARM MASTER OPERATION SWITCH FOR FIRE DEPARTMENT MASTER CONTROL FED FROM ECN-13

6> CONFIRM POWER AND COMMUNICATION REQUIREMENTS AT CONCIERGE DESK WITH CLIENT. PROVIDE 4x2" CONDUIT TO COMMUNICATION ROOM

(7) BUILDING STATUS ANNUNCIATOR PANEL

8 EMERGENCY BUTTON C/W INTERCONNECTION TO CONCIERGE

DOOR HOLD OPEN DEVICE INTERCONNECTED TO FIRE ALARM SYSTEM TO RELEASE UPON ACTIVATION OF FIRE ALARM SYSTEM INTERCONNECTED TO LOCALIZED SMOKE DETECTORS

SMOKE DETECTOR AND SPEAKER C/W FIRE ALARM ZONE 1) GFI WATERPROOF BBQ RECEPTACLE TO BE INSTALLED AT LEAST 1M AWAY FROM GAS CONNECTION.

COORDINATE EXACT LOCATION ON SITE. (TYPICAL FOR 2)

(12) FIREPLACE 'S CONTROL REQUIREMENT AND LOCATION TBC

 $\langle 2 \rangle$  SPLIT SYSTEM E-8 (STORAGE)

⟨2⟩ CACF ROOM IS REQUIRED TO CONTAIN THE FOLLOWING CONTROLS: 1. A MEANS TO CONTROL THE VOICE COMMUNICATION SYSTEM

2. MEANS TO INDICATE AUDIBLE AND VISUAL ALARM SIGNALS
3. MEANS TO INDICATE VISUALLY THAT ELEVATORS ARE ON EMERGENCY RECALL

4. MEANS TO TRANSMIT ALARM SIGNALS TO THE FIRE DEPARTMENT 5. MEANS TO RELEASE HOLD-OPEN DEVICES

6. MEANS TO MANUALLY ACTUATE ALARM SIGNALS
7. MEANS TO SILENCE ALARM SIGNALS 8. MEANS TO COMMUNICATE WITH EVERY ELEVATOR CAR

9. MEANS TO COMMONICATE WITH EVERT ELEVATOR CAR 9. MEANS TO INDICATE VISUALLY INDIVIDUAL SPRINKLER SYSTEM WATER FLOW SIGNALS 10. A SWITCH TO SILENCE THE AUDIBLE PORTION OF A SUPERVISORY SIGNAL OR A TROUBLE SIGNAL 11. CONTROLS TO STOP AIR HANDLING SYSTEMS 12. CONTROLS TO INITIATE EMERGENCY PRESSURIZATION AIR SUPPLIES 13. CONTROLS TO OPERATE POWERED DOOR OPERATORS AND/OR MOTORIZED FIRE DAMPERS

28 CONFIRM ALL DIMENSIONS OF LIGHTING FIXTURES ON SITE WITH CLIENT PRIOR TO ROUGH-IN.

ELECTRICAL DRAWINGS TO BE READ IN CONJUNCTION WITH THE INTERIOR DESIGNER'S DRAWINGS IN AREAS SUCH AS LOBBY, AMENITY, MANAGEMENT OFFICE, MAIL, CONCIERGE AND CORRIDORS. REFER TO THE INTERIOR DESIGNER'S DRAWINGS FOR EXACT LOCATION, REQUIREMENTS, MOUNTING HEIGHT AND LIGHTING SPECIFICATION.

2	СМ	REVISED AS PER SI E-14	2017-11-17
1	СМ	REVISED AS PER SI E-13	2017-10-18
)	СМ	REVISED AS PER SI E-10	2017-09-12
9	СМ	REVISED AS PER SI E-8	2017-08-29
8	СМ	REVISED AS PER SI E-4	2017-08-17
7	СМ	REVISED AS PER SI E-3	2017-08-11
6	СМ	ISSUED FOR CONSTRUCTION	2017-08-09
5	СМ	PROGRESS FOR CONSTRUCTION	2017-07-18
4	СМ	ISSUED FOR PERMIT	2016-12-28
3	СМ	REVISED AS PER ADD E-1	2016-12-12
2	СМ	REVISED AS PER ESA COMMENTS AND FOR CLARIFICATION	2016-05-19
1	СМ	ISSUED FOR TENDER	2016-03-15
0.	BY	DESCRIPTION	DATE


## **REVISIONS**

This drawing, is an instrument of service, is provided by and is the property of United Engineering Inc. The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify United Engineering Inc. of any discrepancy before United Engineering Inc. is not responsible for the accuracy of Architectural, structural, interior design, etc. on this drawing. Refer to the appropriate trade drawings before proceeding with any work. Installation must


conform to all applicable codes and requirements

This drawing is not to be scaled, all symbols are

of the authorities having jurisdiction.



graphic representations only.





United Engineering Inc. Mechanical Electrical Consulting Engineers 3645 Keele Street, Suite 105, Toronto, Ontario, M3J 1M6 Tel: (416) 398 1999, Fax: (416) 398 1933

GROUND FLOOR PLAN - A **ELECTRICAL** 

PROPOSED RESIDENTIAL DEVELOPMENT 25 BAKER HILL BLVD.

> ROYAL PINE HOMES STOUFFVILLE, ONTARIO

1:75 PROJECT SEPT. 2015

