

CONSTRUCTION SUMMARY

2185715 Ontario Inc.

TEL: RES.: 647-808-4108

PURCHASERS: MANDEEP, KAUR THANDI and GURNINDER, S THANDI

LOT NUMBER PHASE HOUSE TYPE CLOSING DATE

045 1 ARIA-ELEVATION A

Date Added: 16-Sep-22 Invoice Number: 8369

1 - Install Standard Cable Rough-Ins (x2) and Install Standard Telephone Rough-Ins (x2) (See Sketch)

Note:

1 - BEDROOM #3 - Install ONE (1) ADDITIONAL CABLE ROUGH-IN at bedroom #3 (See Sketch)

Note:

1 - FAMILY ROOM - Install ONE (1) ADDITIONAL ELECTRICAL PLUG at family room. To be installed above fireplace, to accommodate wall mount TV. Plug to be installed Approx. 60" AFF (See Sketch)

Note:

1 - FAMILY ROOM - Install Standard Conduit Pipe at family room above fireplace mantle. To accommodate future installation of wall mount TV. Conduit installed beside electrical plug (See Sketch)
Note:

1 - REFER TO PE # 8252, ITEM #10

FAMILY ROOM - Install SIX (6) LED POT LIGHTS with ONE (1) Switch. Each pot light to be installed centred within each square of the waffle ceiling (See Sketch)

Note: **TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes**

1 - DINETTE - In addition to builders standard ceiling light, Install FOUR (4) LED POT LIGHTS with ONE (1) Seperate Switch at dinette area (See Sketch)

Note: **TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes** - Purchaser Paying for Additional Switch Only

1 - KITCHEN - Relocate builders standard ceiling light at kitchen. To be installed centred above kitchen island (See Sketch)

Note:

1 - KITCHEN - In addition to builders standard ceiling light, Install FIVE (5) LED POT LIGHTS with ONE (1) Seperate Switch at kitchen (See Sketch)

Note:

1 - MAIN HALL - Delete builders standard ceiling lights, Install THREE (3) LET POT LIGHTS with ONE (1) Seperate Switch at main hall (See Sketch)

Note:

1 - DINING ROOM - Delete builders standard ceiling light, Install EIGHT (8) LED POT LIGHTS with ONE (1) Seperate Switch at Dining Room (See Sketch)

Note:

1 - CLARIFICATION;

UPPER HALL STAIRCASE LANDING - Delete Box Walls on either side of window at upper hall staircase landing (See Sketch)

Note: As per Fonzie C.

1 - DINING ROOM - Install CORNICE MOULDING (Style # TIC-033) 8" Cornice Moudling throughout perimeter of Dining Room, where applicable (Includes Paint) (See Sketch)

Note: As per Update Moulding

1 - MAIN FLOOR - FLOORING - HARDWOOD - Install builders standard hardwood in UPGRADE Stain - 3 1/4" x 3/4" VINTAGE RED OAK (Character Pearl) TITANIUM in lieu of builders standard hardwood. To be installed throughout main floor, where applicable.

Note: To Include; Dining Room, Main Hall, Family Room and Applicable Landings (See Sketch)

1 - SECOND FLOOR - FLOORING - UPPER HALL - Install UPGRADE #1 Hardwood - 3 1/4" x 3/4" VINTAGE RED OAK (Character Pearl) TITANIUM in lieu of builders standard broadloom. To be installed throughout UPPER HALL Only, where applicable. (See Sketch) Note:



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

TEL: RES.: 647-808-4108

PURCHASERS: MANDEEP, KAUR THANDI and GURNINDER, S THANDI

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
045	1	ARIA-ELEVATION A		

Date Added: 16-Sep-22 Invoice Number: 8369

1 - STAIRCASE VS FLOORING

WOOD SPECIES DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the wood species of the staircase and flooring chosen do not match. This difference may result in a stain colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance.

1 - STAIRCASE VS FLOORING

STAINING DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the stain of the staircase and flooring chosen do not match. This difference might result in an undesirable colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance.

1 - FAMILY ROOM - Install UPGRADE STONE HEARTH (1.25" Bevelled) - To be installed at family room fireplace standard mantle (See Sketch) Note:

1 - KITCHEN / BATHROOMS & LAUNDRY ROOM - SEE QUALITY TOPS & KITCHENS FOR ALL KITCHEN / BATHROOMS & LAUNDRY ROOM UPGRADES / LAYOUTS. (See Sketch)

Note:

1 - KITCHEN - Install Rough-In Wiring 30AMP (240 Volt) for Double Wall Oven at Kitchen (See QTK Layout for Location)

Note: Priced as per Campoli Electric

1 - KITCHEN - Delete the builders standard cabinets/exhaust fan above the stove and Accommodate Applicable Electrical for Chimney Style Hood Fan that will be installed by the purchaser After Closing (See QTK Layout)

Note: **Purchaser accepts & acknowledges that the vendor will be exempt from any possible damages created by installing their own chimney style hood fan after closing**

Priced as per Campoli Electric

1 - KITCHEN - Accommodate Standard Stone Countertop for COOK-TOP Cut Out at Kitchen (See QTK Layout for Location)

Note:

1 - KITCHEN - COUNTERTOP - Install Builders Standard Stone Countertop - EMMERSTONE MAPLE WHITE - To be installed throughout kitchen, where applicable (does not include stone backsplash) (See Sketch)

Note:

1 - KITCHEN - COUNTERTOP - Install ADDITIONAL Standard Stone Countertop (Emmerstone Maple White) - To accommodate revised kitchen layout (See Attached QTK Layout)

Note: Priced as per Continental Granite

1 - KITCHEN - COUNTERTOP EDGING - Install UPGRADE "L" EDGE PROFILE - To be installed throughout kitchen countertop, where applicable (See Sketch)

Note:

1 - DISCLAIMER - STONE COUNTERTOP:

KITCHEN - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary.

1 - KITCHEN - KITCHEN SINK - Install Builders Standard Undermount Sink - Blanco Horizon U2 (7" Deep) Undermount Sink - Model #401022 Note:

1 - KITCHEN - KITCHEN FAUCET - Install Builders Standard Faucet - MOEN Method Single Handle Pull-Out (Single Hole) Kitchen Faucet - Model # 7585 - Chrome
Note:

1 - POWDER ROOM - COUNTERTOP - Install Builders Standard Stone Countertop - EMMERSTONE VANILLA WHITE with STANDARD "A" EDGE PROFILE - To be installed throughout powder room vanity, where applicable (Includes 3" Splash) (See Sketch) Note:

StaConstructionSuymmarySQL.rpt 09May22

Page 3 of 6



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANDEEP, KAUR THANDI and GURNINDER, S THANDI

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
045	1	ARIA-ELEVATION A		

TEL: RES.: 647-808-4108

Date Added: 16-Sep-22 Invoice Number: 8369

- 1 MASTER ENSUITE COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE MAPLE WHITE with STANDARD " A " EDGE PROFILE - To be installed throughout master ensuite vanity, where applicable (Includes 3" Splash) (See Sketch) Note:
- 1 ENSUITE #2 COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE MAPLE WHITE with STANDARD " A " EDGE PROFILE - To be installed throughout ensuite #2 vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 TWIN BATH 3/4 COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE VANILLA WHITE with STANDARD " A " EDGE PROFILE - To be installed throughout twin bath 3/4 vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 DISCLAIMER STONE COUNTERTOP:

POWDER ROOM, MASTER ENSUITE, ENSUITE #2 & TWIN BATH 3/4 - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary. Note:

1 - MASTER ENSUITE - SHOWER STALL - Install TOE TESTER to Standard Plumbing at Master Ensuite Shower Stall - MOEN CHATEAU -Model #TL183EP/62320 - Chrome (See Sketch) Note:

1 - ENSUITE #2 - SHOWER STALL - Install TOE TESTER to Standard Plumbing at Ensuite #2 Shower Stall - MOEN CHATEAU - Model #TL183EP/62320 - Chrome (See Sketch) Note:

1 - TWIN BATH 3/4 - SHOWER STALL - Install TOE TESTER to Standard Plumbing at Twin Bath 3/4 Shower Stall - MOEN CHATEAU - Model #TL183EP/62320 - Chrome (See Sketch)

Note:

- 1 MASTER ENSUITE SHOWER CEILING Install STANDARD 8x10 UNIWALL TENDER GREY Tiles To be installed throughout master ensuite shower ceiling, where applicable (See Sketch) Note:
- 1 ENSUITE #2 SHOWER CEILING Install STANDARD 8x10 SERPENTINE WHITE Tiles To be installed throughout ensuite #2 shower ceiling, where applicable (See Sketch) Note:
- 1 TWIN BATH 3/4 SHOWER CEILING Install STANDARD 8x10 MALENA ICE Tiles To be installed throughout twin bath 3/4 shower ceiling. where applicable (See Sketch) Note:
- 1 PURCHASER HAS ATTENDED A COLOR APPOINTMENT AT THE DECOR CENTRE AND HAS DECLINED ANY ADDITIONAL UPGRADES.Purchaser accepts and acknowledges that there will be no further changes/additions/deletions to be made upon signing on AUGUST 25,2022

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE. Note:

Date Added: 10-Jun-22 **Invoice Number: 8252**

- 5 BASEMENT WINDOWS Install Larger Basement Windows in lieu of builders standard 30"x16". Install FIVE (5) 36"x24" Basement Windows (with Possible Window Wells) (See Sketch) Note:
- 1 SIDE EXTERIOR Install OPTIONAL SIDE DOOR Entrance (Includes Applicable Exterior Coach Light) (See Sketch)

Note:

StaConstructionSuymmarySQL.rpt 09May22 Page 4 of 6



CONSTRUCTION SUMMARY 2185715 Ontario Inc.

PURCHASERS: MANDEEP, KAUR THANDI and GURNINDER, STHANDI

LOT NUMBER PHASE HOUSE TYPE CLOSING DATE 045 ARIA-ELEVATION A

Date Added: 10-Jun-22

Invoice Number: 8252

1 - KITCHEN - EXHAUST DUCTING - Install UPGRADE 8" Exhaust Duct in lieu of builders standard 6" exhaust duct at kitchen (See Sketch)

Note:

1 - KITCHEN - Install UPGRADE GAS LINE ROUGH-IN (Inloudes Additional Applicable Electrical) at stove area of kitchen (See Sketch)

Note:

1 - KITCHEN - Install WATER LINE ROUGH-IN To fridge area of kitchen (See Sketch)

Note:

1 - GARAGE - Relocate Central Vac Trunk Rough-In to Garage in lieu of Basement

(Location to be Determined by Vendor)

Note:

1 - SERVERY - Delete Walls and Appliacble Base Cabinetry at Servery Area.

Original Servery to be part of Dining Room (See Sketch)

Note:

1 - DINING ROOM - Increase Window at original servery location. To be Approx 24"x68" to match other windows at dining room (See Sketch)

Note: **Purchaser Request for 3 Windows to be Evenly Spaced Out Along Exterior Wall**

1 - KITCHEN - Delete and Close Opening between kitchen and dining room (See Sketch)

Note: **Purchaser is aware that the price above is ONLYto close the entrance from the kitchen to the dining room. Purchaser is aware that additional cabinetry will be chosen at tome of colour chart and will be additional charge*

1 - FAMILY ROOM - Install WAFFLE CEILING in the Family Room. To Include; 6 Squares, TIC164 Moulding & 1 Pot Light centred within each square (See Sketch)

Note: **Delete the builders standard ceiling light**

All SIX (6) Pot Lights to be on ONE (1) Single Pole Switch

Please Note: SIX (6) Pot Lights have not been charged as the purchaser receives TEN (10) standard pot lights as per the Features and Finishes List **Purchaser has Remaining FOUR (4) Pot Lightd to be located at time of decor appointment

1 - ENSUITE #2 - Delete builders standard tub/shower enclosure.

Install SHOWER STALL at ensuite #2 (To Inlcude; 2x2 Mosaic Floor, 6" Curb with Stone, Shower Pot Light & Chrome Framed Glass Shower Panel & Chrome Framed Shower Door (See Sketch)

Note: As per Fonzie

Colour of Mosaics to be Determined During Decor Appointment

1 - TWIN BATH 3/4- Delete builders standard tub/shower enclosure.

Install SHOWER STALL at twin bath 3/4 (To Inlcude; 2x2 Mosaic Floor, 6" Curb with Stone, Shower Pot Light & Chrome Framed Glass Shower Panel & Chrome Framed Shower Door (See Sketch)

Note: As per Fonzie

Colour of Mosaics to be Determined During Decor Appointment

1 - MASTER BEDROOM - Delete Full Wall beside double door entrance to primary bedroom (See Sketch)

Note: As per Fonzie

1 - BONUS PACKAGE - PURCHASER HAS APPLIED \$20,000.00 (Incudes Taxes) WORTH OF UPGRADE PROMOTIONAL PACKAGE TOWARDS THE PURCHASE OF STRUCTURAL UPGRADES COMPLETED AT THE DECOR CENTRE

Note:

1 - PURCHASER HAS ATTENDED A STRUCTURAL APPOINTMENT AT THE DESIGN STUDIO AND HAS DECLINED ANY ADDITIONAL UPGRADES. Purchaser accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing on JUNE 6.2022

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 Note:

StaConstructionSuvmmarySOL.rpt 09May22

TEL: RES.: 647-808-4108


* INTERIOR COLOUR SCHEME *

		hasers & GURNINDER,S THANDI	Decor Consult Melissa Di Mari		odel and Elevation ARIA-ELEVATION A	Tele	phone Res. / Bus (647) 808-4108 /		Project 2185715 Ontario Inc.		Closin	g Date	Property 045
Daniel d = 5.0		Flooring —		Wall Tile				J					Plumbing -
Page 1 of 3		<u>Description</u>		<u>Main</u>		Accent/Insert			Border / Listello			Pattern .	· · · · · · · · · · · · · · · · · · ·
Master Ensuite	L	13x13 COSTA WHITE (STD)		8x10 UNIWALL TI	ENDER GREY (STD)	NONE			NONE			NONE	WHITE
insuite #2		13x13 SERPENTINE WHITE (STD)	Ų	8x10 SERPENTIN	NE WHITE (STD)	NONE			NONE			NONE	WHITE
win Bath 3/4	1	13x13 MALENA ICE (STD)	9	8x10 MALENA IC	E (STD)	NONE		192	NONE			NONE	WHITE
aundry (2nd Floor)		13x13 KEATON ICE (STD)		N/A		N/A			N/A			NONE	STD

owder Room	V	18x18 LIVORNO GRIS (STRAIGHT)	(STD)	N/A		N/A			N/A			NONE	WHITE
lud Room	V	18x18 LIVORNO GRIS (STRAIGHT)	(STD)	N/A	***************************************	N/A			N/A	14.0		NONE	N/A
Kitchen/Dinette	V	18x18 LIVORNO GRIS (STRAIGHT)	(STD)	NONE	megasa mana anakaran karan	N/A			N/A			NONE	STD
][
oyer	V	18x18 LIVORNO GRIS (STRAIGHT)	(STD)	Railings and				/	1	┌ Cornice N	loulding	/ Medalion –	
ain Hall	V	3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (Upg)		TD- Vintage Red Oak Titaniur		Landing - Upper		ted Oak Titanium	Foyer		NONE	
mily Room	V	3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (Upg)		TD-Steel 1/2" Square,Plain,w TD-31/2" Square with Cap Vi		Landing - Lower Ledge - Upper	N/A N/A		Living Ro		NONE	
ining Room	V	3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (Upg)					N/A		Dining Ro		UPG - TIC-033	(8")
				12	TD - VINTAGE RED OAK TIT TD - VINTAGE RED OAK TIT				12	Family Ro	om	NONE	
					TD - VINTAGE RED OAK TIT		1			Main Hall Kitchen		NONE	
					ONE		j			2nd Floor	Uall	NONE	
				_ Trim						Ziiu Piooi	пан	INOINE	
		(F-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1-100-1			Casing STANDARD - M	ODERN (Step Bev	el) Knobs ST	TANDARD					
	1			Front Door G			Hinges ST	MI TO THE RESERVE TO				<u> </u>	
pper Hall		3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (Upg)	Interior Doors	s STANDARD - CA	ARRARA,SMOOTE	Grip Set ST	TANDARD				L	
imary Bedroom	V	BROADLOOM - Opening Night - 400	2-01 (STD)	Notes -									
edroom 2	V	BROADLOOM - Opening Night - 400	02-01 (STD)	**MASTER EN	ISUITE - Install 2x2 GREY 2 - Install 2x2 WHITE Mosa	Mosaic Floor Tiles and	es and 6" curb with WHI	TE Quartz **T	WIN BATH 3/4 - Install 2:	x2 GREY Mosa	ic Floor Til	les and 6" curb	with WHITE Quart
edroom 3	4	BROADLOOM - Opening Night - 400	2-01 (STD)										
edroom 4	U	BROADLOOM - Opening Night - 400	2-01 (STD)										
				Page 1 of 3 Consultant:	BULI	Purchaser:	DocuSigned by:	Purch	naser: Candagesss	m	Vendor:		
ot: 045 Project: 2185	715 (Ontario Inc. Model: ARIA-ELI			lissa Di Marino		MANDEEP,KAUR THANDI		GURNINDER,S THANK		-	2185715 Ontario Inc. Printed Ser	o 13, 2022 9:05 a

* INTERIOR COLOUR SCHEME *

	rchasers DI & GURNINDER,S THANDI	l .	onsultant Di Marino	Model and Elevation ARIA-ELEVATION A	Telephone Res. (647) 808-4108			Project 5 Ontario Inc.		Closing Date	Property 045
Page 2 of 3	_ Interior Paint		Cabinet-						l		
	<u>Description</u>		<u>Style</u>				Countertop		Count	er Edge	Handle / Knob
Master Ensuite	STANDARD - SILVER BIRCH		**SEE ATTA	CHED QTK PAPERWORK**		9	Emmerstone Maple Wh	ite (STD)	A' ED	GE (STD)	SEE QTK
Ensuite #2	STANDARD - SILVER BIRCH		**SEE ATTA	CHED QTK PAPERWORK**		-	Emmerstone Maple Wh	ite (STD)	A" ED	OGE (STD)	SEE QTK
Twin Bath 3/4	STANDARD - SILVER BIRCH		**SEE ATTA	CHED QTK PAPERWORK**		U	Émmerstone Vanilla Wi	nite (STD)	" A" ED	OGE (STD)	SEE QTK
Laundry (2nd Floor)	STANDARD - SILVER BIRCH		**SEE ATTA	CHED QTK PAPERWORK**			SEE QTK PAPERWOR	K	SEE Q	TK PAPERWORK	SEE QTK
Powder Room	STANDARD - SILVER BIRCH		"SEE ATTA	CHED QTK PAPERWORK**			Emmerstone Vanilla Wi	nite (STD)	A' ED	OGE (STD)	SEE QTK
Mud Room	STANDARD - SILVER BIRCH		N/A_				N/A		N/A		N/A
Kitchen/Dinette	STANDARD - SILVER BIRCH		*SEE ATTA	CHED QTK PAPERWORK**			Emmerstone Maple Wh	ite (STD)	L'EC	DGE (UPG)	SEE QTK
Foyer	STANDARD - SILVER BIRCH										
Main Hall	STANDARD - SILVER BIRCH						Not	es			
Family Room	STANDARD - SILVER BIRCH		10 25	e Opening/Dimension Range SEE QTK LAYOUT Range	ge SEE QTK LAYOUT					(±/	e
Dining Room	STANDARD - SILVER BIRCH		Built-Ins	SEE QTK LAYOUT Micro	owave SEE QTK LAYOUT						
			V	SEE QTK LAYOUT Exha er Cabinet Std 24in Opening	ust Opening 6"	8"					
Upper Hall	STANDARD - SILVER BIRCH		Fireplace Fireplace		Fireplace N/A	· · · · · · · · · · · · · · · · · · ·					
Primary Bedroom	STANDARD - SILVER BIRCH		Location	Flooring 3 1/4" HARDWOOD	Location Flooring						
Bedroom 2	STANDARD - SILVER BIRCH		Style Finish	STONE	Style N/A						
Bedroom 3	STANDARD - SILVER BIRCH		Marble	NA	Marble NA					2	
Bedroom 4	STANDARD - SILVER BIRCH		Hearth	UPG - 1.25" Bevelled	Hearth N/A	4					
			Page 2 of 3 Decor Cons	sultant:	Purchaser:	J	Fulchaser	—DocuSigned by:	/	Vendor:	
ot: 045 Project: 218571	5 Ontario Inc. Model: ARIA-EL	EVATION A		Melissa Di Marino	MANDEEP,KAUR TH	ANDI	GU	JRNINDER, \$ THANDI		2185715 Ontario Inc	p 13, 2022 9:05 am





Quality Tops & Kitchens Ltd.

80 Sante Drive, Vaughan, ON L4K 3C4
T 416.746.1811 F 905.761.5901
www.QTK.ca info@qtk.ca

PURCHASE AGREEMENT FORM

PURCHASE	R:	MANDEEP KAUR THANDI	CONTRACTOR:	2185715 ONTARIO	INC.	
ADDRESS:			SITE:	WEST RIVER VALI	EY PH1, BRAMF	PTON
EMAIL:		gurninder123@hotmail.com	MODEL TYPE:	40-01 A		
PHONE #:		6477844108	LOT#:	45 WRV		
PHONE #:			DATE:	Jun 22, 2022	Q9833	
		to buy and Quality Tops & Kitchens Ltd. (QTK				
articles listed agreement fo		nd with attached drawing in accordance to the	terms and conditions	described on the reve	rse of this	
ROO	М	DESCR	IPTION		CATEC	GORY
кітсн	IEN	DOOR STYLE: QT 1201 FINISH: WHITE SPECIES: FIBERBOARD DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Other	NONE		Categ	ory 1
ITEM#	QTY		DESCRIPTION			PRICE
UCAB-P	1	UPPER CABINETS AS PER DRAWINGS PROVID	A CARLO CONTRACTOR OF THE STATE			
3M-CPG	6	CLEAR GLASS, CLEAN CUT (PER STACKED UP				
BMO2696	1	BUILT-IN MICRO & WALL OVEN W/ WOOD DRAW		× 95-1/2"H		
CK-3PD	1	DROP IN COOK-TOP W/ POT DRWS W/ BLUM AN				
TCL2696	*	STRAIGHT PANTRY CABINET - 26"D x 95-1/2"H	(IN LIEU OF BASE & UF	PPER)		
UDCC-12	1	UPPER DIAGONAL CORNER CABINET 24" x 24"	- 12-1/4" DEEP			
CUST-2	1	52" HIGH EXTENDED HEIGHT STACKED UPPEF TO THE CEILING 120" OVERALL - 108" HIGH MC	RS (36" 16") w/ J 82-ML DUNTING HEIGHT	D 700 CROWN MOULE	DING	
CUST-3	1	UPGRADE TO CATEGORY 3 HARDWARE: DH07	750			
CUST-4	1	MIX AND MATCH HANDLES: STACKED UPPERS	: DH13030			
CUST-5	1	PROFESSIONAL SERIES FRIDGE DELETE UPPER ABOVE STOVE	У		9	
				ROOM	SUMMARY:	
ROOI	M	DESCRI			CATEG	JURY
POWDER I VANIT		DOOR STYLE: QT 1022 FINISH: FROSTING SPECIES: LP LAMINATE DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Othe	NONE		Categ	ory 1
ITEM#	QTY		DESCRIPTION	2	_	PRICE
CUST-2	1	CATEGORY 1 HARDWARE : DH09130		29.7		
CUST-3	1	FLOATING VANITY W/ FALSE PANEL ABOVE & D BY BUILDER)	RAWER BELOW - 10 1/			
	6			ROOM	SUMMARY:	
ROOM	M	DESCRI	PTION	· · · · · · · · · · · · · · · · · · ·	CATEG	SORY
ENSUITE V	/ANITY	DOOR STYLE: QT 1622 FINISH: WILLOW GREY SUM SPECIES: LP LAMINATE DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Other	**		Catego	ory 1
ITEM#	QTY	· 1	DESCRIPTION			PRICE
VB-RAISE8	1	RAISE VANITY HEIGHT TO 34-1/2" - PER VANITY	′ (>61" LONG)			-
CUST-2	1	CATEGORY 1 HARDWARE : DH09140)		

CUSTOMER INITIALS

Page 1 of 3

CUSTOMER INITIALS





Quality Tops & Kitchens Ltd.

80 Sante Drive, Vaughan, ON L4K 3C4
T 416.746.1811 F 905.761.5901
www.QTK.ca info@qtk.ca

PURCHASE AGREEMENT FORM

PURCHASE	R:	MANDEEP KAUR THA	ANDI	CONTRACTOR:	2185715 ONTARIO	INC.	
ADDRESS:				SITE:	WEST RIVER VALL	EY PH1, BRAMF	NOT
EMAIL:		gurninder123@hotmai	il.com	MODEL TYPE:	40-01 A		
PHONE #:		6477844108		LOT#:	45 WRV		
PHONE #:				DATE:	Jun 22, 2022	Q9833	
ROO	M		DESC	RIPTION		CATE	SORY
ENSUITI VANIT		DOOR STYLE: FINISH: SPECIES: DOOR HARDWARE: DRW HARDWARE: COUNTER TOP:	QT 1622 WILLOW GREY SI LP LAMINATE Counter Top by Oti	ž.	·	Categ	ory 1
ITEM#	QTY			DESCRIPTION			PRICE
VB-RAISE4	1	RAISE VANITY HEIGHT	TO 34-1/2" - PER VANI				
CUST-2	1	CATEGORY 1 HARDWA			ROOM	SUMMARY:	
ROO	M		DESC	RIPTION		CATEG	ORY
TWIN VA	NITY	DOOR STYLE: FINISH: SPECIES: DOOR HARDWARE: DRW HARDWARE: COUNTER TOP:	QT 1622 FROSTING LP LAMINATE Counter Top by Oth	NONE		Categ	ory 1
ITEM#	QTY			DESCRIPTION			PRICE
B-RAISE8	1	RAISE VANITY HEIGHT	TO 34-1/2" - PER VANIT				
CUST-2	1	CATEGORY 1 HARDWA			ROOM	SUMMARY:	
ROOM	M		DESC	RIPTION		CATEG	ORY
LAUNDRY	ROOM	DOOR STYLE: FINISH: SPECIES: DOOR HARDWARE: DRW HARDWARE: COUNTER TOP:	QT 1022 CANVAS LP LAMINATE Laminate Top by Q	NONE TK D354-60	0	Catego	ory 1
ITEM#	QTY		Lammate top by &	DESCRIPTION			PRICE
CUST-2	1	CATEGORY 1 HARDWAI	RE: DH00010	DECOMM HOW		ř	
					ROOM	SUMMARY:	





Page 2 of 3



Quality Tops & Kitchens Ltd.

80 Sante Drive, Vaughan, ON L4K 3C4
T 416.746.1811 F 905.761.5901
www.QTK.ca info@qtk.ca

PURCHASE AGREEMENT FORM

PURCHASER:	MANDEEP KAUR THANDI	CONTRACTOR:	2185715 ONTARIO INC.
ADDRESS:		SITE:	WEST RIVER VALLEY PH1, BRAMPTON
EMAIL:	gurninder123@hotmail.com	MODEL TYPE:	40-01 A
PHONE #:	6477844108	LOT#:	45 WRV
PHONE #:		DATE:	Jun 22, 2022 Q9833

EXPECTED DELIVERY DATE	180	SOB-TOTAL:
Customers please note all garbage bins, spice baskets, magic cornonly be delivered AFTER you move in the house. Please call us to you move in. Thank you. ALL CHANGES FINA PLEASE READ ALL THE TERMS AND CONDITIONS ON THE ACCOM	request delivery of these items after L UPON SIGNING	TOTAL:
DOCUMENT, BY SIGNING BELOW YOU AGREE TO RECEIVE TH (ACCORDING TO QTK'S PAYMENT POLICY), AND HAVE READ A	E ITEMS LISTED HEREIN AND PAY	HST
CONDITIONS AS OUTLINED IN THE QTK TERMS & CO		GRAND TOTAL:
	DEPOSIT 1 DATE:	DEPOSIT 1:
	DEPOSIT 2 DATE:	DEPOSIT 2:
BALANCE TO BE PAID IN FULL BY DUE DATE:	CUSTOMER INITIAL(S	5):
CUSTOMER SIGNATURE: CUINING	DATE:	ULY 103/12
CUSTOMER SIGNATURE:	DATE:	

QTK AUTHORIZED SIGNATURE:

Page 3 of 3

SALES REP NAME:


Mohafizali Merali



CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 08 2022
EMAIL;	SPECIES:	TOP:	PAGE:

COMMENTS:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary AAightly in product size, measurements, nandle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.





Lustomer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary AAightly in product size, measurements, andle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may orevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.

80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca 1/2" = 1'-0" JULY 08 2022

DRAWN BY: A

KITCHEN

LOT 45 WRV (40-01)- SALES

DOOR HANDLE: DRW HANDLE:

DOOR STYLE:


WEST RIVER VALLEY

Д Э.

SCALE: DATE:

STOVE WALL ELEVATION

gurninder thandi



your kitchen, your taste.	
E	

80 Sante Drive, Vaughan, ON L4K 3C4 F 905.761.5901 info@qtk.ca T 416,746.1811 www.QTK.ca

JULY 08 2022 1/2" = 1'-0"

DRAWN BY:

KITCHEN

45 WRV (40-01)- SALES

Ď

DOOR STYLE: JOB NAME:

WEST RIVER VALLEY

PHONE SITE


FINISH:

DOOR HANDLE: DRW HANDLE:

SCALE: DATE PAGE

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary Adightly in product size, measurements, nandle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may brevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.

SINK WALL ELEVATION






80 Sante Drive, Vaughan, ON 14K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 08 2022
EMAIL:	SPECIES:	TOP:	PAGE:
COMMENTS:			
Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary Adightly in product size, measurements handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, if the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.	conditions: 1. The Drawing is a representati letails. Although Quality Tops & Kitchens Ltd pected and accepted by the customer. 2. T given by the customer to QTK are non-refuhe order after QTK has submitted drawings to	Lustomer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary Adightly in product size, measurements handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer inderstands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.	y Adightly in product size, measurements y what is shown here outside factors may operty of QTK and as such the customer either physically or electronically) to the isidered a design fee and no money will be

FRIDGE WALL ELEVATION





80 Sante Drive, Vaughan, ON L4K 3C4


F 905.761.5901 info@qtk.ca

T 416.746.1811 www.QTK.ca


CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES ROOM:	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 08 2022
EMAIL:	SPECIES:	TOP:	PAGE;
COMMENTS:			

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary AAightly in product size, measurements nandle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.


ISLAND FRONT ELEVATION



ISLAND REAR ELEVATION



ISLAND SIDE ELEVATION




gurninder thandi



80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

JULY 08 2022 1/2" = 1'-0" DRAWN BY: SCALE: DATE: PAGE DOOR HANDLE: DRW HANDLE: 45 WRV (40-01)- SALES Ы DOOR STYLE: JOB NAME: SPECIES: FINISH WEST RIVER VALLEY CLIENT: ROYAL PINE HOMES PHONE EMAIL: SITE


Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary Adightly in product size, measurements, nandle appearance and location and other details. Aithough Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer. KITCHEN 3D gurninder thandi



80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 08 2022
EMAIL:	SPECIES:	TOP:	PAGE:
COMMENTS:			
Customer Agrees and Accepts the following handle appearance and location and other dorevent that and some variance is to be exyonderstands and accepts that all deposits to	conditions: 1. The Drawing is a representati etails. Although Quality Tops & Kitchens Ltd pected and accepted by the customer. 2. T given by the customer to QTK are non-refi	Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary Adightly in product size, measurements handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may orevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the	A Adightly in product size, measurements / what is shown here outside factors may operty of QTK and as such the customer either physically or electronically) to the


ustomer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be etuned to the customer.





80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901

MASTER ENSUITE TOP - 18½" SINK CENTER SINK CENTER 21" TOP DRW SINK SINK RAISE HEIGHT










your kitchen. your to
-
your
all l

80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca


CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES ROOM:	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH: —	DRW HANDLE:	DATE: JULY 08 2022
EMAIL: —	SPECIES:	TOP:	PAGE:


Lustomer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary AAightly in product size, measurements handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.


TWIN BATH



POWDER ROOM







gurninder thandi




80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca


CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 45 WRV (40-01)- SALES	ROOM: LAUNDRY	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: FEB 09, 2022
EMAIL:	SPECIES:	TOP:	PAGE:

COMMENTS:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary AAightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may brevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.

LAUNDRY







Café[™] 36" Built-In Gas Cooktop CGP95363MS2 / CGP95362MS1

CAFÉ







CGP95362MS1 Stainless Steel with Brushed Stainless knobs

FEATURES & BENEFITS

Sear, fry and sautee on a 20,000 BTU triple ring burner

Give your kitchen a little glimmer with white LED knob lighting.

Get the most from your cooktop and eliminate the need for extra cookware with an extra-large, integrated cooktop griddle.

When you're updating your kitchen, attention to detail is a priority. That's why Café cooktops are guaranteed for an exact fit for an easy and seamless replacement.

Always get your hollandaise just right with a simmer burner that provides low, even heat.

Easily move heavy cookware across the surface without worry, thanks to ${\bf continuous}, {\bf cast\text{-}iron\ burners}.$

Keep your kitchen sparkling, even when there's a spill with sealed cooktop burners that contain messes for easy cleanup.

Prevent unintended burner activation with control lock capability.

Enjoy the party without worrying about clean up, thanks to dishwasher-safe grates.

APPEARANCE

Control Knobs	Dishwasher Safe White LED Backlit
Cooktop Burner Grate Color	Matte Black

FEATURES	1
Cooktop Burner Type	5 Sealed
Cooktop Surface	Deep Stainless Steel
Ignition System	Electronic
Burner - Left Front	9,500 BTU
Burner - Left Rear	9,500 BTU
Burner - Right Front	15,000 BTU Power Boil
Burner - Right Rear	5,000 BTU
Burner - Center	20,000 BTU Tri-ring Power Boil
Control Type	Knob
Cooktop Control Features	Child Lock
Control Location	Front Center
	Continuous Grates Dishwasher Safe
Cooktop Burner Grate Features	Edge-to-Edge Grates
Cooktop Burner Grate Material	Heavy Cast
Fuel Type	Natural Gas (factory set)
Valves (Degree of Turn)	270
POWER/RATINGS	
Burner BTU Ratings (000's/BTU) - LP Gas	(1) 18.0 (1) 15.0 (2) 9.5 (1) 5.0
Burner BTU Ratings (000's/BTU) - Natural Gas	(1) 20.0 (1) 15.0 (2) 9.5 (1) 5.0
Volts/Hertz/Amps	120V 60Hz 5A
WEIGHTS & DIMENSION	VS.
Approximate Shipping Weight	57 lb
Cabinet Width	36 in
Cutout Dimensions	
Width x Depth) (In.)	33-7/8 x 19-1/8
Net Weight	51 lb
Overall Depth	21 in
Overall Height	5 1/2 in
Overall Width	36 in
ACCESSORIES	-1
Stainless Steel Cleaner	Included
	JXGRIDL236 (Included) Cast Iron
Griddle	Included
LD Conversion VII	Included



Café" 36" Built-In Gas Cooktop CGP95363MS2 / CGP95362MS1

CAFÉ

WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION

AGA Requirement: All gas cooktop models require 7/16" free area below cooktop height to combustible material. Requires 18" minimum from countertop to adjacent overhead cabinets.


Note: If installing with a GE Profile* Telescopic Downdraft System, consult both cooktop and downdraft installation instructions packed with product before installing. Cooktop gas/electric supply may need to be re-routed to install downdraft.

Electrical Rating: 120V, 60Hz, 5A

Installation With Single Wall Oven Information: 30" Gas Cooktops are approved for use over select GE 27" and 30" Wall Ovens and Warming Drawers. 30" and 36" Gas cooktops are approved for use over select 30" Wall Ovens and Warming Drawers. Refer to cooktop and wall oven/warming drawer installation instructions packed with product for current dimensional data.


Installation Information: Before installing, consult installation instructions, packed with product, for current dimensional data.


Installation above a wall oven



Dimension and installation information are shown in inches. *Allow 5-3/4" depth at rear for electrical and gas connections







ADDITIONAL ACCESSORIES



CXCG1K0PMBZ Brushed Bronze Knobs




CXCG1K0PMSS Brushed Stainless Knobs



CXCG1K0PMBT Brushed Black Knobs



CXCG1K0PMCU Brushed Copper Knobs



Fresh food capacity

WEIGHTS & DIMENSIONS

Depth with fresh food door open 90"

Width w/doors open 90° incl. handle

Width w/doors open 90° less handle

Approximate shipping weight

Freezer capacity

Overall depth

Overall height

Overall width

Net weight

Case depth without door

Depth without handle

Height to top of case


Café™ 42" Built-in Side-by-Side Refrigerator

CSB42WP2NS1



DISTINCT BY DESIGN™











FEATURES & BENEFITS

Display groceries like a gallery with **showcase LED lighting** positioned throughout the interior to spotlight your favorite foods and containers

Enjoy peace of mind with WiFi Connecttechnology that provides a helpful alert when there's an unexpected change in performance, like a drop in temperature if the door is left open or power is lost

Spills happen, but cleanup is stress-free thanks to adjustable slide-out spillproof glass shelves that easily shift and lock, and have raised edges to contain mess.

Enjoy water and ice from the refrigerator with total peace of mind, thanks to an advanced water filtration system that uses MWF replacement filters to remove 98% of certain pharmaceuticals*

*Removes 98% of lbuprofen, atendal, fluoxetine, progesterone and trimethoprim. These pharmaceuticals are not necessarily in all users' water.

Whether you're refrigerating an appetizer or dessert, ensure a consistent temperature with an advanced temperature management system perfect

Free up valuable shelf space with large door bins, perfect for storing the small foods and containers that can add up and deprive you of room for heftier items

APPEARANCE

The Market Co.	
Installation	Built-in installation
Exterior design	Flat doors
Handle design	Café™
Hidden door hinge(s)	Yes

WiFi connect	Built-in
Connected capabilities	Amazon Alexa; The Google Assistant; IFTTT
Temperature management features	Multi-shelf air management tower; Independent temperature; controls
Defrost type	Automatic defrost
Control type	Upfront electronic digital; Temperature display
Dispenser	Non-dispenser
Icemaker	Factory-installed
Water filtration	GE water filtration 6 month; Water filter indicator light
Filter location	Upper right corner
Fresh food cabinet shelves	4 total; 3 adjustable
Fresh food door bins	5 adjustable; 1 with gallon storage
Fresh food features	Door alarm
Fresh food cabinet shelf features	3 adjustable, spillproof glass; 1 spillproof glass
Top drawer	Snack drawer
Middle drawer	Sealed
Bottom drawer	Select Temp
Clear Lexan bins and pans	Yes
Interior lighting	LED
Freezer door bins	5 total
Freezer cabinet shelves	4 total; wire; 4 adjustable
Freezer baskets	2 wire (full-extension)
Adjustable freezer shelves (wire)	Yes
Exterior style	Built-in
Leveling system	4 point front adjustable
CAPACITY	
Total capacity (cubic feet)	25.1 cu. ft.

15.80 cu. ft.

9.40 cu. ft.

28-1/2 in.

23-1/2 in.

50-1/4 in.

25-3/4 in.

83-1/2 in.


42-5/8 in.

725 lb.

688 lb.

84 in.

42 in



Café[™] 42″ Built-in Side-by-Side Refrigerator


CSB42WP2NS1




WARRANTY

Parts Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system
Labor Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system
Warranty Notes	See written warranty for full details

DIMENSIONS AND INSTALLATION






Overall Dimensions	Height to top of grill (in.) A	84
	Height to top of case (in.) B	83-1/2
	Case depth without door (in.) C	23-1/2
	Case depth less door handle (in.) D	25-3/4
	Case depth with door handle (in.) E	28-1/2
Ö	Depth with fresh food door open 90° (in.) F	50-1/4
	Width (in.) G	42
	Width with doors open 90° inc. handle (in.) H	48-1/4

PRODUCTCLEARANCES

These refrigerators are equipped with a 3-position door stop. The factory set 115° door swing can be adjusted to 90° if clearance to adjacent cabinets or walls is restricted.

Allow minimum clearances for Freezer door (Dimension A) and Fresh Food door (Dimension B) for a full 130° door swing and to allow for drawer removal.

4-5/8" minimum clearance is required when door swing is adjusted to 90°. If the 90° door stop position is used, drawer access is maintained, but drawer removal is restricted.



Models	, A	В.	С	D
42"	11-1/4"	17-5/8"	26-9/16"	4-5/8"

GROUNDING THE REFRIGERATOR

IMPORTANT-PLEASE READ CAREFULLY

FOR PERSONAL SAFETY, THIS APPLIANCE MUST BE PROPERLY GROUNDED.

The power supply cord of this appliance is equipped with a three-prong (grounding) plug which mates with a standard three-prong (grounding) wall receptacle to minimize the possibility of electric shock hazard from this appliance.


Have the wall outlet and circuit checked by a qualified electrician to make sure the outlet is properly grounded.


Where a standard 2-prong wall outlet is encountered, it is your personal responsibility and obligation to have it replaced with a properly grounded 3-prong wall outlet.

DONOTUNDER ANY CIRCUMSTANCES, CUT OR REMOVE THE THIRD (GROUND) PRONG FROM THE POWER CORD.

<u>DO NOT</u> USE AN ADAPTER PLUG TO CONNECT THE REFRIGERATOR TO A 2-PRONG OUTLET.

<u>DO NOT</u> USE AN EXTENSION CORD WITH THIS APPLIANCE.





Café™ 42″ Built-in Side-by-Side Refrigerator

CSB42WP2NS1



DIMENSIONS AND INSTALLATION

SIDEPANELS

Side panels (not supplied) must be used whenever the sides of the refrigerator will be exposed. The 1/4" side panels will slip into the side case trim. Order side panels from your cabinet manufacturer. *Depending on installation height.

FLOORING

For proper installation, this refrigerator must be placed on a level surface of hard material that is at the same height as the rest of the Flooring. This surface should be strong enough to support a fully loaded refrigerator, or approximately 1500 lbs.


NOTE: Protect the finish of the flooring. Cut a large section of the cardboard carton and place under the refrigerator where you are working.

WATER AND ELECTRICAL LOCATIONS

The opening must be prepared with the electrical and water supply located as shown.

THE CUTOUT DEPTH MUST BE 24"


The refrigerator will project forward, slightly beyond adjacent cabinets, depending on your installation.



SIDE PANEL

ADDITIONAL SPECIFICATIONS

A 120 volt, 60Hz, 15 or 20 amp power supply is required. An individual properly grounded branch circuit or circuit breaker is recommended. Install a properly grounded 3-prong electrical receptacle recessed into the back wall. Electrical must be located on rear wall as shown.



- A Mounting the junction in this location will also allow for front accessibility through access panel.
- B Water supply area.

NOTE: GFI (ground fault interrupter) is not recommended. Water line can enter the opening through the floor or rear wall. The water line installed should be 1/4" O.D. copper tubing or GE SmartConnect™ tubing between the cald water line and water connection location. The line should be long enough to extend to the front of the refrigerator. Installation of an easily accessible shutoff valve in the water line is required.

ADDITIONAL ACCESSORIES








CXSS2H2PMBT Brushed Black 2 handles



CXSS2H2PMCU Brushed Copper 2 handles



Café[™] 30" Combination Double Wall Oven with Convection and Advantium® Technology CTC912P2NS1







FEATURES & BENEFITS

Unmatched versatility to unleash your imagination - Enjoy a whole new level of cooking flexibility with a single oven that can be used in five different ways. Use it as a Convection Oven, Microwave, Toaster Oven, Warming/Proofing Oven, and Precision Cook Oven with Advantium Technology (upper oven).

The perfect marriage of quality and speed - Eliminate the need for preheating and cook your favorite foods two- to four-times faster than a conventional oven (upper oven)

The perfect bake is now perfectly easy - Achieve unrivaled performance with the only system that delivers top-down true convection for consistent results on special occasion favorites like roasts, chicken, turkey and more (lower oven)


The oven rack that handles it all - Easily remove heavy dishes with a roller rack that is specially designed to glide smoothly and stay in the oven during the self-clean cycle, so you never have to handle cumbersome racks again (lower oven)

The perfect fit you've always dreamed of - When you're updating your kitchen, attention to detail is a priority. That's why Café wall ovens are guaranteed for an exact fit or Café Appliances will pay up to \$300 toward modifications.

APPEARANCE

Color Appearance	Stainless Steel
Handle	Brushed Stainless
Handle Design	Café Pro
Installation	Above Warming Drawer

FEATURES	
Configuration	Double Oven
Advantium Cooking Modes	Convection Bake (Upper) Microwave (Upper) Proof (Upper) Speedcook (Upper) Warm (Upper)
Cooking System	True European Convection (Lower)
Oven Cleaning Type	Self-Clean with Steam Clean Option (Lower)
Style	Built-In
Cleaning Time	Variable with Delay Clean Option (Lower)
Program Cooking	Over 175 Programmed Menu Selections
0	Convection Bake (Lower) Convection Bake Multi/Single Rack (Lower) Convection Broil (Lower)
Oven Cooking Modes	Convection Roast (Lower)
Self-Clean Oven Door Lock	Automatic (Lower)
Baking/Speed Cook Pan	Porcelain (Upper)
Control Type	Glass Touch
4 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10-Pass Bake Element
Oven Features	8-Pass Broil Element
The same state of the same sta	1 Self-Clean Heavy-Duty Roller Rack
	2 Self-Clean Heavy-Duty Oven Racks
Oven Rack Features	6 Ladder-Rack Positions (Lower)
December 17 man	Double Oven
Product Type	Microwave Oven Combination Audible Preheat Signal
Oven Control Features	Sabbath Mode Control Lock Capability C* or F* Programmable Defrost Mode Delay Clean Option Delay Start Electronic Clock & Kritchen Timer (Lower) Hi / Low Broil Proof Mode Temperature Probe Warm Mode
	Cook Defrost Express
Microwave Sensor Cooking Controls	Reheat
Microwave Watts (IEC-705)	1000.0
Power Levels	10
Turntable Size	16.0
Cooking Technology	Advantium
Fuel Type	Electric 1 Halogen Interior Oven Light (Upper) 2 Halogen Interior Oven Lights (Lower)
Oven Interior	Hidden Bake
CAPACITY	
Capacity (Cu. Ft.)	1.7 Upper / 5.0 Lower
POWER / RATINGS	
Amp Rating at 208V	30
Amp Rating at 240V	30
Bake Wattage	2850W
Broiler Wattage	3400W
Convection Wattage	2400W
Electrical Input - 120V Amperage	15
Electrical Input - 120V Watts	1800
KW Rating at 208V	5.4



Café[™] 30" Combination Double Wall Oven with Convection and Advantium® Technology CTC912P2NS1



WEIGHTS & DIMENSIONS

Approximate Shipping Weight	235
Net Weight	215
Overall Height	42 3/8
Overall Width	29 3/4
Overall Depth	26 3/4
Cabinet Width	30
Cutout Dimensions (w x h x d) (in.)	28-5/8 x 42-1/4 x 23-1/2
Oven Interior Dimensions (lower)	25 x 17-3/8 x 20-1/4
Oven Interior Dimensions (upper)	20-1/16 x 8-1/2 x 17

Cookbook		Yes (Advantium)		
WARRANTY				
Parts warranty	Limited 1-year e	ntire appliance		
Parts warranty Labor warranty	Limited 1-year e			

DIMENSIONS AND INSTALLATION INFORMATION

Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.


Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.

Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

Note: These ovens are not approved for stackable or sideby-side installations.

ATTENTION INSTALLER: All electric wall owens must be hard-wired (direct-wired) p79800 p79800 into an approved junction box. A plug and receptured is NOT permitted on these products. NOTE: If the cabinet does not have a solid bottom, two braces or runners must be installed to support the weight of the over. For inglie owens, the runners and braces must support 200 lbs (31 kg). For double overs, the numbers and braces must support 375 lbs. (170 kg). NOTE: If marks, blemishes or the culout opening are wistle above the installed overs, it may be necessary to add wood afters undorf the runners and front time until the marks or opening are covered. NOTE: If the cabinet does not have a solid bottom. NOTE: If the cabinet does not have a solid bottom. OVEN D -Install depth 23-1/2" E-Overall height with trim 42-3/8" F-Overall width 29-3/4"



ADDITIONAL ACCESSORIES



CXWD0H0PMBZ Brushed Bronze 2 handles



CXWD0H0PMSS Brushed Stainless 2 handles



CXWD0H0PMBT Brushed Black 2 handles




CXWD0H0PMCU Brushed Copper 2 handles



Selected Model








ELN136S2 36" Professional Wall Mount Hood

Model number	ELN630S2
Color	Stainless Steel
Dimensions	
Dimensions	36" (W) X 24" (D) X 12 1/8" (H)
Features	
Controls	Fully recessing stainless rotating knobs
	with illumination
Illumination	2 2.5W Premium LED lamps, 1 intensity
	(bulbs included)
Blower Type	Hush Silence System 1200 CFM, 4-speed
Blower Performance	Speed 2, 640 CFM, 4.7 Sones
	Speed 3, 940 CFM, 8.1 Sones
	Speed 4, 1200 CFM, 7.7 Sones
	Speed 1, 375 CFM, 3.2 Sones
Filter Type	Stainless Steel Baffle filters (3X)
Ducting	Ducted Installation Only
Duct transition	8" round with Back Draft Damper included
Chimney (ducted out)	For ceiling height 7'6" to 9'11" (elect
e de la companya de la Maria de la Companya d	cooking) & 8'0" to 9'11" (gas cooking)
Accessories (optionnal)	
Chimney extension kit	KIT02785 (Ceiling 9'3" - 13'0" (electric
	cooking) 9'9"-13'0" (gas cooking)
External Blower Kit	KIT0153054 (1200 CFM compatible 8" &
	10" duct transition)
Inline blower kit	KIT0154387 (1200 CFM compatible 8"
	&10" duct transition)
Warranty	A CONTRACT C
Complete 2 years warranty	Entire Appliance; In-Home; Parts & Labour




ELN630/136/142S2

Dimensions




Installation





The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice



Net Weight

Overall Height

Overall Depth

Overall Width


Height w/ Legs Retracted -Minimum Height

Height w/Legs Extended -Maximum Height

Café" Stainless Interior Built-In Dishwasher with Hidden Controls

CAFÉ

CDT845P4NW2 / CDT845P3ND1 / CDT845P2NS1



ALSO AVAILABLE IÑ



CDT845P3ND1 Matte Black with Brushed Stainless handle

CDT845P4NW2 Matte White with Brushed Bronze handle







FEATURES & BENEFITS

Ultra-Wash & Dry — Unload sparkling clean, table-ready dishes thanks to our 100+ cleaning jets and an Ultra-Dry system that deliver excellent results

Loading Flexibility – Load the dishes your way: Our lower wash arm provides excellent coverage for the largest of loads. The fold down tines accommodate wide or oddly shaped items and our third rack provides extra space for your silverware and kitchen utensils

Adjustable Upper Racks – You'll have room for your finest stemware and space for tall bakeware with a rack that can be moved two inches up or down, creating ultimate loading flexibility

Wash Zones – Save time and use less water when you don't have a full dish load with a fully customizable cycle that lets you wash a true half load in the upper or lower rack

Create a look that matches your personal style – Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

APPEARANCE

Door Style	Long Door with Top Controls
Installation	Side Installation or Top Installation Included; Built-Up Floor Capable; Flush Cabinet Installation
Door Appearance	Full-length flat door

Style	Built-In
Tub and Door Liner	Stainless Steel
Tub Type	Tall Tub
Control Type	Cap Touch Controls; 12 Touchpads
Dishwasher Control Features	Cycle Countdown with Bi-Color LED Status Light on door; 1 "Clean" Light; 1 "Sanitized" Light; 1 "Low Rinse Aid" Light; Last Cycle Memory; Audible End-of-Cycle Signal
Wash System	3-Level; 800 Series
Wash System Features	Dual Pumps and Motors; Automatic Temperature Control; Drain Pump; Hard Food Disposer with removable filter; Reversing Quad Blade Lower Wash Arm; Quad Blade Middle Wash Arm; 100+ Spray Jet Wash System; Deep Clean Silverware Jets; Automatic HotStart; Bottle Jets (4)
Sensor	Clean Sensor
Wash Arms	3 Wash Levels; Lower-Reversing Quad Blade; Middle - Quad Blade; Bottle Jets; Deep Clean Silverware Jets
Water Filtration System	100% Filtration with Hard Food Disposer and Removable Filte
Dispenser	Rinse Aid with Indicator and Adjustment
Number of Cycles	5
Dishwasher Cycles	Auto: Pots: Normal; China: Express
Number of Options	10
Dishwasher Options	Delay Start 1-12 Hr.; Lock Controls; Ultra Dry; Normal Dry; Heated Dry Off; Presoak + Sanitize (NSF Certified); Hi-Temp Wash; Wash Zone Upper Only; Wash Zone Lower Only; Start/ Reset; Bottle Jets
Rack Features	Ball-Tipped Tines; Adjustable Upper Rack: 3-Piece Silverware Basket with Cell Covers; Full Extension Slides - Upper, 2 short articulating plastic utility shelves w/Stemsafe and chop-stick slots
Racking Material	Nylon
Racking System	Full 3rd rack
Rack Color	Black Pearl
Number of Place Settings	Up to 16
Upper Rack	Premium Height Adjustable; Ball-Tip Tines; 1/2 fixed tines, 1/2 fold down tines; Fixed tines with Bottle Jets; 1 Rack handle; 2 Stem Safe Shelves; Chop stick slots
Lower Rack	Ball-Tip Tines; 1/2 fixed tines, 1/2 fold down tines
Dishwasher Drying Features	Multi-Wattage Wash & Dry Element, Heated Dry - Ultra/On/Off Fan Assist Dry
Leveling System	4 Leveling Legs
Latch	Pull with Handle
WiFi Connect	Optional (Requires part no. PBX10W00Y0)
Exterior Style	Traditional
ECONOMICAL/QUIE	Г
Quiet Package	45 dBA
Quiet Features	Quiet Water Valve; Sealed Toe Kick; Tub Collar Trim
Motor Type	Single Speed
Outer Wrap	Full-wrap Blanket: Bitumen
Door Insulation	Insulation; Mastic
	1,1000000000000000000000000000000000000
WEIGHTS & DIMENS	IONS
Cabinet Width	24 in
Approximate Shipping Weight	118 lb
Not Weight	105 lb

105 lb


33-3/8 in

34-5/8 in

24 in

23-3/4 in

34 in



Café" Stainless Interior Built-In Dishwasher with Hidden Controls

CAFÉ

CDT845P4NW2 / CDT845P3ND1 / CDT845P2NS1

T.	E	C	H	P	П	C	U	4	D	E	L	М	L	S

Calrod Heater Watts	800/500
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120v; 60Hz; 7.2A


WARRANTY

Parts warranty	Limited 1-year entire appliance	
Labor warranty	Limited 1-year entire appliance	
Warranty notes	See written warranty for full details	

DIMENSIONS

24" Typical 23-3/4" 29-7/8" 29-7/8" 4" (toekick)

INSTALLATION DIMENSIONS



ADDITIONAL ACCESSORIES



Brushed Bronze CXADTH1PMBZ (Standard on Matte White)



Brushed Stainless CXADTH1PMSS (Standard on Matte Black)



Brushed Black CXADTH1PMBT



Brushed Copper CXADTH1PMCU

LOT45.
Dining RM.



Chateau®

POSI-TEMP®



Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

TL193EP / U361CI / UT2721 / 3669EP / A725 / 62320

Chrome \$1,357.65





Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

TL182EP// U361CI / UT272 V 3669EP/ A725 / 62320

Chrome \$1,318.08



Posi-Temp® Tub/Shower Faucet with 4 Function Hand Shower*

TL2359EP / 62320 Chrome \$548.17





Eco-Performance Posi-Temp® Tub/Shower Faucet*


TL183EP / 62320 Chrome \$318.02



Eco-Performance Posi-Temp® Shower Only*

TL182EP / 62320 Chrome \$278.45

Master Ensule
Ensule #2
Twin Bath 3/4





Chrome

To order Chrome (C) model, use model number only.

* Refer to the Shower Design Guide for Installation Instructions