



### PURCHASER'S EXTRAS QUOTATION The Estates of West River - Phase 1 2185715 Ont . Inc.


PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

TEL: RES.: 416-454-4417

LOT NUMBER	PHASE	HOUSE TYPE	
053	111	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A	

ITEM	EXTRA / CHANGE	OTY	UNIT PRICE	EXTENDED
220577	LOWER LANDING- Delete the builders standard 31/4" Vintage Red Oak Cocoa hardwood, and Install an Upgrade #2 Porcelain Tile- 12x24 TIMELESS LIGHT GREY (Polished) Installed Stright/Stacked	21		
2 220593	KITCHEN- Purchaser accepts and acknowledges that the Vendor does not accommodate A 10" duct opening for the exhaust fan above the stove. Purchaser has upgarded to 8" duct opening at time of structural changes.	1		
3 220595	MASTER ENSUITE AND POWDER ROOM-Purcasers request to delete the builders standard mirrors in the master Ensuite and the Powder Room ONLY. **Purchaser is aware that this request will be done ONLY be done IF POSSIBLE**	1		
*4 20080 220594	PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE.	1		





- In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in connection with the same is to be refunded to the Purchaser.

  The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the Purchaser. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, the total cost of extras ordered are not refundable to the Purchaser(s).
- refundable to the Purchaser(s).
- Extras or changes will not be processed unless signed by the Vendor.

  These extras may not be amended without the written consent of 2185715 Ontario Inc..
- 5. 6. The Purchaser(s) and the Vendor acknowledge and agree that this form shall not be deemed to be part of the Agreement of Purchase and Sale entered into between them, nor an addendum thereto.
- No Estimates or orders will be accepted once construction has commenced.
- Prices are estimates only and guaranteed for a period of 5 days only.

  Any cancellations to this order, providing they can be cancelled, are subject to a \$500 minimum administration charge and a 10% cancellation charge for the total
- Any cancendation to this other, providing and partial and another than a mount being cancelled.

  For Visa, Mastercard and Debit paments, transactions are identified on you statement as "SHERWAY CONSTRUCTION LTD", an Authorized Visa /Mastercard/Debit Merchant and authorized Royal Pine Homes company.

Payment Summary	
Paid By	Amount
Amendment	
Total Payment:	
Total Tilymont:	


Bonus Summary Bonus Package offering (includes taxes) from Royal Pine Homes Décor Centre is being applied to this order. Any remaining balance(s) will be applied accordingly to extras purchased. **Bonus Package Offering** Invoice Number Date Amount 8378 8-Sep-22 Total Bonus Used: 17-May-22 Total Bonus Used: Remaining Balance:

TAX#:1

PREPARED BY: Laura Di Pede PRINTED: 19-Jan-23 at 9:29 am

RoylnvoiceSQL.rpt 07aug20

Initials: CONSTRUCTION SCHEDULING APPROVAL PER: DATE:



#### \* INTERIOR COLOUR SCHEME **Closing Date Purchasers Decor Consultant** Model and Elevation Telephone Res. / Bus Project Property (416) 454-4417 / 2185715 Ontario Inc. 053 SURENDER SINGH GHOTRA & MANDEEP GHOTRA Melissa Di Marino ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A -Wall Tile --Flooring -Plumbing-Page 1 of 3 Main Accent/Insert Border / Listello Description <u>Pattern</u> 12x24 TIMELESS WHITE (Polished) (UPG) 8x10 UNIWALL WHITE GLOSSY (STD) NONE NONE NONE WHITE NONE WHITE Twin Bath 2/3 NONE NONE 13x13 MALENA ICE (STD) 8x10 MALENA ICE (STD) Bath #4 13x13 MALENA ICE (STD) NONE WHITE 8x10 MALENA ICE (STD) NONE NONE

Master Ensuite Powder Room 12x24 Timeless Light Grey(Polished) (Straight) (UPG) N/A NONE WHITE STD Laundry Room 24x24 Timeless Light Grey(Polished) (Straight) (UPG) N/A NONE Kitchen/Dinette N/A SeeNotes 24x24 Timeless Light Grey(Polished) (Straight) (UPG) NONE N/A NONE Foyer 24x24 Timeless Light Grey(Polished) (Straight) (UPG) Railings and Stairs Cornice Moulding / Medalion Landing - Upper 3 1/4" Vintage Red Oak Cocoa Railings STD-OVAL-Vintage Red Oak COCOA NONE Foyer Main Hall 24x24 Timeless Light Grey(Polished) (Straight) (UPG) Landing - Lower 1224 Timeless Light Greyling **Pickets** STD-Steel 1/2"Sqaure Plain - Flat Black Living Room NONE 3 1/4" X 3/4" Vintage Red Oak Cocoa (Pearl) (STD) Family Room Ledge - Upper N/A > Stacked Posts STD-3 1/2" Square with Cap-Vintage Cocoa NONE **Dining Room** Living Room 3 1/4" X 3/4" Vintage Red Oak Cocoa (Pearl) (STD) Ledge - Lower N/A Wattle Ceilina **Family Room** STD - VINTAGE RED OAK COCOA Stringers **Dining Room** 3 1/4" X 3/4" Vintage Red Oak Cocoa (Pearl) (STD) **Treads** STD - VINTAGE RED OAK COCOA Main Hall NONE Den 3 1/4" X 3/4" Vintage Red Oak Cocoa (Pearl) (STD) Risers STD - VINTAGE RED OAK COCOA Kitchen NONE Runner NONE 2nd Floor Hall NONE -Trim Baseboard & Casing STANDARD - MODERN (Step Bevel) Knobs STANDARD Upper Hall BROADLOOM - Opening Night 4002-03 (STD) STANDARD Front Door Glass STANDARD Hinges UPGRADE - LINCOLN PARK Grip Set STANDARD Interior Doors **Primary Bedroom** BROADLOOM - Opening Night 4002-03 (STD) Notes \*\*MASTER ENSUITE-Install 2x2 White Mosaic Floor Tiles & 6" Curb with White Quartz \*\*TWIN BATH 2/3-Install 2x2 White Mosaic Floor Tiles & 6" Curb with White Quartz \*\*BATH Bedroom 2 BROADLOOM - Opening Night 4002-03 (STD) #4-Install 2x2 White Mosaic Floor Tile & 6" Curb with White Quartz Bedroom 3 BROADLOOM - Opening Night 4002-03 (STD) BROADLOOM - Opening Night 4002-03 (STD) Bedroom 4 Bedroom 5 BROADLOOM - Opening Night 4002-03 (STD) Page 1 of 3

Lot: 053 Project: 2185715 Ontario Inc. Model: ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A


Consultant:

Purchaser: SURENDER SINGH GHOTRA

MANDEEP GHOTRA

Printed Aug 29, 2022 12:06 pm

### LOT 53 FAMILY ROOM - WAFFLE 6 SQUARE







### PURCHASER'S EXTRAS QUOTATION


PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

The Estates of West River - Phase 1 2185715 Orterio One. TEL: RES.: 416-454-4417

LOT NUMBER PHASE HOUSE TYPE ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

ITEM	EXTRA / CHANGE	оту	UNIT PRICE	EXTENDED
1 216871	KITCHEN - Purchaser has DECLINED Upgrade of Water Line at the decor centre. Purchaser will accommodate OWN Water Line to fridge AFTER CLOSING.  Purchaser accepts & acknowledges that No accommodation will be provided. Vendor is Exempt.	1		
*2 20080 216872	PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE.	1		





- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in connection with the same is to be refunded to the Purchaser.
- The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the Purchaser.

  It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, the total cost of extras ordered are not
- 3. refundable to the Purchaser(s).
- Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of 2185715 Ontario Inc..
- 6. The Purchaser(s) and the Vendor acknowledge and agree that this form shall not be deemed to be part of the Agreement of Purchase and Sale entered into between them, nor an addendum thereto.
- No Estimates or orders will be accepted once construction has commenced.
- Prices are estimates only and guaranteed for a period of 5 days only.
- Any cancellations to this order, providing they can be cancelled, are subject to a \$500 minimum administration charge and a 10% cancellation charge for the total amount being cancelled.
- For Visa, Mastercard and Debit paments, transactions are identified on you statement as "SHERWAY CONSTRUCTION LTD", an Authorized Visa /Mastercard/Debit Merchant and authorized Royal Pine Homes company.

Payment Summ	ary	Bonus Summary			
Paid By	Amount	Bonus Package offe	ring (includes tax	xes) from	
Total Payment:		Royal Pine Homes I	Décor Centre is b	eing applied	-
		to this order.			
		Any remaining bala	2.5	plied	
		accordingly to extra	s purchased.		
		Bonus Package Off	fering		
		Invoice Number	<u>Date</u>	Amount	
		8250 Total Bonus Used:	17-May-22		
		Remaining Balance	e:		
PURCHASER:	SURENDER, SINGH GHOTRA  MANDEEP CHOTRA	07-Sep-22 DATE  07-Sep-22 DATE	vendør:_		PER: 2185715 Ontario Inc.

TAX#:1

PREPARED BY: Melissa Di Marino PRINTED: 7-Sep-22 at 2:13 pm

RoylnvoiceSQL.rpt 07aug20

CONSTR	UCTION SCHEDULING APPROVAL
PER:	
DATE:	



### CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

TEL: RES.: 416-454-4417

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
053	1	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A		

Date Added: 29-Aug-22

Invoice Number: 8336

1 - Install Standard Cable Rough-Ins (x2) and Install Standard Telephone Rough-Ins (x2) (See Sketch)

Note:

1 - REFER TO PE # 8250, ITEM #10

FAMILY ROOM - Install SIX (6) LED POT LIGHTS with ONE (1) Switch. Each pot light to be installed centred within each square of the waffle ceiling (See Sketch)

Note: \*\*TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes\*\*

1 - LIVING ROOM - In addition to builders standard switch operated plugs, Install FOUR (4) LED POT LIGHTS with ONE (1) Seperate Switch at living room (See Sketch)

Note: \*\*TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes\*\* - Purchaser Paying for Additional Switch Only

1 - CLARIFICATION;

EXTERIOR - GARAGE DOORS - Install STANDARD Exterior Handle with Lock on Garage Doors

Note:

1 - CLARIFICATION:

LAUNDRY ROOM - Door to laundry room to swing inwards. No Risers required at laundry room entrance from main hall (See Sketch)

Note: As per Fonzie

1 - MAIN FLOOR / 2ND FLOOR - INTERIOR DOORS - Install Upgrade Interrio Doors - LINCOLN PARK - To be installed throughout main floor and 2nd floor, where applicable (See Sketch)

Note:

### 1 - STAIRCASE VS FLOORING

WOOD SPECIES DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the wood species of the staircase and flooring chosen do not match. This difference may result in a stain colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance.

### 1 - STAIRCASE VS FLOORING

STAINING DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the stain of the staircase and flooring chosen do not match. This difference might result in an undesirable colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance.

- 1 MAIN FLOOR FLOORING TILES FOYER, LAUNDRY ROOM & KITCHEN / DINETTE Install UPGRADE #4 PORCELAIN TILES -24x24 TIMELESS LIGHT GREY (Polished) in lieu of standard tiles. To Be Installed throughout Foyer, Laundry Room & Kitchen/Dinette, Note: where applicable. (To be Installed Straight) (See Sketch)
- 1 MAIN FLOOR FLOORING TILES MAIN HALL Install UPGRADE #4 PORCELAIN TILES 24x24 TIMELESS LIGHT GREY (Polished) in lieu of standard hardwood flooring. To Be Installed throughout Main Hall, where applicable (To be Installed Straight) (See Sketch) Note:
- 1 MAIN FLOOR FLOORING TILES POWDER ROOM Install UPGRADE #2 PORCELAIN TILES 12x24 TIMELESS LIGHT GREY (Polished) in lieu of standard tiles. To Be Installed throughout Powder Room, where applicable

Note: (To be Installed Straight / Stacked) (See Sketch)

- 1 KITCHEN / BATHROOMS & LAUNDRY ROOM SEE QUALITY TOPS & KITCHENS FOR ALL KITCHEN / BATHROOMS & LAUNDRY ROOM UPGRADES / LAYOUTS (See Attached QTK Paperwork)
- 1 KITCHEN Install ONE (1) ADDITIONAL 120V Rough-In Electrical to accommodate fridge/freezer (See Attached QTK Layout for Locations)

Note: Priced as per Campoli Electric

- \*\*NOTE: Fridge Area to have 2 Electrical Outlets\*\*
- 1 KITCHEN Install Rough-In 50Amp / 240V Wiring for Built-In Double Oven Combo with Speed Oven at Kitchen (See Attached QTK Layout for Location)

Note: Priced as per Campoli Electric



### CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

TEL: RES.: 416-454-4417

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
053	1	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A		

Date Added: 29-Aug-22

Invoice Number: 8336

1 - KITCHEN - Delete builders standard upper cabinetry & hood fan at kitchen. (See QTK)

Accommodate electrical for Insert Style Exhasut Fan that will be installed by the purchaser After Closing

Note: \*\*Purchaser Accepts & Acknowledges that the vendor will be exempt from any possible damages created by installing their own insert style exhaust fan after closing\*\*

Priced as per Campoli Electric

1 - KITCHEN - COUNTERTOP - Install UPGRADE #2 Stone Countertop - EMMERSTONE BORGHINI ARABESCATO - To be installed throughout kitchen, where applicable (does not include stone backsplash) (See Sketch)

Note: Priced as per Continental Granite

1 - KITCHEN - COUNTERTOP EDGING - Install UPGRADE " L " EDGE PROFILE - To be installed throughout kitchen countertop, where applicable (See Sketch)

Note: Priced as per Continental Granite

1 - DISCLAIMER - STONE COUNTERTOP;

KITCHEN - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary.

Note:

1 - KITCHEN - Accommodate Upgrade Stone Countertop for PRO-Series Cook-Top Cut-Out at kitchen (See QTK Layout)

Note: Priced as per Continental Granite

1 - KITCHEN - KITCHEN SINK - Install Upgrade Undermount Sink - BLANCO Quatrus R15 U2 Undermount Sink - Model #401519 (See Sketch)

Note:

1 - KITCHEN - KITCHEN FAUCET - Install Builders Standard Faucet - MOEN Method Single Handle Pull-Out (Single Hole) Kitchen Faucet - Model # 7585 - Chrome

Note:

- 1 KITCHEN Install POT FILLER FAUCET MOEN Modern Two Handle Pot Filler Faucet with Dual Shut Offs Model #S665-Chrome (See Sketch) Note:
- 1 MASTER ENSUITE FLOORING Install UPGRADE #3 PORCELAIN TILES 12x24 TIMELESS WHITE (POLISHED) To be installed throughout master ensuite floor, where applicable (To be Installed Straight/Stacked) (See Sketch)
- 1 POWDER ROOM COUNTERTOP Install UPGRADE #2 Stone Countertop EMMERSTONE BORGHINI ARABESCATO with A "EDGE PROFILE - To be installed throughout powder room vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 MASTER ENSUITE COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE MAPLE WHITE with A " EDGE PROFILE - To be installed throughout master ensuite vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 TWIN BATH 2/3 COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE VANILLA WHITE with A " EDGE PROFILE - To be installed throughout twin bath 2/3 vanity, where applicable (Includes 3" Splash) (See Sketch) Note:
- 1 BATH #4- COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE VANILLA WHITE with A " EDGE PROFILE To be installed throughout bath #4 vanity, where applicable (Includes 3" Splash) (See Sketch) Note:
- 1 DISCLAIMER STONE COUNTERTOP;

POWDER ROOM, MASTER ENSUITE, TWIN BATH 2/3 & BATH #4 - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary.

Note:



### CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

TEL: RES.: 416-454-4417

PHASE HOUSE TYPE CLOSING DATE LOT NUMBER ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

Invoice Number: 8336

Date Added: 29-Aug-22

1 - POWDER ROOM - VANITY SINK - Install Upgrade Undermount Sink - CONTRAC - EMERY Undermount Sink - Model # 4220-CGY - White (x1 Sink) (See Sketch)

Note: \*\*To be Installed with Buiders Standard Faucet\*\*

2 - MASTER ENSUITE - VANITY SINK - Install Upgrade Undermount Sink - CONTRAC - EMERY Undermount Sink - Model # 4220-CGY - White (x2 Sink) (See Sketch)

Note: \*\*To be Installed with Builders Standard Faucets\*\*

2 - TWIN BATH 2/3 - VANITY SINK - Install Upgrade Undermount Sink - CONTRAC - CATENA Undermount Sink - Model # 4210-CIY - White (x2 Sink) (See Sketch)

Note: \*\*To be Installed with Builders Standard Faucets\*\*

2 - BATH #4 - VANITY SINK - Install Upgrade Undermount Sink - CONTRAC - CATENA Undermount Sink - Model # 4210-CIY - White (x2 Sink) (See Sketch)

Note: \*\*To be Installed with Builders Standard Faucets\*\*

1 - MASTER ENSUITE - SHOWER - Install TOE TESTER to Standard Plumbing at Master Ensuite Shower Stall - MOEN CHATEAU - Model #TL183EP/62320 - Chrome (See Sketch)

Note:

1 - TWIN BATH 2/3 - SHOWER - Install TOE TESTER to Standard Plumbing at Twin Bath 2/3 Shower Stall - MOEN CHATEAU - Model #TL183EP/62320 - Chrome (See Sketch)

Note:

1 - BATH #4 - SHOWER - Install TOE TESTER to Standard Plumbing at Bath #4 Shower Stall - MOEN CHATEAU - Model #TL183EP/62320 -Chrome (See Sketch)

Note:

1 - PURCHASER HAS ATTENDED A COLOR APPOINTMENT AT THE DECOR CENTRE AND HAS DECLINED ANY ADDITIONAL UPGRADES.Purchaser accepts and acknowledges that there will be no further changes/additions/deletions to be made upon signing on AUGUST 29.2022

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE.

Note:

Invoice Number: 8250 Date Added: 17-May-22

- 2 BASEMENT WINDOWS Install Larger Basement Windows in lieu of builders standard 30"x16". Install TWO (2) 30"x24" Basement Windows (with possible window wells) at Rear Elevation (See Sketch) Note:
- 3 BASEMENT WINDOWS Install Larger Basement Windows in lieu of builders standard 30"x16". Install THREE (3) 36"x24" Basement Windows (with possible window wells) at Side Elevations (See Sketch) Note:
- 1 BASEMENT WINDOWS In addition to basement windows, Install ONE (1) 36"x 24" Basement Windows (with possible window wells) at Side Elevation (See Sketch)

Note:

1 - FRONT EXTERIOR - DOORS - Install EXTENDED HEIGHT Double Front Doors (Delete Transom Window Above) (See Sketch)

Note:

1 - SIDE EXTERIOR - Install OPTIONAL SIDE DOOR Entrance (Includes Applicable Exterior Coach Light) (See Sketch)

Note:



### **CONSTRUCTION SUMMARY**

2185715 Ontario Inc.

PURCHASERS: SURENDER SINGH GHOTRA and MANDEEP GHOTRA

TEL: RES.: 416-454-4417

LOT NUMBER PHASE CLOSING DATE 053 1 ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

Date Added: 17-May-22

Invoice Number: 8250

1 - BACK EXTERIOR - KITCHEN - Install EXTERIOR DOUBLE FRENCH DOORS (Plain Glass + No Screen) to Backyard in lieu of standard patio sliders (See Sketch)

1 - KITCHEN - EXHAUST DUCT - Install UPGRADE 8" EXHAUST DUCT in lieu of builder standard 6" exhaust duct at kitchen (See Sketch)

1 - GARAGE - Relocate Central Vac Trunk Rough-In to Garage in lieu of Basement

(Location to be Determined By Vendor)

Note:

1 - LIVING ROOM / DINING ROOM - Install OPTIONAL COFFERED CEILING - To be installed at perimeter of living room / dining room (See Sketch)

Note:

1 - FAMILY ROOM - Install WAFFLE CEILING in the Family Room. To Include; 6 Squares, TIC164 Moulding & 1 Pot Light centred within each square (See Sketch)

Note: \*\*Delete the builders standard ceiling light\*\*

\*\*All SIX (6) Pot Lights to be on ONE (1) Single Pole Switch\*\*

\*\*Please Note: SIX (6) Pot Lights have not been charged as the purchaser receives TEN (10) standard pot lights as per the Features and Finishes List \*\*Purchaser has Remaining FOUR (4) Pot Lightd to be located at time of decor appointment\*\*

1 - SECOND FLOOR - BEDROOMS - Install UPGRADE SMOOTH CEILINGS - To be installed throughout second floor bedrooms, where applicable. To Include; Primary Bedroom, Bedroom #2, Bedroom #3, Bedroom #4 and Bedroom #5 (See Sketch)

1 - TWIN BATH 2/3- Delete builders standard tub/shower enclosure.

Install SHOWER STALL at twin bath 2/3 (To Inlcude; 2x2 Mosaic Floor, 6" Curb with Stone, Shower Pot Light & Glass Shower Stall Panels {U-Channel "KAMELEON"}) (See Sketch)

Note: \*\*Colour of Mosaics to be Determined During Decor Appointment\*\*

1 - TWIN BATH 4/5- Delete builders standard tub/shower enclosure.

Install SHOWER STALL at twin bath 4/5 (To Inlcude; 2x2 Mosaic Floor, 6" Curb with Stone, Shower Pot Light & Glass Shower Stall Panels {U-Channel "KAMELEON"} ) (See Sketch)

Note: \*\*Colour of Mosaics to be Determined During Decor Appointment\*\*

1 - KITCHEN - Install POT FILLER ROUGH-IN above Stove at Kitchen \*\*(Does NOT Include Fixture)\*\* (See Sketch)

Note: \*\*QTK To Provide Location of Pot Filler Rough-In\*\*

1 - KITCHEN - Install GAS LINE ROUGH-IN (Includes Additional Applicable Electrical) to stove area of kitchen (See Sketch)

Note:

1 - FRONT EXTERIOR - In addition to builders standard exterior coach light, Install ONE (1) ADDITIONAL EXTERIOR COACH LIGHT at double front doors (See Sketch)

Note: \*\*Front Door to have TWO (2) Exterior Coach Lights controlled by ONE (1) Single Pole Switch\*\*

1 - BONUS PACKAGE - PURCHASER HAS APPLIED \$20,000.00 (Incudes Taxes) WORTH OF UPGRADE PROMOTIONAL PACKAGE TOWARDS THE PURCHASE OF STRUCTURAL UPGRADES COMPLETED AT THE DECOR CENTRE

Note:

1 - PURCHASER HAS ATTENDED A STRUCTURAL APPOINTMENT AT THE DESIGN STUDIO AND HAS DECLINED ANY ADDITIONAL UPGRADES. Purchaser accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing on MAY 13,2022

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000

Note:

### \* INTERIOR COLOUR SCHEME \*

	rchasers	Decor Consultant	Model and Elevation	Telephone Res. / Bus		Project	Closing Date	Property
SURENDER SINGH GH	OTRA & MANDEEP GHOTRA	Melissa Di Marino	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A	(416) 454-4417 /	2185	715 Ontario Inc.		053
Page 2 of 3	─ Interior Paint ────────────────────────────────────	Cabinet			Countertop	0	auntau Edan	Hawalla / Kaab
Master Ensuite	STANDARD - SILVER BIRCH	Style **SEE ATT/	ACHED QTK PAPERWORK**		Emmerstone Maple W		ounter Edge A " EDGE (STD)	Handle / Knob SEE QTK
Twin Bath 2/3	STANDARD - SILVER BIRCH		ACHED QTK PAPERWORK**		Emmerstone Vanilla V	/	A " EDGE (STD)	SEE QTK
Bath #4	STANDARD - SILVER BIRCH	"SEE ATT/	ACHED QTK PAPERWORK**	<u> </u>	Emmerstone Vanilla V	White (STD)	A " EDGE (STD)	SEE QTK
Powder Room	STANDARD - SILVER BIRCH	**SEE ATT/	ACHED QTK PAPERWORK**	V	Emmerstone Borghini	i Arabescato (UPG)	A " EDGE (STD)	SEE QTK
Laundry Room	STANDARD - SILVER BIRCH	**SEE ATT/	ACHED QTK PAPERWORK**		SEE QTK PAPERWO	ORK SE	EE QTK PAPERWORK	SEE QTK
Kitchen/Dinette	STANDARD - SILVER BIRCH	**SEE ATT/	ACHED QTK PAPERWORK**	V	Emmerstone Borghini	i Arabescato (UPG)	" EDGE (UPG)	SEE QTK
Foyer	STANDARD - SILVER BIRCH							
Main Hall	STANDARD - SILVER BIRCH	Appliand	ce Opening/Dimension			otes KITCHEN - KITCHEN SINK -	· Install Upgrade Undermount Sinl CHEN FAUCET - Install Standard F	- Blanco Quatrus R15
Family Room	STANDARD - SILVER BIRCH	Fridge Si	ze SEE QTK LAYOUT Range	SEE QTK LAYOUT		2 #401519 **KITCHEN - KITC ill-Out Single Hole Model #7		aucet - Moen Method
Living Room	STANDARD - SILVER BIRCH	Built-Ins		ave SEE QTK LAYOUT				
Dining Room	STANDARD - SILVER BIRCH			t Opening O 6" 8"				
Den	STANDARD - SILVER BIRCH	Dishwasi	ner Cabinet Std 24in Opening					
Upper Hall	STANDARD - SILVER BIRCH	Fireplac		Fireplace N/A				
Primary Bedroom	STANDARD - SILVER BIRCH		Flooring 3 1/4" HARDWOOD	Location Flooring N/A				
Bedroom 2	STANDARD - SILVER BIRCH	Style Finish	VILLA NOVA STONE	Style N/A Finish N/A				
Bedroom 3	STANDARD - SILVER BIRCH	Marble	N/A	Marble N/A				
Bedroom 4	STANDARD - SILVER BIRCH	Hearth	NONE	Hearth N/A				
Bedroom 5	STANDARD - SILVER BIRCH	Page 2 of	3					
			ONIA	C 1		ΛΛ		
		Decor Co		rchaser:	Purchaser:	Manduplan		
Lot: 053 Project: 21857	5 Ontario Inc. Model: ISABEL	LA-STD MAIN-5 BEDR	Melissa Di Marino OOM-ELEVATION A	SURENDER SINGH GHOTRA		MANDEEP GHOTRA	2185715 Ontario In-	: 29, 2022 12:06 pm

Printed Aug 29, 2022 12:06 pm



Quality Tops & Kitchens Ltd. 80 Sante Drive, Vaughan, ON L4K 3C4 F 905.761.5901 T 416.746.1811 info@qtk.ca www.QTK.ca

		PURCHASE AG	REEMENT FORM	•		
PURCHASE	ER:		CONTRACTOR:	2185715 ONTARIO	O INC.	
ADDRESS:		<del>                                     </del>	SITE:	WEST RIVER VAL	LEY PH1, BRA	MPTON
EMAIL:			MODEL TYPE:	40-06		
PHONE #:		,	LOT#:	53 WRV	9	
PHONE #:	1	. ,	DATE:	Jul 27, 2022	ZSX22062403	
The purcha articles liste agreement	ed herein	es to buy and Quality Tops & Kitchens Ltd. ( and with attached drawing in accordance to	QTK) agrees to see the terms and co	ell and provide for the nditions described o	e purchaser the n the reverse of	following this
ROO		DESCRIP	TION .		CATEG	ORY
KITCH	IEN	DOOR STYLE: QT 4801  FINISH: SILVER GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Other	NONE ers		Catego	ory 4
ITEM#	QTY	DE DE	SCRIPTION	***		PRICE
PF-CKT	1	PROF SERIES COOK-TOP W/ FRONT BUTTO	NS & POT DRWS W	/ BLUM ANTARO WH	TE	
BDO2696	1	BUILT-IN DOUBLE OVEN W/ WOOD DRAWER				
BGB4	1	3 BIN PULL-OUT RECYCLE UNIT - 24" WIDE + 1 x 21 L COMPOST BIN.	CABINET. 2 x 35 L E	BINS FOR GARBAGE	& RECYLCING	
BCR-MC1	1	MAGIC CORNER 1 PULL-OUT UNIT w/ 4 S.S.				
PF2696	1	BUILT-IN FOR PROFESSIONAL SERIES FRIE	GES 26" DEEP x 95	5-1/2"H		
BSPICE2	2	PULL-OUT SPICE UNIT - 2 BASKETS 6" W, 8" W, 12" W or 15-1/2" W	VALUE DOT DO	ANALED / 4 CMALL 3	DEED) W/	
CUST-1	1	CONVERT STD. 4 BANK OF DRAWERS INTO PREMIUM MOTION SLIDES				
CUST-2	1	1 SET OF POT DRAWER PD/3 (1 SMALL, 2 F	BIG DRAWERS) WI	PREMIUM MOTION 5	LIDLO	
CUST-3	1	48"-54" WIDE LA POSITANO CANOPY  EXTENDED HEIGHT CABINETRY TO CEILING	NOL 52" HIGH II	PPERS (SINGLE DOC	OR) w/ TRIPLE	
CUST-4	1	STEP CM J82-MLD 700 CROWN MOULDING	TO CEILING - 108"	HIGH WOUNTING HE	16111 & 120	
CUST-5	1	INCREASE DEPTH OF ISLAND CABINETS TO COUNTER OVERALL BY OTHERS				
CUST-6	1	CATEGORY 4 DOOR STYLE AND FINISH: QT	F 3801 SILVER GRE	EY PT (FIBERBOARD	)	
CUST-7	1	CATEGORY 3 HARDWARE DH07750 & DH09360 (STACKED UPPERS)				
CUST-8	5	CLEAR GLASS, CLEAN CUT TO STACK UPP		DTU	4-10	
CUST-9	3	INCREASE BASE CABINETS ON COOKTOP				
CUST-10	1	TWO TONE KITCHEN: CATEGORY 4 QTF 38				
CUST-11	1	ADD RESTRICTOR CLIPS TO ALL CABINETS	- 40 LEK DIVAMIN			
e E		*		ROOM	SUMMARY:	
ROC	M	DESCRIF	PTION.		CATEG	ORY
ENSUITE		DOOR STYLE: QT 4801  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Oth	NONE		Catego	
ITEM#	QTY	DI	ESCRIPTION			PRICE

RAISE VANITY HEIGHT TO 34-1/2" - PER VANITY (>61" LONG) VB-RAISE8 3 CATEGORY 2 DOOR STYLE AND FINISH: QTF 380( SLATE GREY PT (FIBELS LAZE) CUST-1 CATEGORY 3 HARDWARE: DH10040 CUST-2 .1 CONVERT TOP DRAWER INTO 1 SET OF DRAWER PD/3 (1 SMALL, 2 BIG DRAWERS) w/ PREMIUM CUST-3 MOTION SLIDES ROOM SUMMARY:

CUSTOMER INITIALS 4

CUSTOMER INITIALS





Quality Tops & Kitchens Ltd. 80 Sante Drive, Vaughan, ON L4K 3C4 F 905.761.5901 T 416.746.1811 info@qtk.ca www.QTK.ca

PURCHASE AGREEMENT FORM

PURCHASE			
	R:	CONTRACTOR: 2185715 ONTARI	O INC.
ADDRESS:		SITE: WEST RIVER VA	LLEY PH1, BRAMPTON
EMAIL:		MODEL TYPE: 40-06	
PHONE #:		LOT#: 53 WRV	
PHONE #:		DATE: Jul 27, 2022	ZSX22062403
ROOM	\ <u>/</u>	DESCRIPTION	CATEGORY
1,001		DOOR STYLE: QT 1022 NONE	
		FINISH: CHARGOAL	
Both	WH.	SPECIES: LP LAMINATE	Category 3
VANIT	TY .	DOOR HARDWARE:	* #
	-	DRW HARDWARE: COUNTER TOP: Counter Top by Others	
		DESCRIPTION	PRICE
ITEM#	QTY	**	
CUST-1,	1	CATEGORY 2 DOOR STYLE AND FINISH: QTC 1622 CHARCOAL (LP LAMINATE)	
CUST-2	1	CATEGORY 1 HARDWARE: DH00010 1 SET OF DRAWER PD/3 ( 1 SMALL , 2 BIG DRAWERS) W/ PREMIUM MOTION SLIDE	S
CUST-3	1	1 SET OF DRAWER PD/3 (1 SMALL, 2 BIG BRAWLING) WIT NEW ON THE MICH.	
		ROOF	I SUMMARY:
		, s , s	
ROOI	M	DESCRIPTION	CATEGORY
		DOOR STYLE: QT 1022 . NONE	
		FINISH: CHARCOAL	
TWIN BA	TH 2/3	SPECIES: LP LAMINATE .	, Category 3
VANIT	Control of the Contro	DOOR HARDWARE:	39
		DRW HARDWARE: COUNTER TOP: Counter Top by Others	
ITETA A AL	OTV	DESCRIPTION	PRICE
ITEM#	QTY	CATEGORY 2 DOOR STYLE AND FINISH: QTC 1622 CHARCOAL (LP LAMINATE)	•
CUST-1	1	CATEGORY 1 HARDWARE: DH00010	
CUST-2	1	CONVERT TOP DRAWER INTO FULL SET OF DRAWER PD/3 ( 1 SMALL , 2 BIG DRA	WERS) w/
		PREMIUM MOTION SLIDES	
1			
		ROO	W SUMMARY:
		ROO	182
ROO	M	ROO	M SUMMARY:
ROO	M		182
ROO	M	DESCRIPTION	W
4 4		DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD	140 J
ROO POWDER VANI	ROOM	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:	CATEGORY
POWDER	ROOM	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:	CATEGORY
POWDER	ROOM	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others	CATEGORY
POWDER VANI	ROOM	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION	CATEGORY  Category 3
POWDER VANI  ITEM #  CUST-1	ROOM TY QTY	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)	CATEGORY  Category 3
ITEM # CUST-1 CUST-2	ROOM TY QTY 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040	CATEGORY  Category 3  PRICE
ITEM # CUST-1 CUST-2	ROOM TY QTY	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)	CATEGORY  Category 3  PRICE
ITEM # CUST-1 CUST-2	ROOM TY QTY 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY w/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO )  PAID FOR BY BUILDER	Category 3  PRICE  VALL) - OPTION
ITEM # CUST-1 CUST-2	ROOM TY QTY 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY w/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO )  PAID FOR BY BUILDER	CATEGORY  Category 3  PRICE
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY w/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER	Category 3  PRICE  VALL) - OPTION
ITEM # CUST-1 CUST-2	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY SPECIES: FIBERBOARD  DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY w/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION	Category 3  PRICE  WALL) - OPTION  M SUMMARY:
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY W/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION  DOOR STYLE: QT 1022 NONE	Category 3  PRICE  WALL) - OPTION  M SUMMARY:
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY SPECIES: FIBERBOARD  DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY W/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION  DOOR STYLE: QT 1022 NONE FINISH: CANVAS (TX) SPECIES: LP LAMINATE	Category 3  PRICE  WALL) - OPTION  M SUMMARY:
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY SPECIES: FIBERBOARD  DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY W/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION  DOOR STYLE: QT 1022 NONE FINISH: CANVAS (TX) SPECIES: LP LAMINATE	Category 3  PRICE  WALL) - OPTION  M SUMMARY:  CATEGORY
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY W/ 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION  DOOR STYLE: QT 1022 NONE  FINISH: CANVAS (TX)  SPECIES: LP LAMINATE  DOOR HARDWARE:  DRW HARDWARE:	Category 3  PRICE  WALL) - OPTION  M SUMMARY:  CATEGORY
ITEM # CUST-1 CUST-2 CUST-3	QTY 1 1 1	DESCRIPTION  DOOR STYLE: QT 4801 NONE  FINISH: SLATE GREY  SPECIES: FIBERBOARD  DOOR HARDWARE:  DRW HARDWARE:  COUNTER TOP: Counter Top by Others  DESCRIPTION  CATEGORY 4 DOOR STYLE AND FINISH: QTF 3801 SLATE GREY (FIBERBOARD)  CATEGORY 3 HARDWARE: DH10040  FLOATING VANITY W 1 DRAWER & FALSE PANEL ABOVE - 10-1/2" FFL ( WALL TO V PAID FOR BY BUILDER  ROO  DESCRIPTION  DOOR STYLE: QT 1022 NONE  FINISH: CANVAS (TX)  SPECIES: LP LAMINATE  DOOR HARDWARE:	Category 3  PRICE  WALL) - OPTION  M SUMMARY:  CATEGORY



Quality Tops & Kitchens Ltd.

80 Sante Drive, Vaughan, ON L4K 3C4
T 416.746.1811 F 905.761.5901

www.QTK.ca info@qtk.ca

#### PURCHASE AGREEMENT FORM

R:	*	CONTRACTOR:	2185715 ONTARIO INC.		1
		SITE:	WEST RIVER VALLEY PH1, BRAMPTON		
		MODEL TYPE:	40-06		
		LOT#:	53 WRV		
	4.7	DATE:	Jul 27, 2022		
QTY		DESCRIPTION		PRICE	
1	CATEGORY 1 DOOR STYLE AND FINISH: G	TS 1022 CANVAS T	X (LAMINATE)		
1	CATEGORY 1 HARDWARE: DH00010			9	
	96 No.	ų.	ROO	M SUMMARY:	
	QIY 1.	1 CATEGORY 1 DOOR STYLE AND FINISH: G	MODEL TYPE:  LOT #:  DATE:  QTY  CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 CANVAS TO	MODEL TYPE: 40-06  LOT #: 53 WRV  DATE: Jul 27, 2022  QTY DESCRIPTION  1 CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 CANVAS TX (LAMINATE)  1 CATEGORY 1 HARDWARE: DH00010	MODEL TYPE: 40-06  LOT #: 53 WRV  DATE: Jul 27, 2022 ZSX22062403  QTY DESCRIPTION  1 CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 CANVAS TX (LAMINATE)

У		SUB-TOTAL:
EXPECTED DELIVERY DATE	TBD	SUB-TOTAL.
Customers please note all garbage bins, spice baskets, magic corner only be delivered AFTER you move in the house. Please call us to reyou move in. Thank you. ALL CHANGES FINAL U	IPON SIGNING	TOTAL:
PLEASE READ ALL THE TERMS AND CONDITIONS ON THE ACCOMPA DOCUMENT. BY SIGNING BELOW YOU AGREE TO RECEIVE THE I (ACCORDING TO QTK'S PAYMENT POLICY), AND HAVE READ AND	TEMS LISTED HEREIN AND PAY	HST
CONDITIONS AS OUTLINED IN THE QTK TERMS & CONI	DITIONS DOCUMENT.	GRAND TOTAL:
DE	EPOSIT 1 DATE:	DEPOSIT 1:
	EPOSIT 2 DATE:	DEPOSIT 2:
BALANCE TO BE PAID IN FULL BY DUE DATE:	CUSTOMER INITIAL(S	):
CUSTOMER SIGNATURE: Sure UP	DATE: JUG	27/22
CUSTOMER SIGNATURE: QTK AUTHORIZED SIGNATURE:	GNATURE:	
Page 3 of 3		



80 Sante Drive, Vaughan, ON L4K 3C4 F 905.761.5901 T 416.746.1811 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: KITCHEN	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 11, 2022
EMAIL:	SPECIES:	TOP:	PAGE:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be

returned to the customer. KITCHEN - PLAN 963/4 12" בביום SINK DW 66" 103½" 16 TOP. STOVE CENTER 3 BIN REC RELIP EXTENDED COUNTERTOP RANGETOP 204" 72" 36 RCLIP 36" 3 90 RCHP 66" FRIDGE 25 821/4" -62



80 Sante Drive, Vaughan, ON L4K 3C4

The state of the s	T 416.746.1811	F 905.761.5901
your kitchen, your taste.	www.QTK.ca	info@qtk.ca

DRAWN BY: GJ	SCALE: 1/2" = 1'-0"		9E	ightly in product size, measurements at is shown here outside factors may ty of QTK and as such the customen physically or electronically) to the red a design fee and no money will be	STOVE WALL - ELEVATION  \$\frac{3}{4}\text{"} \frac{3}{4}\text{"} \frac{3}{4}\text{"} \frac{40}{1}\text{"} \frac{15}{4}\text{"}} \frac{15}{4}\text{"} \frac{15}{4}\text{"} \frac{15}{4}\text{"}} \frac{15}{4}\text{"} \frac{15}{4}\text{"}} \frac{15}{4}\text{"} \frac{15}{4}\text{"}} \frac{15}{4}\text{"} \frac{15}{4}\text{"}} \frac{15}
ROOM KITCHEN	ANDLE:	Ĭ	TOP: — PAGE:	COMMENTS:  Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer; the deposit will then be considered a design fee and no money will be assuranced to the customer.	42" LA POSITANO CANOPY  LA POSITANO CANOPY
OR NAME: 10T 53 WRV	щ	FINISH:	SPECIES:	ng conditions: 1. The Drawing is a represent r details. Although Quality Tops & Kitchens L expected and accepted by the customer. 2. is given by the customer to QTK are non-rel the order after QTK has submitted drawing	POT FILLER 93 ½"  68" 54"  ———————————————————————————————————
STENT BOXAL	SITE: WEST RIVER VALLEY	шi	EMAIL:	COMMENTS:  Customer Agrees and Accepts the followin handle appearance and location and other prevent that and some variance is to be eunderstands and accepts that all deposits customer. If the customer decides to cance resturned to the customer.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

120"



80 Sante Drive, Vaughan, ON L4K 3C4 T 416,746,1811 F 905,761,5901 www.QTK.ca info@qtk.ca KITCHEN

			The second secon
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	HINISH:	DRW HANDLE:	DATE: JULY 11, 2022
EMAIL:	SPECIES:	T0P; —	PAGE:
COMMENTS:			
Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK as supplied drawings (either physically or electronically) to the	Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the	tion only and the installed cabinetry may va d. (QTK) does it's best to manufacture exactl These drawings represent the intellectual pr fundable after QTK has supplied drawings (	ary slightly in product size, measurements, thy what is shown here outside factors may roperty of QTK and as such the customer (either physically to electronically) to the

STOVE WALL - ELEVATION 3/4" 士2" ±15¾" CM J82 MLD 700 12" 16" LA POSITANO CANOPY 42 36" 120" 108" 211/4" SPICE SPICE 66 68" 343/4" 3 PD 3 PD M.C 9" 3/4" - 30½" 40" -323/4"



80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 ur kitchen, your taste, www.QTK,ca info@qtk,ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: KITCHEN	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 11, 2022
EMAIL:	SPECIES:	TOP: -	PAGE:
COMMENTS:			

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.

SINK WALL - ELEVATION FRIDGE WALL - ELEVATION 3/4" ∤±15" + 11" + CM J82 MLD 700 CM J82 MLD 700 16" 16" 24" 36" 36" 108" 108" 21/4 84" 343/4 343/ FRIDGE SINK DW 53/4"







JULY 11, 2022 1/2" = 1'-0" DRAWN BY: GJ 80 Sante Drive, Vaughan, ON L4K 3C4 T 416,746,1811 F 905,761,5901 www.QTK,ca info@qtk.ca SCALE: DATE: KITCHEN DOOR HANDLE: DRW HANDLE: LOT 53 WRV DOOR STYLE JOB NAME: FINISH:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer. CLIENT: ROYAL PINE HOMES PHONE


# ISLAND FRONT - ELEVATION



### ISLAND REAR - ELEVATION



### ISLAND SIDE - ELEVATION








80 Sante Drive, Vaughan, ON L4K 3C4 T 416,746.1811 F 905,761,5901 www.QTK.ca info@qtk.ca

				100
CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: KITCHEN	DRAWN BY: GJ	
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"	
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 11, 2022	
EMAIL: —	SPECIES:	TOP:	PAGE:	
COMMENTS:	-		8	_

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.




your kitchen, your taste.

80 Sante Drive, Vaughan, ON L4K 3C4 T 416,746,1811 F 905,761,5901 www.QTK.ca info@qtk.ca

www.QTK.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: VANITY	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE: _	FINISH:	DRW HANDLE:	DATE: JULY 11, 2022
EMAIL:	SPECIES:	TOP:	PAGE:
COMMENTS:			

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.



OTK your laste.

80 Sante Drive, Vaughan, ON L4K 3C4 T 416,746,1811 F 905,761,5901 www.QTK.ca info@qtk.ca

	Carlo Company and Carlo Company and Carlo		
CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: VANITY	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE: _	FINISH:	DRW HANDLE:	DATE: JULY 11, 2022
EMAIL:	SPECIES: —	TOP:	PAGE:
COMMENTS:	Ė		


Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of GTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer. TWIN BATH 2/3 † 14½" SINK CENTER SINK CENTER 21" 21" SINK SINK SINK SINK 31" 31" SINK SINK SINK SINK ++±21/2" ±2½"= 30"



80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca


CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 53 WRV	ROOM: LAUNDRY	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE;	DATE: JULY 11, 2022
EMAIL:	SPECIES:	TOP:	PAGE:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.





### T301R905SP 30-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY







Mome Connect







### FEATURES & BENEFITS

- Full Stainless Steel Inner Liner
- Freedom® Hinge enables true flush design
- Auto Door Opening provides the opening of the door with just a slight push or pull
- ThermaFresh System, Humidity and Temperature controlled
- SoftClose® Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	36°F (2°C) to 46°F (8°C)
Temperature Controlled Drawer	30°F (-1°C) to 38°F (3°C)
SuperCool	36°F (2°C) for approximately 6 hours
Energy Saving (Economy) Mode	43°F (6°C)

GENERAL PROPERTIES	
Home Connect™ (Wi-Fi Enabled)	Yes
Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Door	Yes
SoftClose® Drawers	Yes
Carbon Air Filter	Yes
Lighting	LED Sidewall and Theater Lighting
Refrigerator Shelves	4
Adjustable Shelves	3
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
Full Extension Drawers @ 90° Door Opening Angle	Yes
General Use Drawer	1
Humidity Managed Drawer	1
Temperature Controlled Drawer	1
Door Bins	3
Gallon Door Bins	1
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Capacity (cu. ft.)	16.8 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
Freeflow® Cold Air System	Yes
SuperCool	Yes
TECHNICAL DETAILS	
Watts (W)	350 W
Current (A)	15 A
Volts (V)	110-120 V
Frequency (Hz)	60 Hz
Power Cord Length (in.)	118
Plug Type	120V-3 Prong
DIMENSIONS & WEIGHT	
Appliance Dimensions (H x W x D) (in.)	83 <sup>3</sup> /4"* × 29 <sup>3</sup> /4" × 2
Required Cutout Size (H $\times$ W $\times$ D) (in.)	84" x 30" x 25"
Net / Gross Weight (lbs)	366 / 403 lbs
EFFICIENCY	
ENERGY STAR® Certified	Yes
Annual Energy Consumption	279 kWh

<sup>&#</sup>x27;Height adjustable + / -1/2" (+ / -13 mm)

Page 1 of 3 3/21






### T301R905SP 30-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY



WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

<sup>\*</sup>Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing


#### CUTOUT DIMENSIONS



A: Area for installation of power connection.

B: Recess depth depends on kitchen design.

### TOP VIEW CLEARANCE



Page 2 of 3

3 / 21








### T30IR905SP 30-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY



### PRODUCT AND PANEL DIMENSIONS



### ACCESSORIES (OPTIONAL)

### FLAT STAINLESS STEEL DOOR PANELS 30-Inch Flat Stainless Steel Door Panel



TFL30IR800 For use with Handle TFL30IR905 Handleless

### HANDLES

Choose between two options:

PR36HNDL20 36-Inch Professional Series Handle or

MS36HNDL20 36-Inch Masterpiece® Series Handle

### STORAGE



LPRODBIN10 Large Produce Bin



30PRODRAIL 30-Inch Produce Railing



30HFGALBIN 30-Inch Half Gallon Bin

### FRAMEKIT10

Freedom® Frame Kit
For any custom column installation
in 24-inch deep cutouts. With two
metal side trims whose placement
between the interior cutout wall and
the appliance helps overcome the
challenge of unfinished cabinet returns.



HEATRKIT20 - 13W @ 120V

Freedom® Heater Kit When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this sealing kit is included. For all other (nontraditional, i.e. two wine columns, two bottom freezers, etc.) sideby-side combinations or instances where any appliances are installed less than 6-inches (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

Thermador is not responsible for products that are transported from the U.S. for use in Canada.


1 800 735 4328 | USA THERMADOR COM | CANADA THERMADOR CA | @2021 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.





### T18IF905SP 18-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER

















### FEATURES & BENEFITS

- Full Stainless Steel Inner Liner
- Freedom® Hinge enables true flush design
- Auto Door Opening provides the opening of the door with just a slight push or pull
- Energy Efficient Diamond Ice made with twist tray technology
- Smooth Filtered Lighting for clear and easy viewing of all product
- SoftClose® Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Freezer	-11°F (-24°C) to 7°F (-14°C)
SuperFreeze®	-22°F (-30°C) for approximately 52 hours
Energy Saving (Economy) Mode	3°F (-16°C)

GENERAL PROPERTIES	
Home Connect™ (Wi-Fi Enabled)	Yes
Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Door	Yes*
SoftClose® Drawers	Yes
Lighting	LED Sidewall and Theater Lighting
Freezer Shelves	4
Adjustable Shelves	3
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
General Use Drawer	2
Door Bins	4
External LED Proximity Sensor	No
Oversized Dispenser Opening	No
Chilled Water, Crushed and Cubed Ice	No
Rapid Water Replenishment System	No
Ice Maker with Diamond Ice System	Yes
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Capacity (cu. ft.)	8.6 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
SuperFreeze®	Yes
Defrost Process	Frost-Free
TECHNICAL DETAILS	
Watts (W)	350 W
Current (A)	15 A
Volts (V)	110-120 V
Frequency (Hz)	60 Hz
Power Cord Length (in.)	118
Plug Type	120V-3 Prong
DIMENSIONS & WEIGHT	
Appliance Dimensions (H x W x D) (in.)	83 3/4"** x 17 3/4" x 24
Required Cutout Size (H x W x D) (in.)	84" x 18" x 25"
Net / Gross Weight (lbs)	273 / 302 lbs
EFFICIENCY	PERSONAL PROPERTY.
ENERGY STAR® Qualified	Yes
	757111

<sup>\*</sup>To verify if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.

\*\*Height adjustable + / -1/2\* (+ / -13 mm)

Page 1 of 3

Annual Energy Consumption

404 kWh








### T18IF905SP 18-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY



WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

<sup>\*</sup>Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

#### CUTOUT DIMENSIONS




Furniture return

A: Area for installation of power connection.


B: Area for running the water line. It is recommended that the waterbox is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed waterbox adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

C: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Stainless steel models contain a panel-ready base unit, ready-to-install stainless steel door(s) with a right or left door swing and handle(s).




### TOP VIEW CLEARANCE



- \*\* Door handle must be added to this dimension
- \* Depends on the thickness of the furniture door.

  | 3/4" (19 mm) is relevant for the stainless steel door. (special Accessory).










### T18IF905SP 1.8-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY

Thermador.\*\*

PRODUCT AND PANEL DIMENSIONS



### ACCESSORIES (OPTIONAL)

### FLAT STAINLESS STEEL DOOR PANELS

18-Inch Flat Stainless Steel Door Panel



TFL18IR800 For use with Handle TFL18IR905 Handleless

NOTE: Handleless Panels should not be installed on units without the Soft-Close capability. If you are uncertain if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.

### STORAGE



ICEBUCKETL Large Ice Bucket

### FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns.

### HANDLES

Choose between two options:


PR36HNDL20
36-Inch Professional Series Handle
or

MS36HNDL20
36-Inch Masterpiece® Series Handle

### FILTERS

### REPLFLTR55

Freedom<sup>®</sup> Water Filter Replacement water filter for use in all freezer and bottom freezer models



### HEATRKIT20 - 13W @ 120V

Freedom® Heater Kit

When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this sealing kit is included. For all other (non-traditional, i.e. two wine columns, two bottom freezers, etc.) side-by-side combinations or instances where any appliances are installed less than 6-inches (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.


1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2020 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.





PCG366W
36-INCH GAS RANGETOP
PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE





### FEATURES & BENEFITS

- Patented Pedestal Star® Burner with QuickClean Base® designed for easy surface cleaning and superior heat spread for any size pan
- ★- Precision simmering capabilities as low as 100°F (375 BTU) with 2 ExtraLow<sup>®</sup> Simmer burners
- LED Downlighting—hidden discreetly above the control panel provides functional and stylish illumination

GENERAL PROPERTIES	
Controls	Metal Knobs
Sealed Burners	Yes
Grate Material	Cast Iron
BURNER PERFORMANCE	Cast IIOII
	16
Total Number of Cooktop Burners  Power of Front Left Burner (NG)	18,000 and XLO (NG)
Power of Back Left Burner (NG)	15,000 and XLO (NG)
Power of Back Center Burner (NG)	15,000 (NG)
Power of Front Center Burner (NG)	18,000 (NG)
Power of Center 12" Electric Griddle (W)	N/A
Power of Center 12" Electric Grill (W)	N/A
Power of Back Right Burner (NG)	15,000 (NG)
Power of Front Right Burner (NG)	18,000 (NG)
TECHNICAL DETAILS	
Circuit Breaker (A)	15 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Plug Type / Receptacle	120V-3 Prong NEMA 5-15
Power Cord Length (in)	65"
Energy Source	Gas
Gas Type	Natural Gas 6" Water Column (14.9 mb) Min. (USA)
Alternative Gas Type	LP 11" Water Column (27.4 mb) Min. (USA)
Convertible To LP (Kit Required)	Yes
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	8 1/8" × 35 15/16" × 25 13/16"
Required Cutout Size (HxWxD) (in)	7 11/16" × 35 1/8" × 22 13/16"
Minimum Distance From Rear Wall (in)	6" Min. to Combustible Surface
Net Weight (lbs)	142 lbs
WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year





PCG366W 36-INCH GAS RANGETOP PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE



### ACCESSORIES (OPTIONAL)



**PAGRIDDLE** Griddle Sits on Top of Grates Over 2 Star Burners



PA12CHPBLK 12" Cutting Board



PWOKRINGHO Wok Ring



PA36WLBC 10" Low Backguard




PAKNOBLUWR Metallic Blue Knob Kit



PALPKITHW LP Conversion Kit, Pro Rangetops (4 & 6 Burners)

### 36" RANGETOP SIDE VIEW

measurements in inches (mm)



- A: Cabinet face for installation
- with projecting control panel.

  B: Cabinet face for installation with flush control panel.
- C: Side flange






### PCG366W 36-INCH GAS RANGETOP PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE

### Thermador.\*

#### 36-INCH RANGETOP CUTOUT DIMENSIONS

\* Minimum recommended hood width equals that of the range or cooktop.



- \*\* 36" minimum clearance from cooking surface to combustible surfaces
- to combustible surfaces.

  \*\*\* 5" minimum clearance from cooking surface to combustible side wall.

Note: Most hoods contain combustible components that must be considered when planning the installation.

measurements in inches (mm)








### PCG366W 36-INCH GAS RANGETOP PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE



#### 36-INCH RANGETOP GAS LOCATION

The gas and electrical supply must be located in an area that is accessible without requiring removal of the rangetop. The appliance electrical power cord and gas pipe connection are located on the left rear underside of the rangetop.

The junction box must be located within 3 feet (~900 mm) of the rangetop connection.



### measurements in inches (mm)

### NATURAL GAS REQUIREMENTS:

Inlet Connection: 1/2" NPT (min. 3/4" dia. flex line)

Supply Pressure: 6" min. to 14" max. water column (14.9 mb to 34.9 mb)

Manifold Pressure: 5" water column (12.5 mb)

### PROPANE GAS REQUIREMENTS:

Inlet Connection: 1/2" NPT (min. 3/4" dia. flex line)

Supply Pressure: 11" min. to 14" max. water column (27.4 mb to 34.9 mb)

Manifold Pressure: 10" water column (24.9 mb)

### ELECTRICAL SUPPLY

IMPORTANT: The cord supplied with all-burner gas rangetops requires a NEMA 5-15 receptacle as shown here. Local codes my require a different wiring method.



WARNING: This appliance is equipped with a three-prong grounding plug for protection against shock hazard and should be plugged directly into a properly grounded receptacle. DO NOT cut or remove the grounding prong from this plug. DO NOT ALTER THIS PLUG.






### PCG366W 36-INCH GAS RANGETOP

PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE



#### 36-INCH RANGETOP CLEARANCES



⚠ As defined in the "National Fuel Gas Code" (ANSI Z223.1, Current Edition). Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA. Clearances must be approved by the local codes and/or by the local authority having jurisdiction.

measurements in inches (mm)

NOTE: A 36-inch minimum clearance is required between the top of the cooking surface and the bottom of an unprotected cabinet. A 30-inch clearance can be used when the bottom of the wood or metal cabinet is protected by not less than 1/4 inch of a flame retardant material covered with not less than No. 28 MSG sheet steel, 0.015 inch (0.4 mm) thick stainless steel, 0.024 inch (0.6 mm) aluminum, or 0.020 inch (0.5 mm) thick copper.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countartop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | @2019 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.





### PODMC301W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN



PROFESSIONAL SERIES





Home Connect





### FEATURES & BENEFITS

- Specially crafted gray glass on stainless steel for a luxurious look and finish
- Designed for flexibility—standard or flush installation into kitchen cabinets
- Speed oven with microwave capability can broil and convection
- Large commercial style rotisserie with 12 pound capacity
- Multi-point Meat Probe to better capture temperature in roast and poultry

### ACCESSORIES (INCLUDED)

Upper Cavity: Metal Turntable, Rack, Ceramic Tray; Lower Cavity: 3 Telescopic Racks, Multi-point Meat Probe, Max Broil Pan, Rotisserie

### WARRANTY

Limited Warranty Parts and Labor

2 Year

### GENERAL PROPERTIES

Heating Modes – Upper Cavity

36 CookSmart<sup>™</sup> Auto Programs (including True Convection, Speed Convection, Broil, Convection Broil, Heating Programs, Keep Warm) and Microwave Programs

Heating Modes - Lower Cavity

(16) Bake, Broil, Max Broil, Roast, Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, True Convection, Dehydrate, Speed Convection, Slow Roast, Rotisserie

Sabbath		Yes	
Cleaning Type – Lower Cavity		Easy Clean and Self Clean	
Telescopic Rack(s)		3	
Illumination Type	Upper Cavity Lower Cavity	LED Halogen	
Interior Lights Upper Cavity Lower Cavity		1 2	
Home Connect (Wi-Fi E	nabled)	Yes, Lower Oven Only	

OVEN PERFORMAN	SE .	
Microwave Power		1,000 W
Bake / Broil Element	Upper Cavity Lower Cavity	
Convection Element	Upper Cavity	1,700 W 2,000 W

TECHNICAL DETAILS	
Watts	10,200 W
Circuit Breaker	50 A
Volts; Frequency	240 / 208 V; 60 Hz
Plug Type	Fixed Connection, No Plug
Conduit	60" 4-Wire
Energy Source	Electric

DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD)	49" x 29 3/4" x 24 1/2"
Trim Overlaps (Top – Sides – Bottom)	1/2" - 9/16" - 0"
Required Cutout Size (HxWxD) – Standard	48 1/2" x 28 1/2" x 23 1/2"
Required Cutout Size (HxWxD) – Flush	49 1/8" x 30" x 24 1/2"
Speed Oven Capacity	1.6 cu. ft.
Oven Capacity	4.5 cu. ft.
Overall Lower Oven Interior Dimensions (HxWxD)	17 <sup>3</sup> / <sub>4</sub> " × 24" × 17 <sup>7</sup> / <sub>8</sub> "
Usable Lower Oven Interior Dimensions (HxWxD)	13 <sup>1</sup> / <sub>2</sub> " × 21 <sup>5</sup> / <sub>8</sub> " × 16 <sup>1</sup> / <sub>4</sub> "
Net Weight	267 lbs







### PODMC301W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN

Thermador. 9

PROFESSIONAL SERIES

#### 30-INCH DOUBLE COMBINATION OVEN WITH SPEED OVEN









### PODMC301W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN



PROFESSIONAL SERIES

#### INSTALLATION DETAILS





These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR, COM | CANADA THERMADOR, CA | @2020 BSH HOME APPLIANCES CORPORATION, ALL RIGHT\$ RESERVED.








### VCIN36GWS 36-INCH CUSTOM INSERT

PROFESSIONAL® SERIES











### FEATURES & BENEFITS

- Revel in creative freedom with Professional® Series custom inserts that can blend in with cabinetry or make a bold
- ★- Equipped with the Thermador Connected Experience by Home Connect™
- Powerfully Quiet® system accepts integral, inline, and remote blowers
- Beautiful illumination with multi-level, vivid LED lights
- Features automatic mode, delay shut-off, and check filter

### ACCESSORIES (OPTIONAL)

25 ft. Blower Connector Cable - EXTNCB25W

For use with the following inline and remote blowers: VTR1FZ, VTR2FZ, VTI1FZ, VTI2FZ

Roofplates

RFPLT600P - For use with 600 CFM remote blower VTR1FZ

RFPLT1000P - For use with 1000 CFM remote blower VTR2FZ

VCIN Trim Notes

NOTE: VCIN\_GWS series custom insert models include hood trim pieces to complete the installation.

Remote Control Panel

REMCPW - Ability to vertically install on cabinetry or wall to control hood in a convenient location



Features	
Multi-Level LED Lights with Fading Transition Filter Reminder Light, Delay Shut-Off	ons, Automatic Mode, Check
Operating Mode	Ducted
Maximum CFM	Blower Sold Separate
Number of Speed Settings	4-Stage
Number of Lights	2
Bulb Type	LED
Light Lumens	100 – 150
Light Color	3500 – 4000 °K
Total Power of the Lamps	2.4 W
Damper Included	Yes
Grease Filter Material	Aluminum*
Grease Filter Type	Commercial Style Baffle Filter
Home Connect™ (Wi-Fi Enabled)	Yes
TECHNICAL DETAILS	
Watts	See Chart on Page 3
Current	See Chart on Page 3
Volts	120 V
Frequency	60 Hz
Plug Type	Fixed Connection
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (Width of Canopy Included) (HxWxD)	12 <sup>13</sup> /16" x 33 <sup>3</sup> /4" x 22"
Minimum Distance Above Gas / Electric Cooking Surface	30" Electric / 30" Gas
Diameter of Air Duct Top	10"
Net Weight	54 lbs

BLOWER OPTIONS		
Remote Blowers	VTR1FZ - 600 CFM	
(Mounted to Roof or External Wall)	VTR2FZ - 1000 CFM	
Inline Blowers	VTI1FZ - 600 CFM	
(Mounted Between Kitchen and External Wall)	VTI2FZ - 1000 CFM	
Integrated Blower (Mounted in Hood)	VTN2FZ - 1000 CFM	
WARRANTY		
Limited Warranty Parts and Labor	2 Year	

<sup>\*</sup>Transition to aluminum starting in Fall 2022

Page 1 of 5




VCIN36GWS
36-INCH CUSTOM INSERT
PROFESSIONAL® SERIES



#### HOOD DIMENSIONS

NOTE: VCIN Custom Insert models include hood trim pieces.



measurements in inches (mm)




VCIN36GWS
36-INCH CUSTOM INSERT
PROFESSIONAL® SERIES

Thermador.\*\*


INLINE BLOWERS (MOUNTED BETWEEN KITCHEN AND EXTERNAL WALL)

VTI1FZ-600 CFM


VTI2FZ-1000 CFM




measurements in inches and mm



measurements in inches and mm





Measurements in inches (mm)

me

### HVI PERFORMANCE VALUES (CFM & SONES)

		Pressure (in. H2O)		Amps (@ 0.1 SP)		CFM		Sones	
Exhaust	High Speed	Working Speed	High Speed	Working Speed	High Speed	Working Speed	High Speed	Working Speed	
Vertical	0.1	0.018	6.92	3.27	920	380	14.5	3.0	





### DWHD560CFP EMERALD® 5-PROGRAM DISHWASHER

PROFESSIONAL SERIES HANDLE











Home Connec

Also Available In:

DWHD560CFM – Flat Stainless Steel Panel with

Masterpiece® Series Handle

DWHD560CPR – Custom Panel

### FEATURES & BENEFITS

- Chef's Tool Drawer (3rd Rack) is designed to make loading and unloading tools and hard to place items extraordinarily easier
- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling results
- 3-Level adjustable upper rack is customizable for all of your needs, designed to be raised for extra large items placed on the bottom rack, or lowered to fit taller wine glasses on the upper rack
- Extra Dry Option adds extra heat to the final rinse to enhance drying results
- Impressively Quiet®—48 dBA for peaceful kitchen experience
- Thermador connected experience by Home Connect enables exclusive dishwasher features and appliance interaction through app, voice, smartwatch and more

GENERAL PROPERTIES	
Number Of Wash Cycles	5
Number Of Options	6
NSF®-Certified* Sanitize Option	Yes
dBA	48
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Control
Concealed Water Heating Element	Yes
Leak Protection System	24/7 AquaStop®
Water Softener	No
Five-Level Wash	Yes
Childlock	No
Home Connect (Wi-Fi Enabled)	Yes
EFFICIENCY	
Water Usage Per Cycle	3.5 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Certified	No
Total Annual Energy Consumption	269 kWh
Total Annual Water Consumption	624 g
CAPACITY	
Number Of Place Settings	16
TECHNICAL DETAILS	
Watts	1,440 W
Current	12 A
Volts	120 V
Frequency	60 Hz
Power Cord Length	67"
Power Cord Install Length from Corner of Unit when Facing the Door	Left - 45" Right - 56"
Minimum Water Pressure	14 (lb/sin)
Max. Temperature for Water Intake	140° F
Length Inlet Hose	N/A
Length Outlet Hose	79"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD)	33 <sup>7</sup> /8" × 23 <sup>9</sup> /16" × 23 <sup>3</sup> /4"
Required Cutout Size (HxWxD)	33 <sup>7</sup> /8" Min. x 24" Mir x 24"
Adjustable Feet	Yes
Net Weight	93 lbs

<sup>\*</sup>Certification to NSF/ANSI Standard 184 for residential dishwashers

Page 1 of 2 3 / 22





### DWHD560CFP EMERALD® 5-PROGRAM DISHWASHER

Thermado

PROFESSIONAL SERIES HANDLE

WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

ACCESSORIES (OPTIONAL)	
Dishwasher Installation Kit (Junction Box, 90° Elbow and Water Supply Hose)	SMZ3IN1UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Junction Box	SMZPCJB1UC
Cabinet Protector with Power Cord Clip	SMZEPCC1UC
Water supply hose	SMZSH002UC
Dishwasher Accessory Kit**	SMZ5000
Duo Silverware basket	SMZ4000UC
Fine Silverware Carafe	SMZ5002UC




\*\*Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket



Fine Silverware Carafe

#### DISHWASHER & CUTOUT DIMENSIONS



measurements in inches and mm

These warranties give you specific logal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thormador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2022 8SH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.



### Sink Specifications

Colour

SKU

brushed finish

401519

### Design and planning tips

Min cabinet size: 36 in (915 mm)

Bowl Depth: 9 in (230.0 mm)

### Specifications:

Sink template, Mounting clips, Installation instructions, 3 1/2" (90 mm) stainless steel

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Codes/Standards: ASME A112.19.3-2017/ CSA

B45.4-17

### Optional Accessories

Ash Cutting Board

406345

CapFlow Strainer Cover

517666

Sink Grid

406454

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

### Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/




**BLANCO Canada Inc** 100 Corporation Drive Brampton ON L6S 6B5


Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

### QUATRUS R15 U 2 Stainless steel brushed finish











### **MOEN**®

### Specifications



- Metal construction with various finishes identified by suffix 1/2" IPS connection

### **OPERATION**

Flow levers operate counterclockwise through 180 degree arc with shut off at 6 o'clock and maximum flow at the 12 o'clock position. Shut off in clockwise direction

#### **FLOW**

5.5 gpm @ 60 psi

#### CARTRIDGE


- 1224 cartridge design
- Nonmetallic and stainless steel materials

#### **STANDARDS**

- Third party certified to ASME A112.18.1/CSA B125.1 and all applicable requirements therein including NSF 61/9
  Contains no more than 0.25% weighted average lead content
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- ADA for lever handle

### WARRANTY


- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
- 10 year limited warranty when used in a multifamily installation
- 5 year limited warranty when used in a commercial installation Visit www.moen.com/support for complete details and limitations



Pot-Filler Faucet

Models: S665 series


\*Chrome



**CRITICAL DIMENSIONS** 







ITEM DETAILS

OUTER DIMENSIONS 211/2" W x 14" D x 81/4" H \* Moster Ensurite (x2)


INNER DIMENSIONS 19½" W x 12" D x 6¼" H

MATERIAL Vitreous china


COLOUR Soft white

Rectangular undermount sink | Front overflow hole | Sloped bowl design | 81/4" Bowl depth | Template and hardware supplied | Faucet not included

### CERTIFICATIONS



\*Install in Builders Standard Favcet



ISSUED JULY 2019





### CATENA

### ITEM DETAILS

\* Twin Both 2/3 (x2) OUTER DIMENSIONS 20" W x 15%" D x 7½" H \* BOHN 44 (x2)

INNER DIMENSIONS 18" W x 13%" D x 5%" H


MATERIAL Vitreous china

COLOUR Soft white

Rectangular undermount sink | Front overflow hole | Template and mounting hardware supplied | Faucet not included

## CERTIFICATIONS

\* Install w Builders Standard Faucet




ISSUED JULY 2019









Integra, Chateau Standard




Method Pull-OutChrome Kitchen Model 7585c



**Danika** Lavatory Model WSL84733



Tub and Shower TL183EP/62380



T994/4798

\* Waster Ensuite \* Twin Bath 2/3 \* Both \* 4

\* Add Toe Tester






EDGE DETAILS

004



STRAIGHT EDGE (STANDARD - 3/4") Powder Room: Master Ensuite Twin Both 2/3

Bathay



MITER WITH SKIRT EDGE (MEDIUM - 11/2") Kitchen



OGEE - SQUARE EDGE (MED:/HIGH - 1 1/2")

EDGING UP-GRADE OPTIONS

RECEIVED