



PURCHASER'S EXTRAS QUOTATION Oak Ridge Meadows - Phase 1		
PURCHASER: CAROGIOIELLO HOLDINGS INC		TEL:
LOT NUMBER	PHASE	HOUSE TYPE
51 Block 51	1	MAJOR MACKENZIE-END Elev A2

ITEM	EXTRA / CHANGE	QTY	UNIT PRICE	EXTENDED
*1 13221 221611	FOYER AND POWDER - FLOORING - AT FOYER/POWDER TO NOW BE UPRGRADED TILE 18 X 36 ZEBRINO GRIGIO. INFO ONLY	1		
*2 13169 221649	MUD ROOM - FLOORING - TO NOW BE UPGRADED TILE 18 X 36 ZEBRINO BIANCO	1		
*3 13221 221612	DELETE ITEM 19 ON PES #8429 - FLOORING AT KITCHEN/DINETTE TO NOW BE TORLYS, AVENUE, ARTESIA OAK TLAV235PEFC	1		
*4 13221 221613	DELETE ITEM 30 ON PES #8429 - FLOORING - AT MAIN HALL/GREAT ROOM/LANDINGS TO NOW BE TORLEY'S, AVENUE, ARTESIA OAK TLAV235PEFC	1		
*5 13221 221614	DELETE ITEM 31 ON PES #8429 - FLOORING - AT UPPER LEVEL HALL/MASTER BR/BEDRM 2 & 3 TO NOW BE TORLEY'S, AVENUE, ARTESIA OAK TLAV235PEFC	1		
*6 13221 221615	DELETE ITEM 33 ON PES #8429 - SHOWER CEILING - AT MASTER ENSUITE TO NOW BE UPGRADE TILE 13 X 18 CALACATTA GRIS. INFO ONLY	1		
*7 13221 221617	MASTER ENSUITE - FLOORING - INSTALL UPGRADE TILE 24 X 24 COPPER FLAIR	1		
*8 13169 221618	MASTER ENSUITE - SHOWER WALLS - INSTALL UPGRADE TILE 13 X 18 CALACATTA GRIS.	1		
*9 13221 221616	DELETE ITEM 35 ON PES #8429 - SHOWER CEILING - AT MAIN BATH TO NOW BE UPGRADE TILE 12 X 24 CEMENTINE GRIGIO. INFO ONLY	1		
*10 13169 221619	MAIN BATH - FLOORING - INSTALL UPGRADE TILE 12 X 24 CEMENTINE GRIGIO	1		
*11 13169 221620	MAIN BATH - SHOWER WALLS - INSTALL UPGRADE TILE 12 X 24 CEMENTINE GRIGIO	1		
*12 13169 221621	UPPER LAUNDRY - FLOORING - INSTALL UPGRADE TILE 12 X 24 CEMENTINE GRIGIO	1		
*13 13301 221657	MASTER ENSUITE - SHOWER ENCLOSURE - INSTALL UPGRADE 10 MM FRAMELESS GLASS SHOWER ENCLOSURE IN LEIU OF 6MM STANDARD)	1		
*14 13301 221658	MAIN BATH - SHOWER ENCLOSURE - INSTALL UPGRADED 10 MM GLASS ENCLOSURE (NO STANDARD PRIOR DUE TO TUB STANDARD)	1		

TAX#:1

PREPARED BY: Lisa Renzetti
PRINTED: 28-Mar-23 at 6:21 pm
RoyInvoiceSQL.rpt 07aug20

Initials:_____

CONSTRUCTION SCHEDULING APPROVAL

PER: _____

DATE: _____



PURCHASER'S EXTRAS QUOTATION Oak Ridge Meadows - Phase 1		
PURCHASER: CAROGIOIELLO HOLDINGS INC		TEL:
LOT NUMBER 51 Block 51	PHASE 1	HOUSE TYPE MAJOR MACKENZIE-END Elev A2

ITEM	EXTRA / CHANGE	QTY	UNIT PRICE	EXTENDED
				Sub Total HST Total

1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in connection with the same is to be refunded to the Purchaser.
2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the Purchaser.
3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, the total cost of extras ordered are not refundable to the Purchaser(s).
4. Extras or changes will not be processed unless signed by the Vendor.
5. These extras may not be amended without the written consent of Grovetrail Developments Inc..
6. The Purchaser(s) and the Vendor acknowledge and agree that this form shall not be deemed to be part of the Agreement of Purchase and Sale entered into between them, nor an addendum thereto.
7. No Estimates or orders will be accepted once construction has commenced.
8. Prices are estimates only and guaranteed for a period of 5 days only.
9. Any cancellations to this order, providing they can be cancelled, are subject to a \$500 minimum administration charge and a 10% cancellation charge for the total amount being cancelled.
10. For Visa, Mastercard and Debit payments, transactions are identified on you statement as "SHERWAY CONSTRUCTION LTD", an Authorized Visa /Mastercard/Debit Merchant and authorized Royal Pine Homes company.

Payment Summary	
<u>Paid By</u>	<u>Amount</u>
<u>Total Payment:</u>	

Bonus Summary		
Bonus Package offering (includes taxes) from Royal Pine Homes Décor Centre is being applied to this order.		
Any remaining balance(s) will be applied accordingly to extras purchased.		
Bonus Package Offering		
<u>Invoice Number</u>	<u>Date</u>	<u>Amount</u>
8429	7-Feb-23	
Total Bonus Used:		
Remaining Balance:		

PURCHASER: CAROGIOIELLO HOLDINGS INC

28-Mar-23
DATE

VENDOR: PER: Grovetrail Developments Inc.

TAX#:1

PREPARED BY: Lisa Renzetti
PRINTED: 28-Mar-23 at 6:21 pm
RoyInvoiceSQL.rpt 07aug20

CONSTRUCTION SCHEDULING APPROVAL	
PER:	
DATE:	



Lot: 51 Block 51 Project: Grovetrail Developments Inc. Model: MAJOR MACKENZIE-END Elev A2



* INTERIOR COLOUR SCHEME *

Purchaser CAROGIOIELLO HOLDINGS INC	Decor Consultant Lisa Renzetti	Model and Elevation MAJOR MACKENZIE-END Elev A2	Telephone Res. / Bus /	Project Grovetrail Developments Inc.	Closing Date 28/02/2023	Property 51 Block 51
---	--	---	----------------------------------	--	-----------------------------------	--------------------------------

Page 2 of 3

Master Ensuite

Main Bath

Upper Laundry

Foyer

Powder Room

Mud Room

Kitchen

Main Hall

Great Room

2nd Floor Hall

Master Bedroom

Bedroom 2

Bedroom 3

Basement Landing

Interior Paint
Description
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch
STND - Silver Birch

Cabinet	Countertop	Counter Edge	Handle / Knob
Style			
STND - Larice Bianco RU-05	STND- Emmerstone Gray Galaxy	STANDARD	9770 DBK
STND - Euro Rustica Larice Stoney RU-04	STND - Emmerstone Maple White	STANDARD	9357.37BSN
STANDARD	STANDARD	STANDARD	9357-37-BSN
NA	NA	NA	NA
STND - Euro Rustica Rovere Chioistro RU-03	STND - Emmerstone Maple White	STANDARD	9357.37BSN
NA	NA	NA	NA
Uppers: UPG 2 Orleans MDF, Chantilly Lace, Lowsers: UPG 2 Orleans MDF, Escarpment	UPG 2 - Emmer. Borghini Arabascato	UPG - EDGE "L" 1 1/2 SQ MITR	9634.128BBR
			(hard. upg 2)

Appliance Opening/Dimension

Fridge Size

See specs

Range

Standard

Built-Ins

YES

Microwave

YES

Hood Fan

Standard

Exhaust Opening

☒ 6" ☐ 8"

Dishwasher Cabinet

Std 24in Opening

Fireplace

Fireplace

Electric XLF50

Fireplace

N/A

Location Flooring

Laminate

Location Flooring

N/A

Style

linear

Style

N/A

Finish

White box floating

Finish

N/A

Marble

paint grade (none)

Marble

N/A

Hearth

none

Hearth

N/A

Notes

Page 2 of 3



SITE COPY

CONSTRUCTION SUMMARY

Grovetrail Developments Inc.

PURCHASER: CAROGIOIELLO HOLDINGS INC

TEL:

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE
51 Block 51	1	MAJOR MACKENZIE-END Elev A2	28-Feb-23

Offer	BONUS PACKAGE FOR TOWNHOUSE: PURCHASER TO RECEIVE \$7,500.00 (INCLUSIVE OF TAXES) WORTH OF UPGRADES AT DECOR CENTRE AT TIME OF COLOUR CHART
Worksheet	Note:

Offer	BONUS PACKAGE FOR TOWNHOUSE: 5 APPLIANCES TO INCLUDE FRIDGE, STOVE, DISHWASHER WITH STAINLESS STEEL FINISH AND WHITE WASHER AND DRYER AS PER VENDORS SAMPLES.
Worksheet	Note:



SITE COPY

CONSTRUCTION SUMMARY
Grovetrail Developments Inc.

PURCHASER: CAROGIOIELLO HOLDINGS INC

TEL:

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
51 Block 51	1	MAJOR MACKENZIE-END Elev A2	28-Feb-23	

Date Added: 07-Feb-23 Invoice Number: 8429

1 - BASEMENT - WINDOW- ENLARGE STANDARD 30 IN (W) X 24 IN (H) TO 36 IN (W) X 24 IN (H) EA. AT SIDE YARD (SEE PLAN) Note:
1 - EXTERIOR FRONT DOOR - DOUBLE - EXTENDED HEIGHT FRONT DOORS (**DELETE TRANSOM**) Note:
4 - EXTERIOR - ELECTRICAL - ADD SOFFIT POT LIGHTS AT FRONT FACADE (SEE ELEVATION) Note:
1 - EXTERIOR - ELECTRICAL - ADDITIONAL EXTERIOR GFI RECEPTACLE (SEE PLAN) Note:
1 - GREAT ROOM - FIREPLACE - INSTALL ELECTRIC FIREPLACE XLF 50 - MOUNT 22" UP FROM FLOOR- (SEE PLANS) Note:
1 - GREAT ROOM - BRING ELECTRICAL FOR ELECTRIC FIREPLACE - SEE PLAN Note:
1 - GREAT ROOM - RAISE TV PLUG TO 60" AFF WITH CONDUIT PIPE ROUGH-IN FROM BASEMENT TO FAMILY ROOM, WIRE TO OUTLET (WITH CONDUITE PIPE ROUGH IN FROM BASEMENT) AT STANDARD HEIGHT BELOW WINDOW RIGHT OF FIREPLACE (SEE PLAN). Note:
1 - GREAT ROOM - FIREPLACE MANTLE - INSTALL FLOATING WALL MOUNT PAINT GRADE (WITH CENTER LINE REVEALS) TRIM FOR ELECTRIC FIREPLACE Note:
1 - KITCHEN - WATERLINE TO FRIDGE - (**CONFIRM NEW FRIDGE REQUIRES WL**) ROUGH IN WATER LINE TO FRIDGE - SEE PLAN Note:
1 - BEDROOM 2 - ADD STANDARD INTERIOR DOOR AND CASING FROM BEDROOM 2 TO MAIN BATH - **DELETE CLOSET AT BEDROOM 2 ** - SEE PLAN Note:
1 - BEDROOM 2 - ADD PRIVACY LOCK TO NEW DOOR FROM BEDRM 2 TO MAIN BATH Note:
1 - MAIN BATH - CONVERT TUB TO SHOWER INCLUDES 2 IN X 2 IN MOSAIC FLOOR TILES, 6 IN WHITE QUARTZ CURB PLUS SHOWER POT LIGHT - LEFT OPEN Note:
1 - MAIN BATH - SHOWER NICHE - INSTALL WHITE QUARTZ SHOWER NICHE 24 X 14 (SEE PLAN) Note:
1 - MASTER BEDROOM - INSTALL SINGLE INTERIOR DOOR IN LIEU OF DOUBLE DOOR ENTRY TO MASTER BEDROOM. **DELETE DOUBLE DOOR** (SEE PLAN) Note:
1 - MASTER BEDROOM - EXTEND WALK IN CLOSET TOWARD HALLWAY (SEE PLAN) Note:



SITE COPY

CONSTRUCTION SUMMARY

Grovetrail Developments Inc.

PURCHASER: CAROGIOIELLO HOLDINGS INC

TEL:

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
51 Block 51	1	MAJOR MACKENZIE-END Elev A2	28-Feb-23	

Date Added: 07-Feb-23

Invoice Number: 8429

1 - MASTER ENSUITE - ENLARGE SHOWER TO 72 X 36 IN - INCLUDES EXTENSION OF FRAMED 6MM GLASS PANELLED ENCLOSURE, WHITE QUARTZ CURB, 2X2 MOSAIC FLOOR TILE, WALL TILES (SEE PLAN) Note:
1 - MASTER ENSUITE - SHAMPOO NICHE - INSTALL 24 X 14 IN WHITE QUARTZ SHAMPOO NICHE (SEE PLAN) Note:
1 - ***STRUCTURALS AS ABOVE*** ***COLOURS AS BELOW*** Note:
1 - KITCHEN/DINETTE - FLOORING - INSTALL UPGRADE FLOORING TORLY'S VINYL EVERWOOD PREMIERE, COLOUR SIERRA EW23024 (IN LIEU OF STANDARD TILE) (SEE PLAN) Note:
1 - KITCHEN - SEE VILLA KITCHENS FOR ALL KITCHEN/BATHROOM/LAUNDRY ROOM UPGRADES/LAYOUTS (See attached paperwork) Note:
1 - KITCHEN - APPLIANCES - Install an upgrade 30" fridge in the kitchen, in lieu of the builders standard fridge. Install the Whirlpool #WRF560SEHZ Note:
1 - KITCHEN - APPLIANCES - Install an upgrdae microwave and TRIM KIT. PANASONIC Model # NNST785S/NNTK714SS. SEE ATTACHED SPECS Note:
1 - KITCHEN - ELECTRICAL - ADDITIONAL 20 A, 120 V GROUNDED OUTLET FOR MICROWAVE. Note:
1 - KITCHEN - COUNTERTOPS - INSTALL UPGRADE 2 COUNTERTOP, Emmerstone Borghini Arabascato Note: **Fonzie to deal directly with Continental**
1 - KITCHEN - BACKSPLASH - INSTALL UPGRADE STONE BACKSPLASH Emmerstone Borghini Arabascato Note: **Fonzie to deal directly with Continental**
1 - KITCHEN - COUNTERTOP EDGE - INSTALL UPGRADED EDGE STYLE "L" 1 1/2" L MITRE EDGE at all cabinetry where applicable Note: **Fonzie to deal directly with Continental**
1 - DISCLAIMER - STONE COUNTER TOP - KITCHEN - Stone slabs vary in size & all seams are visible - the fabricator reserves the right to position the seams as necessary Note:
1 - KITCHEN - SINK - INSTALL UPGRADED SINK Blanco Siligrant Precis U2 #401179 Truffle Note:
1 - KITCHEN - FAUCET - INSTALL BUILDER'S STANDARD FAUCET Delta Osler Pull Down Chrome #976LF. INFO ONLY Note:
1 - MAIN HALL/GREAT ROOM/LANDINGS - INSTALL UPGRADE FLOORING TORLY'S VINYL EVERWOOD PREMIERE, COLOUR SIERRA EW23024 (IN LIEU OF STANDARD LAMINATE) (SEE PLAN) Note:



SITE COPY

CONSTRUCTION SUMMARY
Grovetrail Developments Inc.

PURCHASER: CAROGIOIELLO HOLDINGS INC

TEL:


LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
51 Block 51	1	MAJOR MACKENZIE-END Elev A2	28-Feb-23	

Date Added: 07-Feb-23

Invoice Number: 8429

1 - UPPER LEVEL - 2ND FLOOR HALL/MASTER BR/BEDRM 2&3 - INSTALL UPGRADE FLOORING TORLY'S VINYL EVERWOOD PREMIERE, COLOUR SIERRA EW23024 (IN LIEU OF STANDARD CARPET) (SEE PLAN) Note:
4 - VANITIES - SINK - POWDER/MAIN BATH/MASTER ENSUITE - INSTALL UPGRADED SINK Contrac Emery White Rectangular undermount sink 4220CGY Note:
1 - MASTER ENSUITE - SHOWER CEILING - Supply and Install upgraded tile at shower ceiling 8 x 10 MALENA CARBON. Align grout lines as best possible in elongated shower (See Plan) Note:
1 - MASTER ENSUITE- Delete the builders standard shower head and Install the Moen Chateau Posi Shower Only with 3 Function Transfer Valve/Trim and Slide Bar and Hand Shower Hand Model # TL182EP/U361CI/UT2721/3669EP/A725/62320 Note:
1 - MAIN BATH - SHOWER CEILING - Supply and Install upgraded tile at shower ceiling 8 x 10 KEATON CARBON. Align grout lines as best possible in elongated shower (See Plan) Note:
1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 Note:
1 - BONUS PACKAGE-PURCHASER TO RECEIVE \$7,500 (INCLUSIVE OF TAXES) WORTH OF UPGRADES AT THE DESIGN STUDIO AT TIME OF COLOUR CHART Note:

This Document is Extremely Time Sensitive - Printed 7 Feb 23 at 16:52



- 4 pots kitchen
- 5 pots Great Room
- 5 main hall




8111 Jane St. Unit 10
Concord, Ontario L4K 4L7
Tel. (905) 669-7028
Fax. (905) 669-7903
email: designstudio@villakitchens.ca
www.villakitchens.ca

CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END

KITCHEN BULKHEAD

ALL FINISHED DIMENSIONS
99 3/8" from fin.floor to fin. underside of bulkhead

DRAWN BY: Lai-Yee
DATE: DECEMBER 8, 2022
REVISED: DECEMBER 20, 2022
PAGE: 4 OF 7



Villa

KITCHENS & FINE CABINETS LTD

8111 Jane St. Unit 10
Concord, Ontario L4K 4L7
Tel. (905) 669-7028
Fax. (905) 669-7903
email: designstudio@villakitchens.ca
www.villakitchens.ca

CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END

KITCHEN

DOOR STYLE: ORLEAN WR MDF

TRIM: NO

COLOUR:

UPPERS & PANTRY- CHANTILLY LACE

BASES: ESCARPMENT

INTERIOR COLOUR: WHITE MELAMINE

DRAWER BOX: UPGRADED- SOFT CLOSE

HINGES: UPGRADED- SOFT CLOSE

LIGHT VALANCE: NO

CROWN MOULDING & INFILL: STANDARD

PAN MOULDING: NO

COUNTERTOP: BY OTHERS

INSTALL HEIGHT: 95 5/8"

HEIGHT TO UNDERSIDE OF BULKHEAD: 99 3/8" AFF

DECORATIVE HARDWARE:

MARATHON - HENLOW - BRUSHED BRASS FIN.

#9634-128-BBR - 6 1/2" L OVERALL




DRAWN BY: Lai-Yee

DATE: DECEMBER 8, 2022

REVISED: DECEMBER 20, 2022

PAGE: 1 OF 7

TH 51





8111 Jane St. Unit 10
Concord, Ontario L4K 4L7
Tel. (905) 669-7028
Fax. (905) 669-7903
email: designstudio@villakitchens.ca
www.villakitchens.ca

CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END

KITCHEN

DOOR STYLE: ORLEAN WR MDF

TRIM: NO

COLOUR:

UPPERS & PANTRY- CHANTILLY LACE

BASES: ESCARPMENT

INTERIOR COLOUR: WHITE MELAMINE

DRAWER BOX: UPGRADED- SOFT CLOSE

HINGES: UPGRADED- SOFT CLOSE

LIGHT VALANCE: NO

CROWN MOULDING & INFILL: STANDARD

PAN MOULDING: NO

COUNTERTOP: BY OTHERS

INSTALL HEIGHT: 95 5/8"

HEIGHT TO UNDERSIDE OF BULKHEAD: 99 3/8" AFF

DECORATIVE HARDWARE:

MARATHON - HENLOW- BRUSHED BRASS FIN.

#9634-128-BBR - 6 1/2" L OVERALL



DRAWN BY: Lai-Yee


DATE: DECEMBER 8, 2022

REVISED: DECEMBER 20, 2022


PAGE: 2 OF 7



CHANTILLY LACE



ESCARPMENT



CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END

KITCHEN

DOOR STYLE: ORLEAN WR MDF

TRIM: NO

COLOUR:

UPPERS & PANTRY- CHANTILLY LACE

BASES: ESCARPMENT

INTERIOR COLOUR: WHITE MELAMINE

DRAWER BOX: UPGRADED- SOFT CLOSE

HINGES: UPGRADED- SOFT CLOSE

LIGHT VALANCE: NO

CROWN MOULDING & INFILL: STANDARD

PAN MOULDING: NO

COUNTERTOP: BY OTHERS

INSTALL HEIGHT: 95 5/8"

HEIGHT TO UNDERSIDE OF BULKHEAD: 99 3/8" AFF

DECORATIVE HARDWARE:

MARATHON - HENLOW- BRUSHED BRASS FIN.

#9634-128-BBR - 6 1/2" L OVERALL





DRAWN BY: Lai-Yee

DATE: DECEMBER 8, 2022

REVISED: DECEMBER 20, 2022


PAGE: 3 OF 7



CHANTILLY LACE



ESCARPMENT





8111 Jane St. Unit 10
Concord, Ontario L4K 4L7
Tel. (905) 669-7028
Fax. (905) 669-7903
email: designstudio@villakitchens.ca
www.villakitchens.ca

CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END



MAIN BATH


DOOR STYLE: EURO MELAMINE
TRIM: NO
COLOUR: RUSTICA LARICE STONEY RU-04

INTERIOR COLOUR: WHITE MELAMINE
DRAWER BOX: STANDARD- NO SOFT CLOSE
HINGES: STANDARD- NO SOFT CLOSE
COUNTERTOP: BY OTHERS
INSTALL HEIGHT: 32 1/2"
DECORATIVE HARDWARE: 9357-37 BSN

UPGRADES: N/A

DRAWN BY: Lai-Yee
DATE: DECEMBER 8, 2022
REVISED: DECEMBER 20, 2022
PAGE: 5 OF 7







KITCHENS & FINE CABINETRY LTD

8111 Jane St. Unit 10
Concord, Ontario L4K 4L7
Tel. (905) 669- 7028
Fax. (905) 669 - 7903
email: designstudio@villakitchens.ca
www.villakitchens.ca

CLIENT: ROYAL PINE HOMES
PROJECT: RP-CE-BLK 51- TH51
MODEL: THE MACKENZIE -2009 END

POWDER ROOM

DOOR STYLE: EURO MELAMINE

TRIM: NO

COLOUR: RUSTICA ROVERE CHIOSTRO RU-03

INTERIOR COLOUR: WHITE MELAMINE

DRAWER BOX: STANDARD- NO SOFT CLOSE

HINGES: STANDARD- NO SOFT CLOSE

COUNTERTOP: BY OTHERS

INSTALL HEIGHT: 32 1/2"

DECORATIVE HARDWARE: 9357-37 BSN



UPGRADES: N/A

DRAWN BY: Lai-Yee

DATE: DECEMBER 8, 2022

REVISED: DECEMBER 20, 2022


PAGE: 7 OF 7



#51

UPGRADE

Whirlpool®



30-inch Wide French Door Refrigerator - 20 cu. ft.

WRF560SEHZ

Find purposefully-designed storage zones for items you use most in this 30-inch french door bottom freezer refrigerator. Humidity-controlled crispers let you store fruits and veggies in their ideal environment while adjustable gallon door bins add loading flexibility when and where you need it.

Top Features

Adjustable Gallon Door Bins

Move these adjustable bins anywhere in the door for increased loading flexibility when and where you need it.

Tuck Shelf

Make room for tall items. The front adjusts and slides out of the way, creating space for things like a 2-liter bottle or large salad bowl.

Humidity-Controlled Crispers

Store fruits and vegetables in their ideal environment.

Spillproof Glass Shelves

Simplify cleanup with shelves that help contain spills and prevent liquids from leaking below.

Available Finishes/Colours

WRF560SEHB
Black

WRF560SEHV
FingerPrint
Resistant Black
Stainless Steel

WRF560SEHW
White

WRF560SEHZ
FingerPrint
Resistant Stainless
Steel

Manuals & Literature:

 [Dimension Guide](#)

 [Energy Guide](#)

 [Use and Care](#)

 [Warranty](#)

Dimensions

Depth	34 3/8
Height	68 3/8
Width	30

AHAM Volumes And Shelf Area

Freezer Volume (Cu Ft)	6.34
Refrigerator Volume (Cu Ft)	13.34
Total Volume (Cu Ft)	19.7

Configuration and Overview

Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance
-------------------------	--

Counter Depth	No
---------------	----

Configuration and Overview

Number of Doors	3
-----------------	---

Compatibility

Connectivity	No
Works With	No

Details

Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance
-------------------------	--

Cooling Type	Single Evaporator
--------------	-------------------

Counter Depth	No
---------------	----

Door Style	Contour
------------	---------

Misc.

Accessory Relationships	Yes
-------------------------	-----

LASTMAN'S BAD BOY
Josh Robins
josh@nooobody.com

500 Fenmar Drive
North York, ON M9L 2V5

Page 2 of 7



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

#51

Panasonic®

UPGRADE

Operating Instructions

Microwave Oven


Household Use Only

Model No. ~~NN-ST975S~~

NN-ST785S

~~NN-ST775S~~

~~NN-ST765S~~



1200 W

PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE USING THIS
PRODUCT, AND SAVE THIS MANUAL FOR FUTURE USE.

Inverser le manuel pour lire les instructions en français.

Panasonic Canada Inc.
5770 Ambler Drive
Mississauga, Ontario
L4W 2T3
Tel: (905) 624-5010
www.panasonic.com

F0003BP83CP
PA0215-31217
Printed in China

© Panasonic Appliances Microwave Oven (Shanghai) Co., Ltd. 2015



Specifications

TH51

	NN-ST975S	NN-ST785S NN-ST775S NN-ST765S
Power Source:	120 V 60 Hz	
Power Consumption:	12.3 A 1,460 W	
Cooking Power:*	1,200 W	
Outside Dimensions (W x H x D):	606 mm x 356 mm x 493 mm (23 7/8" x 14" x 19 7/16")	555 mm x 304 mm x 493 mm (21 7/8" x 12" x 19 7/16")
Oven Cavity Dimensions (W x H x D):	448 mm x 272 mm x 470 mm (17 5/8" x 10 11/16" x 18 1/2")	398 mm x 210 mm x 470 mm (15 11/16" x 8 1/4" x 18 1/2")
Operating Frequency:	2,450 MHz	
Net Weight:	Approx. 16.7 kg (36.8 lbs.)	Approx. 14.3 kg (31.5 lbs.)

Trim Kit for 24" Cabinet:

	NN-ST785S	NN-ST775S	NN-ST765S
Model Number:	NN-TK714S		
Outside Dimensions (W x H):	596 mm x 410 mm (23 1/2" x 16 1/8")		
Cabinet Opening (W x H x D):	600 mm x 395 mm x 533 mm (23 5/8" x 15 9/16" x 21")		

Trim Kit for 27" Cabinet:

	NN-ST975S	NN-ST785S	NN-ST775S
		NN-ST765S	
Model Number:	NN-TK922S	NN-TK722S	
Outside Dimensions (W x H):	684 mm x 472 mm (27" x 18 5/8")	684 mm x 419 mm (27" x 16 1/2")	
Cabinet Opening (W x H x D):	648 mm x 442 mm x 533 mm (25 1/2" x 17 3/8" x 21")	648 mm x 389 mm x 533 mm (25 1/2" x 15 5/16" x 21")	

Trim Kit for 30" Cabinet:


	NN-ST975S	NN-ST785S	NN-ST775S
		NN-ST765S	
Model Number:	NN-TK932S	NN-TK732S	
Outside Dimensions (W x H):	760 mm x 472 mm (30" x 18 5/8")	760 mm x 419 mm (30" x 16 1/2")	
Cabinet Opening (W x H x D):	724 mm x 442 mm x 533 mm (28 1/2" x 17 3/8" x 21")	724 mm x 389 mm x 533 mm (28 1/2" x 15 5/16" x 21")	

*IEC Test procedure

Specifications subject to change without notice.

#51

Panasonic®



Installation Instructions
Notice d'installation
Instrucciones para la instalación


Cabinet Armoire Gabinete	Trim kit Nécessaire d'encastrement Juego de acabados
24" (596 mm) 24 po (596 mm)	NN-TK714S

Read carefully and keep these installation instructions.
Lisez attentivement et conservez cette notice d'installation.
Lea cuidadosamente y guarde este instructivo de
instalación para su referencia.

© Panasonic Appliances Microwave Oven (Shanghai) Co., Ltd. 2014

#51

- 2. Installation Diagram
- 2. Schéma d'installation
- 2. Diagrama de instalación



Trim Kit Dimensions	
Width	596 mm (23½")
Height	410 mm (16⅝")
Depth (Thickness)	20 mm (¾")





Dimensions du nécessaire d'encastrement	
Largeur	596 mm (23½ po)
Hauteur	410 mm (16 ⅝ po)
Profondeur (épaisseur)	20 mm (¾ po)

Dimensiones del juego de acabados	
Ancho	23½" (596 mm)
Altura	16⅝" (410 mm)
Profundidad (grosor)	¾" (20 mm)

#51

3. Cabinet Diagram and Dimensions
3. Schéma de l'armoire et dimensions
3. Dimensiones y diagrama del gabinete

fig 1.






IgniteXL®
50" Linear Electric Fireplace

XLF50

Designed to ignite
your passion.



IgniteXL® stands apart as more lifelike and visually stunning than anything that came before it. With new, patented flame and heat technology, IgniteXL transforms the look and feel of any room. Installation is simpler and more flexible than ever, making the possibilities almost endless. Enjoy flawless panoramic views that ignite the senses from any angle.


IGNITE XL®

TH 51- BLK 51



IgniteXL[®]
50" Linear Electric Fireplace


XLF50



Color Themes



Accessories



50" Driftwood and River Rock
Accessory Package (LF50DWS-KIT)



50" IgniteXL Trim Kit (XLFTRIM50)
Allows installation of IgniteXL
in 2"x4" wall construction.
52-3/4" x 18-1/4" x 1-7/8"
(134.0 cm x 46.2 cm x 4.5 cm)

120 Volts | 1,500 Watts | 5,118 BTU
240 Volts | 2,500 Watts | 8,530 BTU

Model #	Description	Lbs / Kg	UPC	Wty	Carton Dimensions (WxHxD)		Cube	
					inches	cm	ft ³	m ³
XLF50	50" IgniteXL Linear Electric Fireplace	73.4 / 33.3	781052 098725	5 yr.	56-3/8 x 21-1/4 x 12	143.2 x 54.0 x 30.5	8.3	0.2
LF50DWS-KIT	50" Driftwood and River Rock Accessory Package	7.0 / 3.17	781052 102842		34-1/4 x 5-7/8 x 8-1/8	87.2 x 14.98 x 20.57	0.94	0.02
XLFTRIM50	50" IgniteXL Linear Electric Fireplace Trim Kit	7.7 / 3.5	781052 107953	1 yr.	56-3/4 x 3-3/4 x 6-7/8	144.0 x 9.3 x 17.5	0.83	0.02

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2020 Glen Dimplex Americas

SE-017-R07-022420

Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com

Features

- Multi-Fire XD[®] Flame Effect**
Vivid flames that are brighter and more lifelike day or night.
- Less Frame, More Flame**
Clean front face with minimal trim makes the dazzling flames the focal point.
- ComfortSaver[®] Heating System**
Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.
- Media Accent Colors**
Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
- Edgeless Design**
Installs without trim to stone, brick and other solid finish materials; includes trim for drywall and tile surfaces.
- Precision Thermostat**
Electronic thermostat maintains room temperature within 1/2°C (1°F) for perfect comfort and increased energy efficiency.
- Built-in Touch Controls**
Settings and temperature display are hidden when not in use.
- Heat Boost**
Quickly warms a room by delivering maximum heat output for a pre-determined amount of time.
- Mood-maker Remote**
Customize the light color and intensity for a fireplace that reflects your personality.
- Seamless Installation**
Low-profile design fully recesses in 2" x 6" wall construction and 2" x 4" with optional trim. Hardwire using 120V or 240V for powerful heating.
- Hardwire or Plug-in**
Includes 120V plug-in cord kit or hardwire to 120V / 240V power supply.
- Cool-touch Glass**
Glass remains cool making it safe for children and pets in any location.


TH 51. BLK 51



IgniteXL[®]
50" Linear Electric Fireplace

XLF50

Product Dimensions:




Framing
Dimensions


NOTE: The bottom sill needs to be a minimum of 3-1/2" (8.9 cm) deep. The sill can be constructed to support the front of the unit to allow the power supply wires to easily be run behind or flush with the back of the unit and a pass through hole drilled for electrical wire routing.

It is recommended that the bottom of the unit be mounted between 30" (76.2 cm) and 40" (102 cm) from the ground to maintain an optimized viewing angle of the flame.

2x6 framing




2x4 framing



WALL MOUNT.

TH51-BLK51




TH 51 · BLK 51 · Mantle Floating Box
· Paint White.

Chateau®

TH51 BLK51

POSI-TEMP®



Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

TL183EP / U361CI / UT2721 / 3669EP / A725 / 62320


Chrome \$1,357.65



Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

TL182EP / U361CI / UT2721 / 3669EP / A725 / 62320

Chrome \$1,318.08



Posi-Temp® Tub/Shower Faucet with 4 Function Hand Shower*

TL2359EP / 62320


Chrome \$548.17



Eco-Performance Posi-Temp® Tub/Shower Faucet*

TL183EP / 62320

Chrome \$318.02



Eco-Performance Posi-Temp® Shower Only*

TL182EP / 62320

Chrome \$278.45



**CHATEAU
FINISH OPTION**



Chrome

To order Chrome (C) model, use model number only.

* Refer to the Shower Design Guide for Installation Instructions

BLANCO

Sink Specifications

HORIZON U 2 SILGRANIT

~~Colour~~ ~~SKU~~

~~Anthracite~~ ~~401267~~

~~Café~~ ~~401268~~


~~White~~ ~~401269~~

~~Truffle~~ ~~401272~~

~~Cinder~~ ~~401422~~

~~Metallic Grey~~ ~~401667~~

~~Coal Black~~ ~~402679~~



Design and planning tips

- Min cabinet size: 33 in (840 mm)
- Bowl Depth: 8 in (205.0 mm)

Specifications:

Sink template, Installation instructions, 3 1/2" (90 mm) stainless steel strainer, Limited Lifetime Warranty

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Codes/Standards: CSA B45.8-18/ IAPMO Z403-2018

~~Optional Accessories~~

~~Sink Grid~~ ~~406372~~

~~Sink Grid~~ ~~406373~~

~~CapFlow Strainer Cover~~ ~~517666~~

Standard Faucet.

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:

<https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/>



BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626

Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

TH 51. BLK 51

KITCHEN

EMERY
RECTANGULAR UNDERMOUNT SINK

- 4220CGY Undermount Sink, Soft White
- 4220CGY-077 Undermount Sink, Matte Black
- 4220CGY-088 Undermount Sink, Slate Grey

PRODUCT SPECS:

- Vitreous china
- Front overflow hole
- 8 1/4" Bowl depth
- Template and mounting hardware supplied

DIMENSIONS:

Outer:
545mm W x 355mm D x 210mm H
21 1/2" W x 14" D x 8 1/4" H

Inner:
495mm W x 305mm D x 160mm H
19 1/2" W x 12" D x 6 3/4" H

COMPLIANCE CERTIFICATIONS

Meets or exceeds the following:

- IAPMO cUPC
- ASME A112.19.2 / CSA-B45.1

SHIPPING


Cube 1.85
GW 20 lbs




TO BE SPECIFIED

- Colour:
- Soft White
 - Matte Black
 - Slate Grey


NOTES: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



DETAIL OF MOUNTING CLIP



Note:
▲ Dimensions shown for location of supplies and "P" trap are suggested.



contrac

5970 CHEDWORTH WAY, UNIT B, MISSISSAUGA, ONTARIO, CANADA L5R 4G5 | CONTRAC.CA


REVISED MAY 2020

TH51. BLK 51
Vainities

TH51 BLK51

EDGE
DETAILS


004



STRAIGHT EDGE
(STANDARD - 3/4")

* Powder Room
* Master Ensuite
* Main Bath

**L.



MITER WITH SKIRT EDGE
(MEDIUM - 1 1/2")

* Kitchen



OGEE-SQUARE EDGE
(MED./HIGH - 1 1/2")

EDGING UP-GRADE OPTIONS

RECEIVED
CCT 5 17