








28	2504
292	EL. A. (R)




28 2504
292 EL. 'A' (R)

BLOCK NUMBER 292


[illegible]




FRONT ELEVATION



REAR ELEVATION



21 2504
EL. 'A'



RIGHT SIDE ELEVATION

A REWALK IS REQUIRED IF THE BUILDING AREA IS GREATER THAN 600 sq. ft. (648 sq. ft.) AS PER BUILDING CODE PART 9 LIMITATIONS SECTION 1.1.2(4.1) ## DETERMINATION OF BUILDING AREA AS PER PART 1.1.2 IS THE EXTENT OF THE GREATEST HORIZONTAL BUILDING EXTENSION WALKS ABOVE GRADE TO RE-HEAD THE CENTER OF THE REWALK (DIMENSION LINE)	
BUILDING AREA CALCULATION FOR PERMITS/AS PER O.B.C. PART 1 SECTION 1.1.2(4.1) BUILDING 3, 8.9.10.	
SECTION	BUILDING AREA
LOTS 21-24	4670.51 sq ft
LOTS 25-28	4976.44 sq ft
LOTS 29-32	4533.04 sq m
LOTS 33-36	0 sq ft
LOTS 37-40	0.00 sq m

GENERAL NOTES

1. PROVIDE FIRESTOPS AS REQUIRED BY CODES, 9.10.1.6
2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND STEP-LAY FOR ADDITIONAL INFORMATION AND VERIFICATION.
3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR TRUSS SHAPING, INSTALLATION DETAILS AND HANGER SIZES.
4. A CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE ROOF RAY DISCREPANCIES TO HINT DESIGN ASSOCIATES INC. H-DAL BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H-DAL.
5. COMPILESTRIE PROTECTION ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 10.0mm (3/16") ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3'11 1/2") OF A PROPERTY LINE OR A COMBUSTIBLE PUBLIC WAY OR 2.4m (7'10 1/2") OF A CERTAINED PROTECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.1.4.5 (1).

LEGEND

- | | |
|---|---|
| △ | POURED IN PLACE STEPS WITH MASONRY VENEER ON SIDES. |
| △ | CHOP OR PHASE BANDING BY AMOUNT INDICATED. |
| △ | ADD BANDING AND OR FINISH AS INDICATED. |
| △ | ADDED CAMBERED HEADERS. |
| △ | 8'-0" X 4'-0" GARGLE DOORS. |
| △ | DROPPED OR RAISED SOFFIT, AS INDICATED. |
| △ | ADJUSTED ROOF OVERHANG AS INDICATED ON ROOF PLAN. |
| △ | POWER GUARD PER CONSTRUCTION NOTE 11. |
| △ | FOYER SIGNMEN AS INDICATED |
| △ | LIGHT FIXTURE RELOCATED AS INDICATED. |

WALL TYPE LEGEND

DETAILS	
FR	DETAILS
45 MIN	SECTION 1, 2 & 3
60 MIN	SECTION 3 (BLOCS)
120 MIN	SECTION 3 (WOOD STUDS)
	SECTION 10

5

[illegible]

5	.	.	.
4	.	.	.
3	ISSUED FOR FINAL	.	.
2	RECEIVED BY CLIENT AND NO COMMENTS	.	.
1	ISSUED FOR CLIENT REVIEW	2003/07/04	2003/07/04
NO. OF COMMENTS	1	18	88
REVISIONS	1	1	1
DATE OF REVISION	2003/07/04	2003/07/04	2003/07/04
BY	HYUNJUNG	HYUNJUNG	HYUNJUNG



DESIGN ASSOCIATES INC.

8906 Woodview Ave. Suite 100
 7045 Piney Glen Dr. #100
 Raleigh, NC 27615
 Tel: 919.276.1234 Fax: 919.276.1235
 Email: info@huntinc.com

216951-BEAM LINK TOWN BLOCKS

3 of 3

RENTAL/2024.06.28

168' ± 1-1/4"

BB

52

216951-BEAM LINK TOWN BLOCKS

3 of 3

RENTAL/2024.06.28