SCHEDULE "A"

RATHWELL LANDING

Attached to and forming Part of this Agreement of Purchase and Sale for Builder's Lot/ Unit:

271

Plan 4M-1589, in the City of Ottawa, in the Province of Ontario (the "Real Property").

MUNICIPAL COVENANTS

I/We hereby aknowledge the following;

The owner agrees that all purchase and sale agreements for the whole or any part of a lot/block on the Plan of Subdivision shall contain the following clauses which shall be incorporated in all Transfers/Deeds from the Owner so that the clauses shall be covenants running with the lands for the benefit of the lands in the Subdivision:

- 1. The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, covenants and agrees that should damage be caused to any of the Works in this Subdivision by any action whatsoever on the part of the transferee, the General Manager, Planning, Infrastructure and Economic Development may serve notice to the Transferee to have the damage repaired and if such notification be without effect for a period of two clear days after such notice, the General Manager, Planning, Infrastructure and Economic Development may cause the damage to be repaired and shall recover the costs of the repair plus the Management Fee, under Section 427, of the Municipal Act, 2001 in like manner as municipal taxes.
- The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, covenants and agrees that he will not commence construction of any building unless,
 - a) a building permit has been issued;
 - all requirements with respect to underground Works, road base granulars and first lift of asphalt have been carried out on the Roads on which the subject lot fronts;
 - the road on which the subject lot fronts has been connected by Roads which are, at a minimum, at a similar stage of completion to the overall City Road network; and
 - d) the whole or such portion of the mass earth moving or general grading deemed necessary by the General Manager, Planning, Infrastructure and Economic Development has been completed and approved.
- 3. The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, covenants and agrees to insert a clause in all agreements of purchase and sale requiring that the purchaser direct roof leaders and sump pump hoses to a sufficiently large pervious area, all of which shall be to the satisfaction of the General Manager, Planning, Infrastructure and Economic Development.
- 4. The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, covenants and agrees that the Transferee shall not alter the slope of the lands herein described nor interfere with any drains established on the said lands, except in accordance with the established final Grading and Drainage Plan, and with the written consent of the General Manager, Planning, Infrastructure and Economic Development. Furthermore, the Transferee shall maintain the approved grading and drainage plan, and any corrective Works to alter the grading to re-instate compliance with the approved drainage and lot grading plan must be completed within five days of a receipt of a written notice from the City of Ottawa or the City of Ottawa may complete the Works at the Transferee's expense.

Furthermore, the Transferee agrees that the City of Ottawa may enter upon the lands which are the subject matter of this Transfer/Deed for the purposes of inspection or restoration of the established Grading and Drainage Plan and the cost to the City of Ottawa in performing any restoration work shall be paid to the City of Ottawa by the owner of the lands upon which such restoration work was performed, such payments to be made within 30 days of demand therefore by the City of Ottawa and failing payment as aforesaid the cost shall be added to the tax roll as provided by Section 427 of the Municipal Act 2001 and collected in like manner as municipal taxes.

P.L.M.

Purchaser

Vendor

- 5. The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, covenants and agrees that he will not plant poplar, alder, aspen, willow, elms which are subject to Dutch Elm disease, or maple trees of the fast growing variety (i.e. Silver and Manitoba) or other species as may be determined by the General Manager, Planning, Infrastructure and Economic Development within the lands to which this Transfer/Deed applies nor adjacent lands in the Transferee's ownership. Tree planting in proximity to buildings will be in accordance with the approved landscaping/ streetscaping plan, geotechnical report and the City of Ottawa's "Trees and Foundation Strategy in Areas of Sensitive Marine Clay" policy, where applicable.
- 6. The Transferee for himself, his heirs, executors, administrators, successors and assigns, covenants and agrees that "No Dumping" of any material (including snow, grass cuttings, construction debris and landscape waste) is permitted on vacant lots or on adjacent lands.
- 7. The Transferee for himself, his heirs, executors, administrators, successors and assigns, covenants and agrees that heat pumps, air-conditioning units, pool filters, sheds, and decks are building appurtenances and shall meet the minimum setback requirements established in the City of Ottawa's Zoning By-laws(s).

8. Fences

The Transferee for himself, his heirs, executors, administrators, successors and assigns acknowledges being advised that he must maintain all fences in good repair, including those as constructed by the developer along the boundary of his land, to the satisfaction of the General Manager, Planning, Infrastructure and Economic Development. The Transferee agrees to include this clause in any future purchase and sale agreements.

9. Gates

The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, acknowledges being advised that gates accessing public property are not permitted in the fences.

10. Proximity to Public Buildings/ Facilities

The Transferee, for himself, his heirs, executors, administrators, successors and assigns acknowledges being advised that parkland within this Subdivision and/or already existing in the vicinity of the Subdivision may have:

- active hard surface and soft surface recreational facilities;
- (ii) active lighted sports fields;
- (iii) recreation and leisure facilities;
- (iv) potential community centre;
- (v) library;
- (vi) day care; and
- (vii) other potential public buildings/facilities.

11. Hartsmere Drive and Dalmation Way

The Transferee, for himself, his heirs, executors, administrators, successors, and assigns, acknowledges being advised that Hartsmere Drive will not be constructed and Dalmation Way shall be closed to vehicular traffic, except for emergency vehicles, until such time as the eastwest collector road, Parade Drive and Hickstead Way are constructed from Stittsville Main Street to connecting either Fernbank Road and/ or Shea Road through the Area 6 East Land (Davidson Lands).

12. 5 Metre No-Touch Zone

The Transferee of Lots 214 to 221 for himself, his heirs, executors, administrators, successors and assigns acknowledges being advised that the rear five metres of his lot is a tree preservation and no-touch zone.

Purchaser

1.p.M Purchaser

Vendor

Notice to Purchasers

- The Purchaser acknowledges having been advised of all development charges related to the lot/block he or she is purchasing including development charges already paid and development charges that may be payable in the future.
- The purchaser acknowledges that a fire hydrant may be located or relocated at any time in front
 of any lot/block on the Plan of Subdivision to the satisfaction of the General Manager,
 Planning, Infrastructure and Economic Development.
- 3. The purchaser acknowledges that no driveway shall be located within 3.0m of a fire hydrant and that no objects, including vegetation shall be placed or planted within a 3.0m corridor between a fire hydrant and the curb, nor a 1.5m radius beside or behind a fire hydrant.
- 4. The Purchaser acknowledges that school accommodation pressures exist in the Ottawa-Carleton District School Board schools designated to serve this development, and that at the present time this problem is being addressed by the utilization of portable classrooms at local schools and/or by directing students to schools outside their community.
- The purchaser acknowledges and agrees that the postal service may be delivered by way of community mailboxes, which shall be located to the satisfaction of Canada Post.
- 6. The purchaser of any lot or block fronting on a street in which a sidewalk is proposed to be installed acknowledges that he has been supplied with, and reviewed a plan showing the proposed locations, types, size and dimensions within the boulevard of any sidewalk abutting the said lot or block. The purchaser hereby acknowledges signing a copy of the said plan as confirmation that he has reviewed the plan and is aware of the contents of the plan. The said plan shall form part of the purchase and sale agreement. The purchaser further acknowledges that the information identified on the said plan is the proposed information in respect to the lot or block and is subject to change through the City's approval process.
- The purchaser of any lot or block hereby acknowledges that he has been advised of:
 - (a) An approved Composite Utility Plan
 - (b) General plan of services required to be provided by the Owner pursuant to the Subdivision Agreement for the lot or block.
 - (c) The proposed location possible bus shelters and pads and paved passenger standing areas at bus stops.
 - (d) the proposed location for the community mailboxes within the Subdivision.
 - (e) the proposed driveway location.
 - (f) The proposed location of any streetlights, hydro transformers and utility pedestals abutting the lot.
 - (g) the proposed grading and drainage plan for the lot or block, and understands that it is the responsibility of the purchaser to maintain the proposed drainage patterns;
 - (h) The proposed location of the potential bus routes including temporary bus routes.
 - The approved Official Plan designation for the Subdivision.
 - (j) The location and types of trees.
 - (k) The zoning of the existing development and potential development lands within the Subdivision and within two kilometres of the limits of the Subdivision.
- 8. The Purchaser further acknowledges and agrees not to install a pool or landscaping prior to Final Acceptance of grading by the City. The Purchaser acknowledges being advised that some of the rear yards within this subdivision are used for on-site storage of infrequent storm events. Pool installation and/or grading alterations on some of the lots may not be permitted and/or revisions to the approved Subdivision Stormwater Management Plan Report may be required to study the possibility of pool installation on any individual lot. The Purchaser acknowledges that he must obtain approval of the city of Ottawa's General Manager, Planning, Infrastructure and Economic Development prior to undertaking any grading alterations or installing a pool on any lot within this Subdivision. It is further acknowledged and agreed that a pool may not be permitted on all lots.
- The purchaser further acknowledges that the information he has been advised of and described above is subject to change through the City's approval process.

Purchaser

P. O. M Purchaser

Vandor

10. Infiltration of Stormwater

The Purchaser acknowledges, that the grading of the subdivision and lots provides for the storage of stormwater for short periods of time during rainfall events to encourage infiltration of stormwater into the ground water table.

The Purchaser agrees not to alter the grade in the rear yard or install swimming pools which would interfere with this ponding and infiltration of stormwater. The Purchaser agrees to seek the advice and approval of the City prior to undertaking any grading alterations.

11. Maintenance of Park and Stormwater Management Blocks

The Purchaser acknowledges that although the park block and stormwater management blocks are located adjacent to one another, the function of each block differs significantly and so may the level of service associated with operation and maintenance, which shall include but not be limited to such things as grass cutting for the stormwater management block.

12. Snow Removal

The Transferee for himself, his heirs, executors, administrators, successors, and assigns acknowledges being advised that it is the Transferee's responsibility to remove snow and ice from the driveway portion of the City-owned boulevard. This obligation applies to City-owned boulevard located both in front of the Transferee's property and at the rear of the Transferee's property if there is a public lane adjacent thereto.

The Transferee covenants with the transferor that the above clause, verbatim, shall be included in all subsequent Agreements of Purchase and Sale and Deeds conveying the lands described herein, which covenant shall run with the said lands and is for the benefit of the owner of adjacent road.

- 13. The original colours as chosen by the Transferor for the architecturally controlled exterior house colour package may not be altered without the prior written consent of the Transferor for fifteen (15) years for the initial transfer of the property from the Transferor in order to maintain architectural consistency throughout the community.
- 14. The Designers and Builders of this Subdivision together with the City of Ottawa have developed a Conservation Handbook designed to provide the homeowners with information on the sensitive natural features in and around Rathwell Landing. The objective of this Conservation Handbook is to identify the natural features in your neighbourhood and to provide advice how homeowners can be good environmental stewards to ensure that these natural features remain healthy over the years to come. The Purchasers acknowledge receipt of this Handbook.

Dated at Offaue	this	19_day of	January	,2020.
SIGNED, SEALED AND		Purchaser	l <u>.</u>	1989 - 10 -25 Birth Date
Vitor & Hr. Witness:		Purchaser Purchaser	M	1990-09-18 Birth Date

(as to all Purchaser's signatures, if more than one purchaser)

Per:

Valecraft Homes Limited

Pirchaser

Hawa this <u>33</u> day of Jane

SCHEDULE "B"

SPECIFICATIONS Singles & Bungalows 800 & 1000 SERIES RL Phase 2

PLAN#: 4M-1589 Rathwell Landing MODEL: 810 C Std 3 Bed Kemp LOT: 271

CIVIC ADDRESS: 753 Parade Dr.

Annexed to the Agreement of Purchase and Sale between VALECRAFT HOMES LIMITED and Pavankumar Laxmikant Malaghan and Priyadarshini Devaraddi Mangannavar

The Vendor agrees to include the following items in the purchase price herein:

LANDSCAPING:

- Nursery Grown Sodding
- Precast Patio Slab Walkway
- Tree Planting as per Municipality approved Landscape Plans
- Asphalt basecoat paved driveway
- Lot to be graded to Municipality approved Grading Plan

EXTERIOR FINISHES

- Brick, stone, vinyl &/or vinyl cedar shakes on front façade as per plan Complete with Signature Valecraft Homes Ltd decorative
- brick at front entrance
- Composite Board on 2nd storey front elevation as per plan
- Maintenance-free vinyl siding with aluminum soffit and fascia as per plan
- Limited Lifetime warranty self-sealing fiberglass roof shingles
 - Maintenance-free Low E Argon filled PVC vinyl windows and wood jamb extension throughout (where applicable) operable and
- non-operable as per OBC
- Colonial embossed insulated steel clad doors leading to exterior (Front door with thermal glass lite) (as per plan)
- Front entrance door with sidelite and/ or feature highliter windows as per plan
- PVC vinyl sliding patio doors w/ wood jamb extension at rear as per plan
- Oversized basement window(s) as per plan
- Screens on all operating windows including basement and sliding patio door
- Steel sectional overhead garage door w/ insert lite
- Weatherstripping on all exterior insulated doors and all operating windows
- "Augusta Satin Nickel" front entrance grip set on front entrance door with security dead bolt or equivalent
- Poured concrete steel reinforced porch (with broom finish) at front entrance
- Cement parging on all above grade concrete
- "Bristol" vertical Aluminum Mail Box in black or equivalent
- Maximum Roof Air Ventilation

STRUCTURAL AND FRAMING:

- Poured concrete Foundation Walls with steel reinforcement
- High density polyethylene drainage membrane
- Engineered Steel Beams and Steel Posts as per plan
- Kiln dried floor joists or pre-engineered floor joist system
- Exterior Walls 2" x 6" kiln dried studs @ 16" o/c
- Interior Walls 2" x 4" kiln dried studs @ 16" o/c (except for basement) (as per plan)
- Basement Exterior Walls 2" x 4" kiln dried studs @ 24" o/c full height
- Tongue and groove engineered OSB subfloor sheathing (joints sanded and screwed to joists throughout)
- Engineered OSB roof sheathing c/w H-clips
- Prefabricated roof trusses as per engineered design

INSULATION:

Exterior walls:

R-20 Fiberglass batt + R5 Continuous Insulated OSB Panel

Ceiling attics:

R-50 Fiberglass blown

- Fully insulated & drywalled garage
- Floors over unheated space:

R-40 Fiberglass blown

- Cathedral/sloped ceilings

R-31 Fiberglass batt (where applicable)

- Basement exterior walls:

R-20 Fiberglass batt, to approx. 8" above finished floor max.

6 Mil polyethylene vapour barrier

ELECTRICAL:

- Underground utility wiring including hydro, bell and cablevision
- 200 amp service with 60 circuit breaker panel
- Heavy duty receptacles for stove and dryer
- "Decora" Style white plugs and switches throughout (except exterior)
- Smoke detectors & Carbon monoxide detector as per O.B.C.
- Front door chime
- Ceiling light fixture in all bedrooms
- Ceiling Fixture in dining room (where applicable as per plan)
- Two exterior weather protected plugs
- Chrome vanity lighting fixture in all bathrooms
- Silver light fixture package supplied and installed by the Vendor
- Electrical outlet in garage ceiling for future garage door opener
- Exterior light at all rear exterior doors

P. L.M Purchaser P.D.M

Vendor

ROUGH-INS:

- Connection Centre including 5 Multi Media Outlets. Each outlet to be complete with 3x CAT5(e) and 1x RG-6 coax wire. Each
- outlet to be capped with one 4 port finishing plate. Locations to be selected by Purchaser except Inventory Homes and Models are preselected by the Vendor.
- Conduit from basement to attic space for future wiring requirements
- Central vacuum rough-in (as per plan)
- Plumbing rough-in for future basement bathroom including ventilation rough-ins (as per plan) (Does not include waterline or electrical rough-ins)

PLUMBING AND FIXTURES:

- Vitreous China lavatory complete with single lever faucets in all bathrooms except laundry tub as per plan
- Double stainless steel kitchen sink with single lever faucet and veggie sprayer
- Power vented high-efficiency hot water heater (rental) in Mechanical room (rental fee is determined by utility company)
- Pedestal sink in powder room (except models 1010 & 1030)
- 5' fiberglass tub and shower enclosed with full height ceramic tiled walls w/self-sealing grout to ceiting in ensuite and main bathroom (as per plan)
- Pressure balanced valves on all showers
- Hot and cold taps installed for automatic washer connection
- Two exterior hosebibs (one in garage, one in rear)
- Plumbing rough-in for future dishwasher installation
- Laundry tub installed with hot and cold taps
- Low flush water conserving toilets with elongated bowl
- Chrome tissue holders, towel bar, robe hook, towel ring where applicable
- White plumbing fixtures in all bathrooms
- Shut off valves at all hot & cold lavatory and kitchen sink supply lines
- Sleeve for future waterline to fridge

HEATING AND VENTILATION:

- Natural gas fired forced air high efficiency furnace with electronic pilot ignition in Mechanical room
- All duct work sized for future air conditioning requirements
- Separate switch exhaust fans in all bathrooms and powder room vented to exterior
- Kitchen exhaust fan Microwave/Hood Fan combination (white) over range vented to exterior
- All ductwork is cleaned prior to occupancy
- Programmable thermostat
- Heat Recovery Ventilation (HRV) and Humidifier in Mechanical room
- Enercare Smarter Home Essentials Package (complimentary for 3 years)

FIREPLACE:

- Natural gas direct vented fireplace with decorative black trim kit as per plan
- Polished porcelain or ceramic tiled w/self-sealing grout fireplace surround

FLOORING:

- 36 oz. quality carpet in all finished areas c/w 11 mm foam underpadding except areas shown as ceramic or hardwood as per plan. Choice of one colour throughout.
 - Ceramic tile w/self-sealing grout at front entrance, kitchen, dinette, powder room, laundry room, entrance from garage, main bath
- and ensuite bath (from Builder's Standard selections) as per plan
- 3 1/8" Engineered natural oak hardwood flooring in Great Room, Dining Room/ Flex Room, Lower Hallway and 2nd floor
- hallway where applicable as per plan

INTERIOR TRIM, CABINETRY AND FINISH CARPENTRY:

- Builder's standard painted raised panel interior passage doors
 - Pre-hung Builder's standard painted raised panel swing doors c/w bullet catch on all closet doors except pre-finished sliding closet
- doors located as per plan
- 4 1/8" Nivaga style baseboard and 2 3/4" Nivaga style casing throughout (MDF painted white)
- Privacy sets for all bathrooms, powder room and master bedroom
- Satin chrome door hardware on interior doors
- Security deadbolt at front entrance door and garage entry door inside home
- Approx. 36" upper kitchen cabinetry
- Kitchen cabinetry with laminate countertops
- Vanities w/laminate countertops (including backsplash in same material) in all bathrooms (except powder room as per plan)
- Kitchen cabinetry opening for future dishwasher
- Kitchen pantry as per plan
- Solid natural oak colonial spindles, posts, and/or handrail as per plan
- Natural oak nosing under standard railing areas as per plan
- Soft close on all cabinetry doors & drawers (excluding corner cabinets)
 - Single full width Melamine Laundry shelf approximately 12" Deep to be installed in all main & second floor laundry rooms above
- washer and dryer

INTERIOR FEATURES &FINISHES:

- 9' Ceiling height on ground floor
- Textured stipple ceilings with decor perimeter in all finished areas except bathrooms, powder room and kitchen which shall have smooth ceilings
- Two-tone paint: one builder standard colour latex paint to be used throughout (semi-gloss latex for bathrooms, powder room,
- kitchen), All trim shall be white semi-gloss latex
- Mirrors with bevelled square corners above all bathroom vanities and powder room
- Kitchen backsplash ceramic tiled w/ self-sealing grout 6" x 6" (from builder's standard backsplash selections)

<u> WARRANTY COVERAGE:</u>

- 7 Year major structural warranty
- 2 Year mechanical and building envelope warranty
- 1 Year material and workmanship warranty




P. D.M



The Purchaser acknowledges that:

- 1. Prices and specifications which do not form part of this Agreement are subject to change without notice at the sole discretion of
- The vendor may substitute materials of equal or greater value without consent.
- The Vendor has the right to exercise full architectural control over exterior finishes and as such, the Vendor shall have final approval of all colour selections.
- 4. All colour and material selections are to be made from builder's standard samples unless otherwise paid for as an upgrade.
- The vendor may, at his discretion, add brick to external sideyard walls to enhance the streetscape and/or to comply to municipal
 agreements.
- 6. The purchaser understands that all decorator items, furnishings, appliances, draperies, painted colour walls, and floors, wallpaper, panelling, alarm system, central air conditioning and eavestroughing found inside the model homes are for display purposes only and do not constitute standard items in the purchase price.
- Service location, hot water tank and furnace location, basement wall height, specifications and material finishes may vary from model homes/plans.
- 8a. The number of steps required at entrances into the home may vary from the model home/plans depending on individual lot grading requirements.
- 8b. Purchaser acknowledges that exterior railings may be required at front and garage entrance stairs depending on individual lot grading.
- 9. Basement window wells may or may not be required depending upon individual lot grading requirements.
- 10. The purchaser understands that renderings and brochures are an artist's concept and that some variations may occur to the final finished product.
- 11. The Purchaser understands that vertical and horizontal chaseways, dropped ceilings and or bulkheads may be added or deleted in, but not limited to; kitchens, main floor living areas, finished basements, closets, pantries, laundry room, powder rooms, bathrooms and/or at wall and ceiling corners respectively in order to accommodate mechanical systems at the Vendor's discretion.
- 12. The Purchaser understands that all Multi Media locations are approximate and vary from chosen locations.
- 13. The purchaser understands that due to normal manufacturing production materials which are installed in their home may vary slightly in colour from the vendor's samples and/or model homes.
- 14. Due to the natural composition of such materials as Granite, Marble & some Quartz, inherent variations in texture, colour and consistency are to be expected and considered normal. As such, the Purchaser agrees not to hold the Vendor liable for such variations.
- 15. The wood used in the finishing products of your home such as wood flooring, cabinetry and railings exhibit natural variations in colour tone, graining pattern and consistency. As no two pieces of wood are identical, these natural variations will create colour variations upon staining thereby making it virtually impossible to achieve true colour consistency.
- Any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser(s) agrees is not the responsibility of the Vendor and agrees that the Vendor shall not be liable in respect of such issues. The Purchaser(s) also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure. The Purchaser(s) is advised that the Ontario Building Code recommends against the installation of wood flooring in kitchens, bathrooms, entrance halls, laundry, and general storage areas (the "Designated Areas"). Wood flooring is water permeable and over time such flooring and sub-flooring beneath it could deteriorate if moisture persists. Should the Purchaser(s) selections for materials for the dwelling include wood flooring in the designated areas, the Purchaser(s) assumes the risks described herein voluntarily.
- 17. Zoning bylaws specify maximum driveway widths which are based upon frontages. A tapering of your driveway may be required depending upon the frontage and specifically if the frontage is less than average as in the case of a pie-shaped lot.
- 18. The grading and drainage of your lot has been designed and engineered to ensure that surface water is directed away from your home and into swales. These swales run at the side and rear of your property lines. Swales generally have more aggressive slopes relative to the general layout of your lot and will always occupy a portion of the useable space of your lot to serve their function properly.
- 19. Purchaser(s) acknowledge the requirement to install an approximate 3' x 3' landing with stairs at the garage entrance to the house as per OBC if more than 3 risers are required as a result of grading.
- Purchaser(s) acknowledge that kitchen and bathroom ceramic wall border and or decorator insert tiles selected by the Purchaser(s) are installed at the discretion of the installation contractor unless specified otherwise by the Purchaser(s).
- 21. Purchaser(s) acknowledge that High Efficiency Washing machines have the potential to create vibrations due to the tub spinning at very high speeds.

at very night speeds.		
Py aly-		
60 0.04		VALECRAFT HOMES LIMITED
Priya.D.M		
PURCHASER		1
Jan 19/20		January 33, 2000
DATE		DATE
		MODEL: 810 C Std 3 Bed Kemp
LOT NUMBER:	271	PROJECT: Rathwell Landing



Schedule B1A

Rathwell Landing - Phase 2

PURCHASERS: Pavankumar Laxmikant Malaghani and Priyadarshini Devaraddi Mangannavar

Printed: 19-Jan-20 12:21 pm

1 - STANDARD - HUMBING GENERAL (EVAPORATOR)	LOT NUMBER PHASE HOUSE TYPE			0200000			
1 - STANDARD - HARDWOOD - 3-1/8 BNCH NATURAL OAK ENGINEERED HARDWOOD		271	2	810 THE KEMP 3 BED ELEV C			
1 - BONUS - DECOR CENTER CREDIT OF \$10,000.00 87525 Note: asia - \$10,000 bonus - \$9227.co has been applied to the purchase price the runnilader \$673,00 to be color at electropolishment 2	1075512. C	NT. BYTHAN CHANGE				TRESCOSSARIONE	
2 1 STANDARD - BUILDERS STANDARD CEILING LIGHT FIXTURE IN MASTER BEDROOM 20190 CW SEPRARATE SWITCH APPROXIMATELY CENTERED ON MASTER BEDROOM CEILING 3 1 STANDARD - HARDWOOD - 3-1/3 INCH NATURAL OAK ENGINEERED HARDWOOD 36582 FLOORING IN UPPER HALLWAY 17063 Note: 4 1 STANDARD - HARDWOOD - 3-1/3 INCH NATURAL OAK ENGINEERED HARDWOOD 187065 Note: 5 1 STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) 17066 Note: 6 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIIXIE 90189 17065 Note: 6 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIIXIE 90188 DARWERS ON ALL CABINETRY THROUGHOUT HOUSE 17066 Note: Excluding Conner Cabinetry Where Applicable 7 9188 BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-ins 8 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 17068 Note: as per schedule II - PHANA II PROVINCE AND	1		NTER CREDIT OF \$10,	,000.00			
1002 Note:	17061	Note: total - \$ 10,000 bonu taken at decor appoint	ıs - \$ 9327.00 has been app	olied to the purchase price the remainder \$ 673.00 to be			
1 STANDARD - HARDWOOD - 3-1/8 INCH NATURAL OAK ENGINEERED HARDWOOD 17063 Note: 1 STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) 10187 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1 STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-ins 8 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD CABINETRY 17205 Note: as per schedule H - OPTIONAL TO STANDARD TO SIDE A STANDARD TO SIDE A STANDARD TO SIDE A STANDARD TO SIDE ITE AS PER SCHEDULE WITH STANDARD TOWEL BAR FOR 3 X 3 TILED SHOWERS 17185 Note: IN ENSUTE As per schedule H 11 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX - SFT XSFT SHOWER BASE WITH BUILDERS STAND	2 90190	1 STANDARD - BUILI C/W SEPARATE SWITCH	DERS STANDARD CEIL APPROXIMATELY CE	LING LIGHT FIXTURE IN MASTER BEDROOM ENTERED ON MASTER BEDROOM CEILING			
17063 Note: 1 STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 17064 Note: 1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 17065 Note: 1 STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE 17066 Note: Excluding Corner Cabinetry Where Applicable 1 STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT 17176 Note: Does Not include Electrical Rough-ins 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD CABINETRY 1 FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite: as per attached schedule H 17183 Note: 1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR WITH STANDARD TOWEL BAR FOR S X 3 TILED SHOWERS 17185 Note: IN ENSUTE As per schedule H 11 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD COMBINATION TO A APPROX . SFT XSFT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES. 17186 Note: Does not include Shower don't DENSUTE as per schedule H 12 CAS LINE FOR RANGE COW 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST ELECTRICAL. 17187 Delete Does not include scripting theorems or connection New decisions to well decided for a microwave	17062	Note:			<u> </u>		
1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) 17064 Note:				ATURAL OAK ENGINEERED HARDWOOD			
1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE	17063	Note:			<u> </u>		
1 STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE 1005 1006 1 STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON 90188 DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE 1006 Note: Excluding Corner Cabinetry Where Applicable 1 STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT 90186 BATHROOM AS PER SCHEDULE H 1017 Note: Does Not Include Electrical Rough-ins 8 102487 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 2 - KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 1 - FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 10 1 - BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 9 1 - BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 9 1007 10 1 - BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 11 1 - CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER 17185 Note: IN ENSUITE As per schedule H 11 1 - CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER 28685 COMBINATION TO A APPROX. SFT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES Note: Does not include Shower door IN ENSUITE as per schedule H 12 1 - GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST ELECTICAL 110 10 10 10 10 10 10 10 10 10 10 10 10		1 STANDARD - POWE	ER HUMIDIFIER GENE	RAL (EVAPORATOR)			
90189 17065 Note: 1 STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE 17066 Note: Excluding Corner Cabinetry Where Applicable 1 STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-ins 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 17205 Note: as per schedule H - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 17183 Note: as per schedule H - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 17183 Note: as per attached schedule H 17183 Note: 10 1 - BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUTTE As per schedule H 11 1 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUTTE as per schedule H 12 1 GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST ELECTRICAL 1107 Nets. Does not include vertiler changes or connection. New dedicated outlet should be added for a microwave build be added for a microwave.	17064	Note:					
1STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE 17066 Note: Excluding Corner Cabinetry Where Applicable 1STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-ins 1KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD CABINETRY 17205 Note: as per schedule H - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 9 1-FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 17183 Note: 10 1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUTE As per schedule H 11 28685 COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES Note: Does not include Shower door IN ENSUTE as per schedule H 12 1 GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL		1 STANDARD - SLEE	VE FOR FUTURE WAT	ERLINE TO FRIDGE	e e		
90188 DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE 17066 Note: Excluding Corner Cabinetry Where Applicable 1 STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT 90186 BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-Ins 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 102487 CABINETRY 17205 Note: as per schedule H - OPHON# PLAN PLAN PLAN PLAN PLAN 17183 Note: 1 FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 17183 Note: 10 1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 90076 WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUITE As per schedule H 11 1 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUITE as per schedule H 12 1 GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL	17065	Note:	<u> </u>			<u> </u>	
1STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: Does Not include Electrical Rough-ins 1KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD CABINETRY 17205 Note: as per schedule H - OPHONE PLAN Pop. 1-FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 17183 Note: 10		1 STANDARD - SOFT DRAWERS ON ALL CAR	CLOSE DOORS AND I	FULL EXTENSION SOFT CLOSE TRACK ON JT HOUSE			
90186 BATHROOM AS PER SCHEDULE H 17176 Note: Does Not Include Electrical Rough-ins 8 1 KITCHEN - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 102487 CABINETRY 17205 Note: as per schedule H - OPTIONAL KITCHEN LAYOUT AS PER PLAN IN BUILDERS STANDARD 9 1 - FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 17183 Note: 10 1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUITE As per schedule H 11 1 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUITE as per schedule H 12 1 GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST ELECTRICAL 17102 Plates Dees not include venting changes or connection. New dedicated outlet should be added for a microwave	17066	Note: Excluding Corner Ca	abinetry Where Applicable				
10-2487 CABINETRY 17205 Note: as per schedule H - OPHONE PLM Port 17205 Note: as per schedule H - OPHONE PLM Port 17205 Note: as per schedule H - OPHONE PLM Port 17206 1-FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H 17183 Note: 10							
17205 Note: as per schedule H - OPHON PLM P.O. P.O.	17176	Note: Does Not Include Electrical Rough-Ins					
1-FOYER - Foyer extend the wall in betweenFlex room and foyer approx 2' 6" to be in line with the front door side lite. as per attached schedule H Note: 1BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS Note: IN ENSUITE As per schedule H 1CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES Note: Does not include Shower door IN ENSUITE as per schedule H 1GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST ELECTRICAL Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave		CABINETRY		TAS PER PLAN IN BUILDERS STANDARD			
front door side lite. as per attached schedule H Note: 1 - BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 90076 WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUITE As per schedule H 1 - CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES Note: Does not include Shower door IN ENSUITE as per schedule H 1 - GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	17205	Note: as per schedule H	- Option II		 - -	 	
10 1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 90076 WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUITE As per schedule H 11 1 CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUITE as per schedule H 12 1 GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL 17102 Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	9	1 - FOYER - Foyer exten front door side lite. as per	d the wall in betweenFle attached schedule H	x room and foyer approx 2' 6" to be in line with the			
90076 WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS 17185 Note: IN ENSUTE As per schedule H 1	17183	Note:	<u> </u>			<u> </u>	
11 1 - CERAMIC SHOWER - UPGRADE BUILDERS STANDARD TUB & SHOWER COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUITE as per schedule H 12 1 - GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL 17102 Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	2702	1 BATHROOMS - SHOWER DOOR - KAMELEON 55IN - 59IN BRUSHED NICKEL/CLEAR 6 WITH STANDARD TOWEL BAR FOR 5 X 3 TILED SHOWERS					
28685 COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD CERAMIC WALL TILES 17186 Note: Does not include Shower door IN ENSUITE as per schedule H 12 I - GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND 29014 ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL 17102 Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	17185	Note: IN ENSUITE As p	er schedule H				
12 I GAS LINE FOR RANGE C/W 120V OUTLET. DELETE THE MICROWAVE HOODFAN AND 29014 ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL 17102 Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	11 2868:	35 COMBINATION TO A APPROX. 5FT X3FT SHOWER BASE WITH BUILDERS STANDARD					
29014 ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL 17102 Note: Does not include venting changes or connection. New dedicated outlet should be added for a microwave	17186	Note: Does not include Si	nower door IN ENSUITE as	per schedule H	<u> </u>		
seperately. A Make-up system may be required if a larger CFM hoodfan is required as per schedule H	2901	ADJUST UPPER CABINETRY TO ACCOMODATE A BASIC WHITE HOODFAN AND ADJUST ELECTRICAL					
	17192	seperately. A Make	-up system may be required	if a larger CFM hoodfan is required as per schedule H			

PREPARED BY: Victoria Hum


LOCKED BY:
PE 869-1
InvoiceSQL.rpt 10Sept19

ndor Initials: PLM P.D.M

ONSTRUCTION SCHEDULING APPROVAL

PER: _____

DATE: _



Schedule B1A

Rathwell Landing - Phase 2

PURCHASERS: Pavankumar Laxmikant Malaghani and Priyadarshini Devaraddi Mangannavar

Printed: 19-Jan-20 12:21 pm

LO	OT NUMBER	PHASE 2	HOUSE TYPE 810 THE KEMP 3 BED ELEV C	CLOSING DATE
91700 14.5	1 200 F C C 1 4 8	a		
		13 SEER R - 410A - GOODMA	NN GSX13024 2 TON	
17193 No	ote: Location to be dete	ermined by Head Office		
	- HARDWOOD - LA REAS	AUZON ENGINEERED HARD	WOOD - 3 - 1/8"STAINED - STANDARD	*
17198 No	ote: as per schedule	Н		
28994 SC	**************************************	APPROX. 56IN X 30IN BASEM Storage are Q g distance at side yard as per Curren	MENT WINDOW LOCATION AS PER	

PURCHASER:

mikant Malaghani

19-Jan-20

PURCHASER:

Priyadarshini Devaraddi Mangannavar DATE

19-Jan-20

VENDOR:

PER: Valecrast Homes Limited

PREPARED BY: Victoria Hum

LOCKED BY: PE 869-2 InvoiceSQL:rpt 10Sept19

CONSTR	UCTION S	CHEDU	LING API	PROVAL	
PER:		-	- 3 <u>- 3</u> -	-	-

DATE:

SCHEDULE "C-1"

This Agreement of Purchase and Sale is conditional until five (5) business days from acceptance of this offer, upon the Purchaser obtaining satisfactory Financing, failing which, this Agreement of Purchase and Sale shall become null and void and all deposit monies shall be returned to the Purchaser without interest or penalty.

Within fourteen (14) days of the condition respecting financing is waived, the Purchaser agrees to provide the Vendor with written confirmation of the approval of their mortgage.

This Agreement of Purchase and Sale is conditional until five(5) business days from acceptance of this offer, upon the Purchaser obtaining the Lawyer's approval as to the wording of the Agreement, failing which this Agreement of Purchase and Sale shall become null and void and all monies shall be returned to the Purchaser in full without interest or penalty.

Dated at OTTHWH this 15 day of	January, 20 20
Witness Stranger	Purchaser
Witness & the	Purchaser Purchaser
	VALECRAFT HOMES LIMITED
BLOCK/UNIT: 271	Bl
PLAN: 4M-1589	PER January 33, 3000
PROJECT: Rathwell Landing	DATE:

PROJECT:

