


FRIGIDAIRE GALLERY

FGHD2368T D/F

FRENCH DOOR REFRIGERATOR

21.7 CU. FT. COUNTER-DEPTH

Smudge-Proof™
Stainless Steel



AVAILABLE COLORS



PRODUCT DIMENSIONS

Height (Including Hinges & Rollers)	69-7/8"
Width (Doors)	36"
Depth (Including Door)	28-1/2"

MORE EASY-TO-USE FEATURES

Even Temp™

Even temperature throughout the refrigerator.

Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator.

Store-More™ Flip-Up Shelves

Easily make room for tall or large items.

Multi-Level LED Lighting

Corner-to-corner LED lighting throughout the refrigerator for better visibility.

Store-More™ Shelves

More space to store your food with edge-to-edge shelves.

Full-Width Cool-Zone™ Drawer

A large capacity Cool Zone™ drawer extends completely and provides space to easily store anything from sheet cakes and large platters to snacks and juice boxes.

Express-Select® Controls

Easily select options with the touch of a button.

Freezer Basket with Divider

Deep freezer storage with adjustable divider keeps food organized and accessible

Effortless™ Glide Freezer Drawers

Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

Quick Freeze

Quickly freeze foods so they stay at their freshest.

Store-More™ Bins

Our bins are designed to store more, so you can fit gallon size beverages.


CERTIFICATIONS

ENERGY STAR®




Star-K® Certified (Sabbath Mode)

SIGNATURE FEATURES




Crisp Seal™

Sealed humidity-controlled crispers maintain moisture for market-fresh produce.




Effortless™ Glide Crisper Drawers

Our humidity-controlled crisper drawers can be configured any number of ways, either side-by-side or stacked on top of each other so you can organize your refrigerator the way you want.



PureSource Ultra™ II Ice & Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra™ II Water Filters remove 99.3% of lead and 99.9% of cysts from your household water.



PureAir Ultra™ II Filters

Our PureAir Ultra™ II air filters effortlessly keep the air in your refrigerator fresh.

Project: Rathwell Landing
Plan No. 4M-1589
Lot: 298
Model: McCabe 1016
Purchaser: Allan Joseph Robichaud
Jane A Jackson

Feb 17, 2020

frigidaire.com / frigidaire.ca

FGHD2368T D/F
FRENCH DOOR REFRIGERATOR
21.7 CU. FT. COUNTER-DEPTH

FRIGIDAIRE
GALLERY

FEATURES

Door Design	Tall Soft-Arc
Door Handle Design	Black Stainless (D), Stainless Steel (F)
Cabinet Finish	Black (D), Gray (F)
Door Stops/Door Closers	Yes/Yes
Door Hinge Covers	Hidden
Rollers - Front/Rear	Adjustable/Yes
Water Filter Location	Top-Right Fresh Food Section
Sound Package	

DISPENSER

Controls	Express-Select™
Dispenser Design	Flush, Single-Paddle
Number of Dispenser Buttons	11
Crushed Ice / Cube Ice / Water	Yes / Yes / Yes
Ice Option / Freeze Option	No / Quick Freeze
Display On / Off Option	Yes
Lock / Light	Yes / Yes
Temp / Door Ajar / Power Failure Alerts	Yes / Yes / Yes
Water Filter Change Indicator Light	Yes
Air Filter Change Indicator Light	Yes

REFRIGERATOR FEATURES

Lighting	Multi-Level Designer LED
Water Filter Type	PureSource Ultra® II
Air Filter Type	PureAir Ultra® II
Quarter-Width Fixed Shelves	1 Flip-Up Store-More™
Half-Width Fixed Shelves	3 Store-More™
Quarter-Width Sliding Shelves	
Half-Width Sliding Shelves	
Cantilever Shelves	Yes
Store-More™ Full-Width Drawer	1 Cool Zone™
Hanging Wine Rack/Can Dispenser	
Crisper Drawer/Humidity Controls	2 Clear/2
Dairy Compartment	
Store-More™ Fixed Door Bins	2 Clear (1 per door)
2-Liter Fixed Door Bins	1 Clear
Gallon Adjustable Door Bins	2 Clear
2-Liter Adjustable Door Bins	1 Clear
Dispenser Bin	1 Clear
Non-Slip Bin Liner / Bottle Retainers	Yes / Yes

FREEZER FEATURES

Self-Closing Pull-Out Drawer	Yes
Sliding Full-Width Freezer Baskets	2 Effortless™ Glide
Basket Dividers	1 (Bottom Basket)
Lighting	LED
Automatic Ice Maker (2nd Ice Maker)	Optional

CERTIFICATIONS

ENERGY STAR®	Yes
Star-K® Certified (Sabbath Mode)	Yes

SPECIFICATIONS

Total Capacity (Cu. Ft.)	21.7
Refrigerator Capacity (Cu. Ft.)	14.9
Freezer Capacity (Cu. Ft.)	6.8
Power Cord Connection Location	Right Bottom Rear
Water Inlet Connection Location	Left Bottom Rear
Voltage Rating	120V/60Hz
Connected Load (kW rating) @ 120 Volts¹	1.02
Amps @ 120 Volts	8.5
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	347 Lbs.


¹For use on adequately wired 120V dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.

PRODUCT DIMENSIONS

A-Height (Including Hinges & Rollers)	69-7/8"
B-Cabinet Width / Door Width	35-7/8" / 36"
C-Depth (Including Door)	28-1/2"
Depth with Door Open 90°	42-1/2"
Depth with Drawer Fully Extended (Including Handle)	45-1/2"

"BUILT-IN LOOK" CUTOUT DIMENSIONS

Height (Including Hinges and Rollers)	70-1/4"
Width	36"
Depth	25"



Feb 17, 2020

Rathwell Landing

4M-1589

298

Model: McCabe 1016

Purchaser: Allan Joseph Robichaud
Jane A. Jackson




Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca. Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FGHD2368T 10/17
© 2017 Electrolux Home Products, Inc.



INSTALLATION SPECIFICATIONS

- Product Shipping Weight (approx.) = 347 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NECA 70) and local codes & ordinances.
- Voltage Rating - 120V/60 Hz
- Connected Load (kW Rating) @ 120 Volts = 1.02kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. (*Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal*)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.

- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure - Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

"BUILT-IN LOOK" SPECIFICATIONS

- Minimum opening of 70-1/4" H x 36" W x 25" D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.



FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca. Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FGHD2368T 10/17

© 2017 Electrolux Home Products, Inc.

Feb 17, 2020
Project: Rathwell Landing
Plan No. 4M-1589
Lot: 298
Model: McCabe 1016
Purchaser: Allan Joseph Robichaud
Jane A. Jackson


FRIGIDAIRE

GALLERY

FGGC3047QS

Frigidaire Gallery 30"
Gas Cooktop

AVAILABLE
COLORS



SIGNATURE FEATURES

Angled Front Controls
Easy to use angled front controls

Continuous corner-to-corner
grates
Move Heavy Pots & Pans without
lifting with continuous, corner-to-
corner grates

Dishwasher-safe cast iron
grates
Easy to Clean with dishwasher-safe
cast iron grates

SpillSafe® Cooktop
Cooktop contains your spills for
easier clean up.

PRODUCT DIMENSIONS

Height	4-1/4"
Width	30"
Depth	21-3/4"

MORE EASY-TO-USE
FEATURES

Seamless Recessed Burners
Easy to Clean with seamless
recessed burners.

Low Simmer Burner
Perfect for delicate foods and
sauces.

Approved Over Frigidaire®
Electric Wall Ovens
Cooktops are approved for
installation above any of our Single
Electric Wall Ovens.

Durable Stainless Steel
Cooktop
Premium look that stands up to
every day use.

Express-Select® Controls
Easily go from warm to boil.

Power Burner
Power Burner offers more power
and faster boil time.

Feb 17, 2020
Project: Rathwell Landing
Plan No. 4M-1589
Lot: 298
Model: McCabe 1016
Allan Joseph Robichaud
Jane A. Jackson

CERTIFICATIONS
ADA Compliant



frigidaire.com/frigidaire.ca

FGGC3047QS

Frigidaire Gallery 30" Gas Cooktop

FRIGIDAIRE

GALLERY

General Specifications

Shipping Weight (lbs)	55
PROP 65 Label	Yes
Made In USA	No
Reconditioned	No
Gas Connection Location	Right Rear
Product Weight (lbs)	51
Power Type	Gas
Size	30"
Installation Type	Drop-In
Collection	Frigidaire Gallery
Installation Type	
Oven Combo Approved	Yes
Controls	
Control Location	Front
Cooktop Specifications	
Knob Color	Stainless Steel
Electrical Specifications	
Connected Load @ 120V	0.12
Voltage Rating	120V 60Hz
Amps @ 120 Volts	1
Min Circuit Required	5A
Connection Location	Right Rear

Dimensions: Cut-Out

Width	27-1/4" - 28-1/2"
Depth	19-1/8" - 19-3/4"
Height	8"
Cooktop	
Grates	3 Continuous Grates
Left Rear	7500 BTU
Grate Color	Black Matte
Electronic Ignition	Electronic Pilotless
Center	450 - 18000 BTU
Right Rear	5000 BTU
Grate Material	Cast Iron
Left Front	9500 BTU
Right Front	12000 BTU
Certifications & Approvals	
Agency Approval(All Brands)	CSA
ADA Compliant - All Brands	Yes
Sabbath Mode	No
Accessories	
LP Conversion Kit	Included
Dimensions: Exterior	
Width	30"
Height	4-1/4"
Depth	21-3/4"



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.
Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FGGC3047QS
©2017 Electrolux Home Products, Inc.

Feb 17, 2020
Project: Rathnall Landing
Plan No. 4M-1589
Lot: 298
Model: McCabe 1016
Purchaser: Allan Joseph Robichaud
Jane A. Jackson


FRIGIDAIRE

GALLERY

FGMC3066UD



Frigidaire Gallery 30"
Electric Wall
Oven/Microwave
Combination



AVAILABLE
COLORS

Stainless
Steel

MORE EASY-TO-USE
FEATURES

Sensor Cooking Options
Microwave automatically adjusts power levels and cooking times to cook a variety of items, effortlessly.

Smudge-Proof® Black
Stainless Steel
Practical has never looked so stylish with Smudge-Proof™ Black Stainless Steel, a beautiful new finish with an easy-to-clean fingerprint resistant surface.

Our Largest Capacity Oven
Cook more at once with 5.1 cubic feet of oven capacity.

Over 30 Setting Options
Offers multiple settings to meet your cooking needs, including chicken nuggets and snacks.


Easy to Clean with Self-Cleaning
Your oven cleans itself - so you don't have to. Self clean options available in 2, 3, and 4-hour cycles.

Effortless™ Reheat
Reheat almost anything at the touch of a button.


One-Touch Keep Warm
Setting
Just one touch of a button keeps food warm until everything - and everyone - is ready.

CERTIFICATIONS
Star-K® Certified (Sabbath Mode)


SIGNATURE FEATURES



Faster, More Even Baking
Results with True Convection
Get faster, more even multi-rack baking with a powerful convection fan and third heating element that evenly circulates hot air throughout the oven.



Effortless™ Temperature Probe
The Effortless™ Temperature Probe detects and alerts when the desired finished cooking temperature has been reached and automatically switches to the keep warm setting.



frigidaire.com/frigidaire.ca

Feb 17, 2020

Project: Rathwell Landing

Plan No. 4M-1589

Lot: 298

Model: McCabe 1016

Purchaser: Allan Joseph Robichaud
Jane A. Jackson

FGMC3066UD

Frigidaire Gallery 30" Electric
Wall Oven/Microwave
Combination



General Specifications

Product Weight (lbs)	275
PROP 65 Label	No
Power Type	Electric
Size	30"
Installation Type	Built-in
Collection	Frigidaire Gallery
Oven	
Bake	2200 Watts
Baking System	True Hidden Bake
Broil	6 pass 4000 Watts
Broiling System	Variable (400°F to 550°F)
Cleaning System	Self Clean w/Steam Clean Option
Convection	2500 Watts
Convection System	Single Fan
Oven 1 Interior Color	Midnight Black
Oven 1 Interior Depth	19-1/2"
Oven 1 Interior Height	18-5/8"
Interior Lighting	2 Halogen
Oven 1 Interior Width	24-1/8"
Rack Configuration	1 HD Handle 1 Offset
Rack Positions	6 positions
Type	Main
Window	Large
Internal Specifications	
Microwave Interior Depth	18-5/8"
Microwave Interior Heigh	10-1/2"
Microwave Interior Width	17-3/8"
Certifications & Approvals	
ADA Compliant - All Brands	No
Agency Approval(All Brands)	UL
Sabbath Mode	Yes

Microwave Oven Controls

Auto Cook Options	3 Options (Bacon Frozen Entree Rice)
Baked Potato	Yes
Chicken Nuggets	No
Defrost Options	3 Options (Meat Poultry Fish)
Keep Warm	No
Melt/Soften	4 Options (Butter Chocolate Ice Cream Cream Cheese)
Numerical Pad	Yes
Popcorn	Yes
Power Level Button	Yes
Reheat Options	3 Options (Dinner Plate Soup/Sauce Casserole)
Sensor Cook Options	4 Options (Frozen Breakfast Ground Meat Fish or Seafood Chicken Breast)
Sensor Reheat	No
Snack Options	No
Start Button	Yes
Stop Button	Yes
Timer	Yes
User Preferences	Yes
Veggies Button	Yes
Dimensions: Cut-Out	
Depth	23-3/4"
Height	41-1/8" - 41-1/4"
Width	28-1/2" - 29"
Capacities	
Microwave Capacity (Cu. Ft.)	1.6
Oven 1 Capacity	5.1
Microwave Oven Specifications	
Frequency (MHZ)	2450
Interior Light	LED
Turntable Diameter	13.5"
Accessories	
Meat Probe	Yes



Feb 17, 2020

Project: Rathwell Landing


Plan No. 4M-1589

Lot: 298

Model: McCabe 1016

Purchaser: Allan Joseph Robichaud
Jane A. Jackson

Cooking Controls		Oven Light	Yes
Add-a-Minute	Yes	Quick Preheat	Yes
Bake	Yes	Self-Clean	2 3 4 Hours
Cook Duration	Yes	Set Clock	Yes
Broil	Variable	Start Button	Yes
Cancel Button	Yes	Timer Function	Yes
Convect	Bake Roast	Electrical Specifications	
Convection Conversion	Yes	Amps @ 240 Volts	30.38 / 35.25
Automatic Oven	Multiple Functions	Connected Load @ 240V	7.9 / 5.9
Keep Warm	Yes	Min Circuit Required	30A
Lockout	Yes	Connection Location	Left Rear Bottom
Keypad Entry Time & Temp	Yes	Voltage Rating	240V / 208V 60Hz



FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FGMC3066UD
©2017 Electrolux Home Products, Inc.

Feb 17, 2020

Project: Rathwell Landing

Plan No. 4M-1589

Lot: 298

Model: McCabe 1016

Purchaser: Allan Joseph Robichaud
Jane A. Jackson



Tel: (613) 748-0432
Fax: (613) 748-0355

A Division of the S&S Bolton Group
www.ssbolton.com

Estimate No#: OR3266 Rev.02

Customer Copy

Customer:

Allan Joseph Robichaud & Jane A. Jackson
159 Hickstead Way

Home: 613-821-0400
Cell: 613-435-4024
Email: aunt.buddy@hotmail.com

Builder: VALECRAFT HOMES LTD.
Project: Rathwell Landing Singles Ph 2 -
Lot: 200amp included
Closing Date: 0298
-

Salesperson: Jason Thompson (OR)
Date: 02/14/2020

Location	Qty	Product / Installation Details	Plan Code	Unit Price	Customer Total
Great Room	1.00	(4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets (4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets - Location as shown on floor plan - Approx 72 inches from floor above fire place beside plug		\$	0.00 \$
Bedroom #2	1.00	(4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets (4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets - Location as shown on floor plan		\$	0.00 \$
Master Bedroom	1.00	(4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets (4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets - Location as shown on floor plan		\$	0.00 \$
Loft	1.00	(4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets (4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets - Location as shown on floor plan		\$	0.00 \$
Bedroom #3	1.00	(4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets (4) Port Plate - (1) Phone CAT5e & (2) Data CAT5e & (1) Cable RG6 Outlets - Location as shown on floor plan		\$	0.00 \$
N/A	1.00	2" PVC Conduit from Basement to Attic 2" PVC Conduit from Basement to Attic		\$	0.00 \$
N/A	1.00	Vacuum Rough-In Outlet Vacuum Rough-In Outlets		\$	0.00 \$

*** Total price does not include any applicable taxes.

Customer Total: 0.00 \$

www.orbitalti.com

x
Customer Signature

Feb 17, 2020
Date

Feb 17, 2020




Phone: (613) 748-0432 | Fax: (613) 748-0355 | Email: info@orbitalti.com | Website: www.orbitalti.com

5411 Canotek Road, Ottawa, Ontario K1J 9M3

Printed By: Jason Thompson (OR) - Page: 2





Tel: (613) 748-0432
Fax: (613) 748-0355

A Division of the S&S Bolton Group
www.ssbolton.com

Estimate No#: SS2740 Rev.03

Customer Copy

Customer:

Allan Joseph Robichaud & Jane A. Jackson
159 Hickstead Way

Home: 613-821-0400
Cell: 613-435-4024
Email: aunt.buddy@hotmail.com

Builder: VALECRAFT HOMES LTD.
Project: Rathwell Landing Singles Ph 2 -
Lot: 200amp included
Closing Date: 0298

Salesperson: Jason Thompson
Date: 02/13/2020

Location	Qty	Product / Installation Details	Plan Code	Unit Price	Customer Total
Great Room	1.00	Add 15 AMP plug approx 72 inches from floor above fireplace beside conduit	A	90.00 \$	90.00 \$
Kitchen	1.00	Relocate standard fixtures from kitchen and dinette to island and leave as keyless for future pendant lighting - add 1 additional keyless fixture (3 in total)	D	98.00 \$	98.00 \$
Kitchen	1.00	Add 6 LED Halo potlights (AFR4-0930-WH) on added switch (switch relocated from dinette)	E	945.00 \$	945.00 \$
Great Room	1.00	Add 6 LED Halo potlights (AFR4-0930-WH) on added switch	F	1,023.00 \$	1,023.00 \$

*** Total price does not include any applicable taxes.

Customer Total: 2,156.00 \$

+5.2% tax (112.11\$)
2268.11\$

* Jackson
Customer Signature

Feb 17, 2020
Date

X [Signature]

Feb 17, 2020

[Signature]

[Signature]



THE MCCABE

MODEL 1016
1510 SQ. FT. or
1964 SQ. FT. elevation loft

Site: Rathwell Landing

Purchaser: Allan Joseph Robichaud




Plan No.: 4M-1589

Lot: 298

Date: Feb 17, 2020

Purchaser: Jane A. Jackson

Electrical Sketch



All dimensions are approximate. Exterior illustrations are artist concepts only and may not be as shown. E & O.E. plans, materials, and specifications are subject to change without notice. Actual useable floor space may vary from the stated floor area. *Note: Number of steps varies due to site grading.

Handwritten initials in a red circle.

Handwritten initials in a red circle.

Handwritten initials in a red circle.

Handwritten initials in a red circle.

E & O.E. 06/03/2019-N

Project: Rathwell Landing
Plan No: 4M-1589 Lot No: 298
Model: 1016 McCabe Date: Feb 17, 2020
Purchaser: Allan Joseph Robichaud
Purchaser: Jane A. Jackson




BUILDER: VALE CRAFT	PROJECT: Rathwell Landing
REDESIGN NUMBER:	MODEL: 1016 McCabe
DONE BY:	DATE: Feb 17, 2020

LOT: 298

Kitchen Sketch

21, 22, 23, 24, 25, 26, 28

Handwritten initials and signature






DIMENSIONS SUBJECT TO CHANGE DEPENDING ON SITE CONDITIONS



1964 SQ. FT. elevation loft

Date: February 17 2020

Purchaser: Jane A. Jackson



OPTIONAL 5PC ENSUITE

SECOND FLOOR - ELEVATION LOFT

E. & O.E. 06/03/2019-N