



CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: 16-Sep-20

CABINETRY

Inv. 60	1 - VANALCE UNDER MOUNT LIGHTING IN KITCHEN
2	
Line 901	Note:
29Jan20 / 29Jan20	
Inv. 100	1 - KITCHEN: DELETE UPPER CABINETS ABOVE STOVE FOR FUTURE CHIMNEY HOOD FAN
55	
Line 1334	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: INSTALL (29H) SLIDE-IN STOVE PREP
56	
Line 1335	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: INSTALL (33H) CABINET FOR UNDER COUNTER MICROWAVE IS ISLAND.
57	WITH TRIM KIT AND DRAWER BELOW
Line 1336	Note:
11May20 / 5Jun20	
Inv. 100	4 - KITCHEN: INSTALL (04B) DUMMY DOORS ON ISLAND, FOUR (4)
62	
Line 1344	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: INSTALL (11A) UPPER ANGLE CORNER CABINET
64	
Line 1345	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: (08C) UGRADE LOWER DOORS IN EXISTING PANTRY TO POT DRAWERS
65	
Line 1347	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: INSTALL (04H) FRIDGE ENCLOSURE (WITH 1 WALL, 1 GABLE)
66	
Line 1348	Note:
11May20 / 5Jun20	
Inv. 100	2 - KITCHEN: INSTALL (12B) POTS AND PAN DRAWER TWO (2)
67	
Line 1349	Note:
11May20 / 5Jun20	
Inv. 100	4 - KITCHEN: INSTALL (A2) ADDITIONAL EXTENDED UPPERS OVER DESK AREA
68	
Line 1350	Note:
11May20 / 5Jun20	
Inv. 100	1 - KITCHEN: INSTALL (17B) DESK DRAWER
69	
Line 1351	Note:
11May20 / 5Jun20	
Inv. 100	1 - MASTER ENSUITE: INSTALL (12D) VANITY BANK OF DRAWERS
70	
Line 1352	Note:
11May20 / 5Jun20	
Inv. 100	1 - MAIN BATH: INSTALL (11D) VANITY BANK OF DRAWERS
71	
Line 1354	Note:
11May20 / 5Jun20	

CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: 16-Sep-20

Inv. 100	1 - KITCHEN: INSTALL TWO-TONE CABINETS, ISLAND TO BE DIFFERENT COLOUR FROM THE REST OF THE CABINETS IN KITCHEN (40J)	Note:
Line 1455		
11May20 / 5Jun20		
Inv. 100	1 - LAUNDRY ROOM: INSTALL LAUNDRY UPPERS	
72		Note:
Line 1456		
11May20 / 5Jun20		
Inv. 100	1 - KITCHEN: INSTALL CROWN MOULDING IN KITCHEN	
58		Note:
Line 1338		
11May20 / 5Jun20		
Inv. 100	1 - KITCHEN: INSTALL (13J) FASCIA CEILING PANELS	
59		Note:
Line 1339		
11May20 / 5Jun20		
Inv. 100	1 - KITCHEN: INSTALL (19B) GARBAGE RECYCLING CENTRE	
60		Note:
Line 1341		
11May20 / 5Jun20		
Inv. 100	2 - KITCHEN: INSTALL (26B) BASE PIE-CUT CORNER CABINETS (X2)	
61		Note:
Line 1342		
11May20 / 5Jun20		

CERAMIC TILE

Inv. 100	1 - KITCHEN: INSTALL STANDARD LEVEL BACKSPLASH UP BEHIND THE CHIMNEY HOOD FAN, TO TOP OF CABINETS.	Note:
54		
Line 1333		
11May20 / 5Jun20		
Inv. 100	1 - FOYER: INSTALL UPGRADE 2 FLOOR TILE IN FOYER	
42		Note:
Line 1321		
11May20 / 5Jun20		

CONSTRUCTION

Inv. 60	1 - DOUBLE DOOR TO REPLACE SINGLE DOOR ENTRANCE	
1	9FT BASEMENT CEILING HEIGHT FINISHED	
	ADD OPTIONAL DOOR TO BEDROOM 4 ENSUITE - AS PER FLOOR PLAN	
Line 900		Note:
29Jan20 / 29Jan20		

COUNTERTOP

Inv. 100	1 - KITCHEN: INSTALL LEVEL 2 MSI COUNTERTOP	
36		Note:
Line 1316		
11May20 / 5Jun20		
Inv. 100	1 - POWDER ROOM: INSTALL UPGRADE CAESARSTONE IN POWDER ROOM	
37		Note:
Line 1317		
11May20 / 5Jun20		

CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: **16-Sep-20**

Inv. 100	1 - MASTER ENSUITE: INSTALL UPGRADE CAESARSTONE IN MASSTER ENSUITE
39	
Line 1319	Note:
11May20 / 5Jun20	

ELECTRICAL

Inv. 68	1 - KITCHEN: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE- FOR GAS STOVE
12	
Line 943	Note:
30Jan20 / 3Feb20	
Inv. 68	1 - BELL AND CABLE LOCATION SKETCH. LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
5	
Line 935	Note:
30Jan20 / 3Feb20	
Inv. 68	1 - GREAT ROOM: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE FOR FUTURE TV ABOVE FIREPLACE
7	
Line 937	Note:
30Jan20 / 3Feb20	
Inv. 68	1 - KITCHEN: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE. TO GO IN KITCHEN ISLAND FOR FUTURE BUILT-IN MICROWAVE
8	
Line 938	Note:
30Jan20 / 3Feb20	
Inv. 68	5 - KITCHEN: INSTALL FIVE (5) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATION OF STANDARD HAS MOVED OVER ISLAND. LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
15	
Line 946	Note:
30Jan20 / 3Feb20	
Inv. 68	1 - KITCHEN: CEILING FIXTURE - RELOCATE STANDARD CEILING FIXTURE TO GO ABOVE ISLAND. LOCATION MAY VARY SLIGHTLY DUE TO JOIST LOCATION
16	
Line 947	Note:
30Jan20 / 3Feb20	
Inv. 68	6 - BREAKFAST AREA: INSTALL SIX (6) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
17	
Line 948	Note:
30Jan20 / 3Feb20	
Inv. 68	6 - GREAT ROOM: INSTALL SIX (6) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
18	
Line 949	Note:
30Jan20 / 3Feb20	
Inv. 68	4 - DINING ROOM: INSTALL FOUR (4) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
19	
Line 950	Note:
30Jan20 / 3Feb20	
Inv. 68	4 - MAIN HALL: INSTALL FOUR (4) POT LIGHT - 4" LED NON-INSULATED CEILINGS. DELETE STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
20	
Line 951	Note: DELETE STANDARD LIGHTS IN MAIN HALL ONLY
30Jan20 / 3Feb20	
Inv. 68	6 - FOYER: INSTALL SIX (6) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
21	
Line 952	Note:
30Jan20 / 3Feb20	

CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: 16-Sep-20

Inv.68	4 - BASEMENT: INSTALL FOUR (4) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS	Note:
Line 953		
30Jan20 / 3Feb20		
Inv.68	9 - BASEMENT: INSTALL NINE (9) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS	Note:
Line 954		
30Jan20 / 3Feb20		
Inv.68	9 - BASEMENT: INSTALL FOUR (4) POT LIGHT - 4" LED NON-INSULATED CEILINGS. KEEP STANDARD LIGHT- LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS	Note:
Line 955		
30Jan20 / 3Feb20		
Inv.68	6 - MASTER BEDROOM: INSTALL SIX (6) - 4" LED POT LIGHTS- INSULATED CEILINGS	
Line 956		Note:
30Jan20 / 3Feb20		
Inv.68	4 - BEDROOM #2: INSTALL FOUR (4) - 4" LED POT LIGHTS- INSULATED CEILINGS	
Line 957		Note:
30Jan20 / 3Feb20		

HARDWOOD FLOORING

Inv.60	1 - LAMINATE FLOORING IN LIEU OF CARPET IN BASEMENT	
3	HARDWOOD IN LIEU OF CARPET ON ENTIRE SECOND FLOOR AS PER BUILDER STANDARD SELECTIONS	
Line 902		Note:
29Jan20 / 29Jan20		
Inv.100	1 - GREAT ROOM: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION	
Line 1322		Note:
11May20 / 5Jun20		
Inv.100	1 - DINING ROOM/HALL: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	
Line 1323		Note:
11May20 / 5Jun20		
Inv.100	1 - KITCHEN/BREAKFAST AREA: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	
Line 1324		Note:
11May20 / 5Jun20		
Inv.100	1 - UPPER HALL: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	
Line 1325		Note:
11May20 / 5Jun20		
Inv.100	1 - MASTER BEDROOM: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	
Line 1326		Note:
11May20 / 5Jun20		
Inv.100	1 - BEDROOM #2: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	
Line 1327		Note:
11May20 / 5Jun20		

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: 16-Sep-20

Inv.100	1 - BEDROOM #3: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	Note:
Line 1328		
11May20 / 5Jun20		
Inv.100	1 - BEDROOM #4: INSTALL LEVEL 1 HARDWOOD, STAINED COUNTRYSIDE COLLECTION THROUGHOUT	Note:
Line 1329		
11May20 / 5Jun20		
Inv.100	1 - STAIR LANDINGS: INSTALL SANDED LANDINGS	
Line 1331		Note:
11May20 / 5Jun20		
Inv.100	710 - BASEMENT: INSTALL SYNERGY LAMINATE THROUGHOUT BASEMENT	
Line 1332		Note:
11May20 / 5Jun20		

HVAC

Inv.68	1 - FILTRATION - HUMIDIFICATION - CONTROL - FLO - THRU HUMIDIFIER LARGE HE205 - 18 GAL	
Line 944		Note:
30Jan20 / 3Feb20		
Inv.98	1 - AIR CONDITIONER - INSTALL ROUGH - IN AIR CONDITIONER	
Line 1284		Note:
17Apr20 / 20Apr20		
Inv.100	1 - KITCHEN: INSTALL GAS PIPING AND OTHER - GAS LINE R/I FOR MAIN FLOOR STOVE UP TO 3/4 INCH LINE	Note:
Line 1314		
11May20 / 5Jun20		
Inv.100	1 - LAUNDRY ROOM: INSTALL GAS PIPING AND OTHER - GAS LINE R/I FOR DRYER - UP TO 3/4 INCH LINE	Note:
Line 1315		
11May20 / 5Jun20		

INTERIOR DOORS & TRIM

Inv.100	1 - TRIM: UPGRADE TRIM THROUGHOUT TO TUDOR, UPGRADE 3	
Line 1340	1 1/8" X 3 1/2" TUDOR BACKBAND CASING MDF, 7 1/4" BASE MDF	Note:
11May20 / 5Jun20		

MISCELLANEOUS

Inv.100	1 - MASTER ENSUITE: INSTALL FRAMELESS SHOWER ENCLOSURE	
Line 1343		Note:
11May20 / 5Jun20		
Inv.100	1 - BONUS PACKAGE: \$7500.00 WORTH OF UPGRADES FROM VALERY HOMES DÉCOR CENTRE IS BEING APPLIED TOWARD THE COLOUR APPOINTMENT.	Note:
Line 1459		
11May20 / 5Jun20		

CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: **16-Sep-20**

Inv.100	1 - Purchaser has attended a Colour appointment at the Decor Centre & has DECLINED any additional upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made	
74	Note:	
Line 1460		
11May20 / 5Jun20		
Inv.100	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee	
75	Note:	
Line 1461		
11May20 / 5Jun20		
Inv.98	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee	
30	Note:	
Line 1285		
17Apr20 / 20Apr20		
Inv.60	1 - ASPHALT PAVED DRIVEWAY	
4	Note:	
Line 903		
29Jan20 / 29Jan20		
Inv.68	1 - Purchaser has attended a Structural appointment at the Decor Centre & has DECLINED any additional upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing	
27	Note:	
Line 958		
30Jan20 / 3Feb20		
Inv.68	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee	
28	Note:	
Line 959		
30Jan20 / 3Feb20		

PAINT

Inv.100	2 - STAIRCASE: STAIN 2 SETS OF STAIRS	
51	Note:	
Line 1330		
11May20 / 5Jun20		

PLUMBING

Inv.68	1 - BACKFLOW PREVENTER VALVE	
14	Note:	
Line 945		
30Jan20 / 3Feb20		
Inv.68	1 - KITCHEN: INSTALL EXTRA ROUGH-IN LINE FOR FRIDGE ICE MAKER WITH SHUT-OFF	
11	Note:	
Line 942		
30Jan20 / 3Feb20		
Inv.100	2 - MASTER ENSUITE: INSTALL UNDERMOUNT SINK IN MASTER ENSUITE (X2)	
40	KOHLER CAXTON RECTANGLE	
	K-20000	
Line 1320	Note:	
11May20 / 5Jun20		



CONSTRUCTION SUMMARY

North Oakville - 100 - 1 - SPARROW (38-01) Elev A

Registere Plan Number: Municipal Address: Closing: 16-Sep-20
1 - POWDER ROOM: INSTALL UNDERMOUNT SINK IN POWDER ROOM (X1)

KOHLER CAXTON RECTANGLE

K-20000

Note:

11May20 / 5Jun20

1 - KITCHEN: INSTALL UPGRADED SINK

MOEN SLEEK SINGLE HANDLE PULLOUT KITCHEN FAUCET
MODEL# 7864 SRS

Note:

11May20 / 5Jun20

VACCUM/BELL

1 - BASEMENT: INSTALL ADDITIONAL INTERNET - CAT-6 NETWORK CABLE IN BASEMENT.
SEE SKETCH

Note:

11May20 / 5Jun20

1 - BASEMENT: INSTALL ADDITIONAL CABLE ROUGH-IN. CAT-5E NETWORK CABLE-
LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS

Note:

30Jan20 / 3Feb20

1 - GREAT ROOM: INSTALL CONDUIT - 1 1/4" ORANGE FLEX CONDUIT APPROX. 15FT FOR
ATTIC FOR FUTURE TV ABOVE FIREPLACE

Note:

30Jan20 / 3Feb20


1 - WIRELESS ACCESS POINT PACKAGE - 2-CAT6 NETWORK CABLES AND 2-UBIQUITI AC
LITE ACCESS POINTS.SEE SKETCH FOR CAT-6 LOCATIONS. UBIQUITI ACCESS POINTS: ONE
ON MAIN FLOOR, ONE ON SECOND

Note:

30Jan20 / 3Feb20

Girardin *J. Girardin*

INCLUDES 671 SQ. FT. FINISHED BASEMENT



1994's *Portrait of a Woman*. Her screen image has been a mix of sexy and sexy-but-not-too-sexy. She's been a sex symbol, but not one that's caused controversy, like the *Basic Instinct* actress. She's been a sex symbol, but not one that's caused controversy, like the *Basic Instinct* actress. She's been a sex symbol, but not one that's caused controversy, like the *Basic Instinct* actress.

JUN 05 2020

NOT IN (W) (W)

Our website uses cookies and similar tools to improve its performance and enhance your user experience. By continuing to use this website without changing your settings you consent to their use. To find out more about the cookies we use or how to change your settings, please see our cookies policy. [OK](#) [Learn more.](#)

Panasonic


Countertop NN-ST765S   

Consumer Business eStore Support About Us

FRANÇAIS

Price  \$ 329.99


Microwave Ovens > Countertop



NN-ST765S

Evolved Genius[®] Microwave with Cyclonic Inverter Technology

- 1,200 W High Cooking Power
- Genius Sensor Cooking with 14 Categories
- 10-level Power Settings
- 3-multi-stage Cooking
- Sensor Reheat
- Cyclonic Inverter Technology
- Full LED Lighting System



New Cyclonic Inverter Technology

Microwaves in 3D Cyclonic Wave Technology evenly distributes energy throughout the entire cavity and heats any size or shape of food evenly.



Cyclonic Inverter



Cyclonic Inverter

 Reheating Beverages

...

Defrosting 



1.6 cu. ft.
Oven capacity

1200 Watt
Cooking power

304 x 555 x 493 mm
Exterior dimensions (H x W x D)




SEE ALL SPECS




NN-TK722S

27" Trim kit for NN-ST765S



NN-TK732S

30" Trim kit for NN-ST765S



NN-TK714SS

24" Trim kit for NN-ST765S

NX58H9500WS

Net 100



5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

Features

- Slide-in Design
- 5 Gas Burners
 - Right Front: Dual 18K BTU
 - Left Front: 15K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: 9.5K BTU (Oval)
- Large Oven Capacity -- 5.8 cu. ft.
- Guiding Light Controls
- Cast Iron 3 Piece Grates
- Reversible Cast Iron Griddle
- Wok Grate
- True Convection Oven (3-Fan)
- Temperature Probe
- Warming Drawer (3 Levels)
- Grate Indicator Marks
- Healthy Cook Options



Convenience

- Auto Oven Light
- Sabbath Mode
- Delay Start
- Auto Shut-Off Option
- Child Safety Lock
- Self Clean
- 3 Favorite Cook Presets
- 4 Healthy Cook Presets
- 3 Chrome Oven Racks, including 1 Split Rack




Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."*


- J.D. Power



Power/Flexible Cooktop



Guiding Light Controls



Cast Iron Reversible Griddle

Available Color



Stainless Steel

Signature Features

POWERFUL/FLEXIBLE COOKTOP

- True dual-power burner allows for even heat distribution and reduced cooking time, plus the convenience of a large oval burner.

GUIDING-LIGHT CONTROLS

- Intuitive controls offer simple, step-by-step instructions for choosing cooking options.
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- Control temperature and time settings, select cooking functions and program your favorite recipes.

TRUE CONVECTION

- Heated fan system is great for baking and broiling because temperature is distributed thoroughly and food cooks evenly.

REVERSIBLE CAST IRON GRIDDLE

- Reversible griddle provides the flexibility of cooking on flat or grilled surface, while the Cast Iron provides even cooking.

GRATE INDICATOR MARKS

- Indicator marks located on the grates allow cookware to be ideally placed for precise cooking.

SAMSUNG


NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

INSTALLING YOUR RANGE



30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

** 18" minimum between the countertop and the adjacent cabinet bottom.




IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions



Glass cooktop overlaps and sits on top of your kitchen countertop to give a built-in look.
Cut out space for the range is 29 13/16."



Total Power (BTU)
57,000 BTU

Power Source
120 V/60 Hz

Black Enamel 5 Burner Cooktop

- Right Front: 18000 BTU -- Dual
- Left Front: 15000 BTU
- Right Rear: 5000 BTU
- Left Rear: 9500 BTU
- Center Rear: 9500 BTU -- Oval

Oven

- Bake: 150°F - 550°F
- Convection Bake: 150°F - 550°F
- Bake Burner: 18000 BTU
- Broil Burner: 16000 BTU
- Variable Broil: Low/Hi (375°F - 480°F)
- Convection Roast: 150°F - 550°F
- Sabbath Mode

Warming Drawer

- Capacity: 0.7 cu. ft.
- Heating Performance: 600 W
- Temperature Settings: 3 Level

Warranty

One (1) Year All Parts and Labor
Five (5) Years Gas Cooktop

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:
25" x 21 1/8" x 19"

Outside Dimensions:

29 13/16" x 36 3/16-37 3/16" (Adjustable) x 26 3/8"

Weight: 202 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

32 7/8" x 43 11/16" x 30 1/8"

Weight: 225 lbs.

Color

Stainless Steel

Model #

NX58H9500WS

UPC Code


887276032047

SAMSUNG

*Samsung received the highest numerical score for ranges, cooktops and ovens in the proprietary J.D. Power 2014 Kitchen Appliance StudySM. Study based on 15,380 total responses measuring 17 ranges, cooktops and oven brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit jdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2014 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com.



VARNA WALL



LED light with dimmer

The clean lines, beautiful sloping angles and stainless steel finish of Varna make a striking visual statement. Available in 30" or 36" width, Varna features include a powerful 600 CFM blower, LED dimmable lighting, dishwasher-safe stainless steel microhole filter, and easy to use glass capacitive touch controls that deliver convenience and safety.

Designed for standard ducted installation, Varna can also be installed with recirculating system using the kit available as an accessory.

LED TECHNOLOGY SERIES

Dimensions | Models

30"W x 19 11/16"D x 10 1/4"H | EVR630S2
VARNA 30"

36"W x 19 11/16"D x 10 1/4"H | EVR636S2
VARNA 36"



AMBIENT LIGHT



TOP PERFORMANCE



HUSH



DIM-LIGHT



LED LIGHT



CRS
CFM REDUCTION


LOT 100  

VARN,

FEATURES

Size (in) & Type	36" or 36" wide Wall Chimney
Finish	Stainless Steel + Black Glass
Controls	Touch Control 3S + Booster
Illumination	2 Premium LED Dimmable Lights
Installation Type	Ducted, Recirculating Kit sold seperatly
Blower Type	Speed 1, 160 CFMs Speed 2, 280 CFMs Speed 3, 470 CFMs Speed 4, 600 CFMs
Filter Type	Dishwasher- Safe, Staineless Steel Microhole Filter
Noise (sones):	Min: 1.93, Max: 6 Sones
Duct Transition	Round 6"/150cms
Electrical	120 Volts, 60 Hertz, 265 Watts, 2.2 Amps

Technical Drawing



	EVR630S2	EVR636S2
A	30" (76.2 cm)	36" (91.4 cm)
B	19 1/8" (50 cm)	
C*	Max: 42 1/8" (107 cm) Min: 28 5/16" (72 cm)	
D**	Max: 38 3/16" (97 cm) Min: 28 5/16" (72 cm)	
E	6" (15.24 cm)	
F	7 3/16" (18.3 cm)	
G	8 3/16" (20.8 cm)	

* Ductless (Recirculating) version
** Ducted version

Elica Design Center

Accessories

Optional Recirculating Kit
CODE: KIT02766 / (30", 36"

Optional Long Chimney Extensor
CODE: KIT02762 / (30", 36"

PLUS



TOP PERFORMANCE

Excellent performance for models equipped with this plus. High tune capturing capacity with an average aspiration range of 600 CFMs. With a noise level between 60-65 db(A) at maximum speed (reference point varies based on the hood category).



AMBIENT LIGHT

Elica studies on hood lighting leaves no stone unturned. Here we have thought about products not only able to light the cooktop, but the entire kitchen space. And so the hood is transformed from a kitchen appliance to a true lighting element. Considering the design of Elica hoods, it is not hard to imagine how this option is unique and represents one extraordinary point of strength for us.



LED LIGHT

LED lighting is undoubtedly the smartest solution in terms of energy saving. Expected life time of over 20,000 hours, represents the most remarkable advantage of LED light bulbs.



HUSH SYSTEM

An exclusive sound deadening technology that effectively reduces sound levels by over 35%, compared to typical range hoods.



DIM LIGHT

The Dimmer allows you to adjust the brightness of the light, as you wish. With Elica lighting is customized in a discreet, personal and practical way in order to contribute to creating the perfect kitchen atmosphere.



CFM REDUCTION

CFM Reduction System (CRS), is an exclusive feature to Elica hoods, which enables the installer to reduce the maximum blower CFM, to meet local code requirements.

