

North Oakville - 166 - 1 - DOVE (38-03) Elev A

Register Plan Number: Municipal Address: Closing: 1-Oct-20

CABINETRY

Inv.120	1 - KITCHEN: INSTALL 2-BIN GARBAGE/ RECYCLE CENTRE (19B)
28	
Line 1613	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL UPPER ANGLE CORNER CABINET (11A)
29	
Line 1614	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL BASE PIE-CUT CORNER WITH LAZY SUSAN (27B)
30	
Line 1615	Note:
11Jun20 / 18Jun20	
Inv.120	2 - KITCHEN: INSTALL TWO (2) LONG TOP DRAWERS IN KITCHEN (9B). ONE (1) IN ISLAND, ONE BESIDE FRIDGE. SEE SKETCH
31	
Line 1616	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: DELETE UPPER CABINETS ABOVE STOVE FOR FUTURE CHIMNEY HOOD FAN
33	
Line 1617	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL LEVEL 7 CABINETS THROUGHOUT KITCHEN
34	
Line 1618	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL DIFFERENT COLOUR CABINET ON ISLAND (40J)
35	
Line 1619	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL FRIDGE ENCLOSURE (04H) INCLUDES DEEP UPpers AND 1 DEEP GABLE
36	
Line 1620	Note:
11Jun20 / 18Jun20	
Inv.120	1 - MASTER ENSUITE: INSTALL LEVEL 4 CABINETS ON MASTER ENSUITE VANITY
39	
Line 1623	Note:
11Jun20 / 18Jun20	
Inv.120	3 - KITCHEN: INSTALL ADDITIONAL 3' OF BASE CABINETS (LEVEL 6) WHERE WALL OVEN WILL NOW GO. (1B) SEE SKETCH
21	
Line 1606	Note:
11Jun20 / 18Jun20	
Inv.120	3 - KITCHEN: INSTALL ADDITIONAL 3' OF EXTENDED UPPER CABINETS (LEVEL 6) WHERE WALL OVEN WILL NOW GO. SEE SKETCH
22	
Line 1607	Note:
11Jun20 / 18Jun20	
Inv.120	1 - KITCHEN: INSTALL WALL OVEN UNIT (19H)
23	
Line 1608	Note:
11Jun20 / 18Jun20	

CONSTRUCTION SUMMARY

North Oakville - 166 - 1 - DOVE (38-03) Elev A

Registere Plan Number: Municipal Address: Closing: 1-Oct-20

Inv.120 24 Line 1609 11Jun20 / 18Jun20	2 - KITCHEN: INSTALL TWO (2) FEET OF 66cm DEEP PANTRY (03C). SEE SKETCH Note:
Inv.120 25 Line 1610 11Jun20 / 18Jun20	21 - KITCHEN: INSTALL STACKED CABINETRY (03A) THROUGHOUT KITCHEN, INCLUDING NEW AREA Note:
Inv.120 26 Line 1611 11Jun20 / 18Jun20	1 - KITCHEN: INSTALL COOKTOP CABINET WITH 2 POT DRAWERS BELOW (24H) Note:
Inv.120 20 Line 1673 11Jun20 / 18Jun20	3 - KITCHEN: INSTALL ADDITIONAL 2.5' OF BASE CABINETS (LEVEL 6) WHERE SINK WILL NOW GO. (1B) SEE SKETCH Note:
Inv.120 32 Line 1674 11Jun20 / 18Jun20	2 - KITCHEN: INSTALL TWO (2) TOP DRAWERS IN KITCHEN (9B). TWO (2) IN ISLAND, ON TOP OF RECYCLE CENTRE AND ONE BESIDE IT. SEE SKETCH Note:
CARPET	
Inv.120 48 Line 1633 11Jun20 / 18Jun20	1 - BEDROOMS: INSTALL UPGRADE 1 CARPET IN ALL BEDROOMS AND BASEMENT Note:
CERAMIC TILE	
Inv.120 40 Line 1624 11Jun20 / 18Jun20	1 - FOYER/ POWDER ROOM: INSTALL UPGRADE 2 TILES THROUGHOUT FOYER AND POWDER ROOM Note:
CONSTRUCTION	
Inv.67 1 Line 933 29Jan20 / 29Jan20	1 - 8' BASEMENT Note:
Inv.99 14 Line 1296 29Apr20 / 1May20	1 - EXTERIOR: INSTALL DOUBLE DOOR ENTRY INTO HOUSE, IN LIEU OF SINGLE DOOR WITH SIDE LITES Note:
Inv.99 15 Line 1297 29Apr20 / 1May20	1 - UPPER HALL: MAKE A LINEN CLOSET IN THE UPPER HALL APPROX. 4' LONG X 18" DEEP, BY BEDROOM THREE. THE DOOR TO BEDROOM 3 MAY NEED TO BE MOVED SLIGHTLY TO ACCOMMODATE THE LINEN CLOSET. SEE SKETCH. Note:
COUNTERTOP	
Inv.120 37 Line 1621 11Jun20 / 18Jun20	1 - KITCHEN: INSTALL MSI 2 THROUGHOUT KITCHEN Note:

CONSTRUCTION SUMMARY

North Oakville - 166 - 1 - DOVE (38-03) Elev A

Registere Plan Number: Municipal Address: Closing: 1-Oct-20

Inv.120 38	1 - KITCHEN: EXTEND COUNTER TOP ON ISLAND BY 12" IN MSI 2, TO MAKE AN OVERHANG
Line 1675	Note: IF YOU ARE LOOKING AT THE SINK WALL, THE EXTENSION WILL GO TO THE LEFT SIDE. SEE SKETCH ON KITCHEN PLAN
11Jun20 / 18Jun20	
Inv.120 27	1 - KITCHEN: COOKTOP CUT-OUT IN STONE COUNTER
Line 1612	Note:
11Jun20 / 18Jun20	

ELECTRICAL

Inv.99 16	1 - KITCHEN: REMOVE SINK AND DISHWASHER FROM ISLAND AND PLACE ON STOVE WALL. STOVE TO MOVE OVER APPROX. 2' TO ACCOMODATE THIS CHANGE
Line 1298	Note: 29Apr20 / 11May20
Inv.74 2	1 - TELEPHONE AND CABLE ROUGH-IN LOCATION. LOCATIONS MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
Line 990	Note:
18Feb20 / 9Mar20	
Inv.74 5	1 - KITCHEN: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE- FOR GAS STOVE
Line 996	Note:
18Feb20 / 9Mar20	
Inv.74 6	1 - KITCHEN: DEDICATED 40 AMP 22 VOLT RANGE OUTLET. FOR WALL OVEN
Line 997	Note:
18Feb20 / 9Mar20	
Inv.74 7	1 - KITCHEN: DEDICATED 40 AMP 22 VOLT RANGE OUTLET. FOR CONVECTION MICROWAVE IN WALL OVEN
Line 998	Note:
18Feb20 / 9Mar20	

HARDWOOD FLOORING

Inv.120 41	70 - MAIN HALL: INSTALL LEVEL 3 HARDWOOD THROUGHOUT
Line 1625	Note:
11Jun20 / 18Jun20	
Inv.120 42	300 - KITCHEN: INSTALL LEVEL 3 HARDWOOD THROUGHOUT
Line 1626	Note:
11Jun20 / 18Jun20	
Inv.120 43	175 - DINING ROOM: INSTALL LEVEL 3 HARDWOOD THROUGHOUT
Line 1627	Note:
11Jun20 / 18Jun20	
Inv.120 44	270 - GREAT ROOM: INSTALL LEVEL 3 HARDWOOD THROUGHOUT
Line 1628	Note:
11Jun20 / 18Jun20	

North Oakville - 166 - 1 - DOVE (38-03) Elev A

Register Plan Number: Municipal Address: Closing: 1-Oct-20

Inv.120 45 Line 1629 11Jun20 / 18Jun20	85 - LIBRARY: INSTALL LEVEL 3 HARDWOOD THROUGHOUT Note:
Inv.120 46 Line 1630 11Jun20 / 18Jun20	245 - UPPER HALL: INSTALL LEVEL 3 HARDWOOD THROUGHOUT Note:
Inv.120 47 Line 1631 11Jun20 / 18Jun20	40 - LANDINGS: INSTALL LEVEL 3 HARDWOOD THROUGHOUT STAIR LANDINGS ***(PURCHASER IS NOT INSTALLING SANDED LANDINGS)*** Note:

HVAC

Inv.74 8 Line 999 18Feb20 / 9Mar20	1 - KITCHEN: INSTALL GAS PIPING AND OTHER - GAS LINE R/I FOR STOVE -UP TO 3/4 INCH LINE Note:
Inv.74 10 Line 1001 18Feb20 / 9Mar20	1 - INSTALL FLO-THRU HUMIDIFIER LARGE HE205- 18 GAL Note:
Inv.99 13 Line 1295 29Apr20 / 1May20	1 - INSTALL ROUGH-IN FOR FUTURE AIR CONDITIONER Note:

INTERIOR DOORS & TRIM

Inv.120 49 Line 1634 11Jun20 / 18Jun20	11 - INTERIOR DOORS: UPGRADE FOUR (4) DOORS ON MAIN FLOOR AND SEVEN (7) DOORS ON SECOND FLOOR DOES NOT INCLUDE BEDROOM CLOSET OR WASHROOM DOORS. SEE FLOOR PLAN FOR LOCATIONS SHAKER STYLE MADISON DOOR Note:
---	---

MISCELLANEOUS

Inv.120 52 Line 1637 11Jun20 / 18Jun20	1 - BONUS PACKAGE: \$7500.00 WORTH OF UPGRADES FROM VALERY HOMES DECOR CENTRE IS BEING APPLIED TOWARD THE COLOUR APPOINTMENT Note:
Inv.120 53 Line 1638 11Jun20 / 18Jun20	1 - Purchaser has attended a Colour appointment at the Decor Centre & has DECLINED any additional upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made Note:
Inv.120 54 Line 1639 11Jun20 / 18Jun20	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee Note:

CONSTRUCTION SUMMARY

North Oakville - 166 - 1 - DOVE (38-03) Elev A

Register Plan Number: Municipal Address: Closing: 1-Oct-20

Inv.120 50 Line 1663 11Jun20 / 18Jun20	1 - MASTER ENSUITE: INSTALL FRAMELESS GLASS SHOWER DOOR Note:
Inv.99 19 Line 1301 29Apr20 / 1May20	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee Note:
Inv.74 11 Line 1003 18Feb20 / 9Mar20	1 - Purchaser has attended a Structural appointment at the Decor Centre & has DECLINED any additional upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing Note:
Inv.74 12 Line 1004 18Feb20 / 9Mar20	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee Note:

PLUMBING

Inv.99 17 Line 1299 29Apr20 / 1May20	1 - KITCHEN: REMOVE SINK AND DISHWASHER FROM ISLAND AND PLACE ON STOVE WALL. STOVE TO MOVE OVER APPROX. 2' TO ACCOMODATE THIS CHANGE Note:
Inv.74 4 Line 991 18Feb20 / 9Mar20	1 - KITCHEN: INSTALL EXTRA ROUGH-IN LINE FOR FRIDGE ICE MAKER WITH SHUT-OFF Note:

RAILING

Inv.120 51 Line 1636 11Jun20 / 18Jun20	1 - STAIRCASE: NOTE: PURCHASER WOULD LIKE THE ELORA POST WITH THE STANDARD RAILING Note:
---	---

VACCUM/BELL

Inv.74 3 Line 1002 18Feb20 / 9Mar20	1 - LIBRARY: INSTALL INTERNET - CAT-6 NETWORK CABLE Note:
--	--

WINDOWS

Inv.99 18 Line 1300 29Apr20 / 1May20	1 - KITCHEN: RELOCATE KITCHEN WINDOW TO BE ABOVE SINK. SEE FLOOR PLAN FOR NEW LOCATION Note:
---	---

WINDOWS

Inv.74 9 Line 1000 18Feb20 / 9Mar20	1 - BASEMENT: INSTALL BASEMENT WINDOW - EXTRA STANDARD WINDOW - 30 X 16. SEE SKETCH FOR LOCATION Note:
--	---

No 166

Lot 166
Apr 29, 2020

1001

05-06-18, 2020

BD AG

(b) (4)

DOVE

3.658 SQ. FT.

INCLUDES \$42.50 FT FINISHED BASEMENT




Double Door Entry

BERTAZZONI DESIGN SERIES

36" SEGMENTED COOKTOPS PM36 5 00 X


NG

BP



Bertazzoni sets the new standard in surface cooking flexibility with its new Design Series Segmented cooktops. Housed in a sleek and sophisticated low-profile stainless steel maintop, these new 36" cooktops are available in six combinations of gas, electric griddle and induction to perfectly match your own style of cooking. Combine a segmented cooktop with a Bertazzoni Design Series or Professional Series wall oven for a perfectly integrated kitchen, or upgrade your existing cooktop and elevate your cooking to the ultimate level.

BRASS POWER BURNER



Bertazzoni's exclusive dual zone power burner in cast brass delivers high-efficiency performance from a delicate low simmer to full power (750-18,000 BTUs) with best-in-class heat-up time.






TO COOK BEAUTIFULLY

BERTAZZONI DESIGN SERIES

36" SEGMENTED COOKTOPS PM36 5 00 X

FEATURES

Brass Burner	5
Dual wok (1x)	750-18000 Btu/h
Rapid (2x)	11000 Btu/h
Semi-rapid (2x)	6200 Btu/h



TECHNICAL SPECIFICATIONS

Electrical Requirements	120V 60Hz
Max. Amp Usage	1 Amp
Certification	CSA
Warranty	2 years parts and labor
Product weight	48.5 lbs
Box weight	50.5 lbs

ACCESSORIES

Wok ring (standard)	code 408117
Simmer ring (optional)	code 408077

DIMENSIONS

Ref.	Description	Dimensions	
		Inches	mm
D	Cooktop depth	20 ¹⁵ / ₃₂	520
G1	Distance between gas outlet connection and frontal side	17 ¹⁵ / ₃₂	444
G5	Distance between gas outlet connection and left side	13 ¹ / ₁₆	20
L1	Cutout depth	19 ¹¹ / ₁₆	500
L3 (min)	Cutout clearance from backwall	2 ³ / ₄	70
L9 (min)	Cutout clearance from cabinetry	6 ²⁵ / ₃₂	172
L10	Cutout width	33 ⁷ / ₈	860
M1	Cabinetry height	35 ³¹ / ₃₂	914
M3	Toekick height	4 ³ / ₄	121
M4	Cabinetry width	28 ¹ / ₂	724
M10	Cooktop max encumbrance	3 ¹⁷ / ₃₂	90
S	Cooktop height	2 ¹¹ / ₁₆	69
S4	Chassis height	2 ¹¹ / ₁₆	69
W	Cooktop width	35 ¹ / ₃₂	890
Z5	Adjustable horizontal exit	8 ²⁷ / ₃₂	225

INSTALLATION INSTRUCTIONS


Bertazzoni recommends to operate the appliance after it has been installed in a cabinet.

The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during appliance usage.

BERTAZZONI MASTER SERIES


SINGLE CONVECTION SELF-CLEAN OVEN MASFS30XV

BP 19




The Bertazzoni traditions of Italian design, engineering excellence and culinary expertise come together in the Master Series wall ovens. The exceptional, energy-efficient performance of the Bertazzoni Master Series wall ovens is enhanced by the intuitive and easy-to-use interface operated with large, round knobs and touch controls. The exclusive dual diagonal convection system and 7 usable shelf positions with telescopic glides ensure even heat roasting and baking on multiple levels with no flavor crossover. This beautiful oven installs flush with the cabinet doors and integrates seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations. Eleven cooking modes make this new Bertazzoni wall oven the perfect partner for the ultimate user experience in your kitchen.

INTUITIVE CONTROLS



Bertazzoni ovens use stainless steel metal knobs to select cooking modes and temperature, while the intuitive interface lets users program time and other functions.


DUAL DIAGONAL CONVECTION



Two large-blade fans positioned on the diagonal axis and subsidiary air vents at the top and bottom of the oven cavity provide balanced airflow and even heat distribution.



INTEGRATED DESIGN



All Bertazzoni ovens install flush with the cabinet doors and integrate seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations.



TO COOK BEAUTIFULLY

BERTAZZONI MASTER SERIES

SINGLE CONVECTION SELF-CLEAN OVEN MASFS30XV

Lot 166

FUNCTIONS



CONVECTION



BROILER



CONVECTION
BROILER



CONVECTION
BAKE



BAKE



TURBO



DEPROST
DEHYDRATE



PROOFING



SELF CLEAN



WARMING

FEATURES

Oven type	electric convection self-clean
Oven broiler type	electric
Oven controls	LED touch interface
Inner oven door	quadruple glass
Door Hinge	soft motion
Oven handle	solid metal
Oven door finishing	stainless steel
Convection System	dual diagonal
Oven levels	7
Wire shelves	2 heavy gauge
Tray	1 baking tray
Grill trivet for Trays	yes

ACCESSORIES


30 Telescopic Slide Shelf	code TG
---------------------------	---------

TECHNICAL SPECIFICATIONS

Voltage, frequency	120/208 Vac - 120/240 Vac, 60 Hz
Oven volume	4.1ft³
Max Amp usage, power rating	30 A - 5500 W
Certification	CSA
Warranty	2 years parts and labor

INSTALLATION INSTRUCTIONS

Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. The appliance must be installed into cabinetry and be supported from underneath. The air intake opening at the bottom of the door must be left unobstructed. For a flush mount installation the surrounding cabinets doors should have the same thickness as the oven control panel. For installation of the oven in column please refer to the drawings view of model MO 30 STANE. For under counter installation refer to the cooktop or rangetop installation drawing in the specific sections of this document.




3" 1/4



Air intake opening clearance



Cut out for power cord



For any combinations of built-in models, please see related installation drawings


Disclaimer: while every effort has been made to insure the accuracy of the information contained in this brochure, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice.

Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.

bertazzoni.com

BERTAZZONI MASTER SERIES

30" CONVECTION SPEED OVEN MAS SO30 X




The Bertazzoni Master Series speed oven combines convection baking, electric grill and microwave in one versatile unit. By combining baking and microwave functions, this powerful oven completes cooking cycles in half the time without compromising results. With its intuitive touch-control interface and family-sized capacity, this Bertazzoni speed oven often becomes the go-to oven in a busy kitchen. This beautiful oven installs flush with the cabinet doors and integrates seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations.

INTUITIVE CONTROLS




Bertazzoni ovens use stainless steel metal knobs to select cooking modes and temperature, while the intuitive interface lets users program time and other functions.

PERFECT BAKING



The European convection system ensures even roasting and baking on multiple levels with no flavor crossover.

INTEGRATED DESIGN



All Bertazzoni ovens install flush with the cabinet doors and integrate seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations.



TO COOK BEAUTIFULLY

BERTAZZONI MASTER SERIES

30" CONVECTION SPEED OVEN MAS SO30 X

Lot 166

FUNCTIONS



MICROWAVE



BROILER
MICROWAVE



BROILER



CONVECTION
BROILER




CONVECTION



CONVECTION
MICROWAVE

FEATURES

Oven type	combination electric convection and grill with microwave
Oven grill type	electric
Oven controls	knobs and touch
Timer	digital programmer
Inner oven door	double glass
Auto cooking modes	5 preset
Cooling fan	yes
Oven handle	solid metal
Oven door finishing	stainless steel
Cavity finishing	stainless steel
Convection system	European ring heating element
Oven levels	2
Oven lights	single
Tray	1 glass turntable
Grill trivet for trays	yes



TECHNICAL SPECIFICATIONS

Voltage, frequency	208-240 V/60Hz
Oven volume	1.34 ft³
Max Amp Usage	15 A – 3300 W
Certification	UL
Warranty	2 years parts and labor

For any combinations of built-in models, please see related installation drawings

INSTALLATION INSTRUCTIONS

Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. For further installation instructions refer to the installation manual.

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this brochure, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice.


Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.

bertazzoni.com

Lot 166

BERTAZZONI DESIGN SERIES

36" HOOD KG36 CON X



The Bertazzoni Design Series hood offers a sleek and elegant style with stainless steel framed glass and electronic touch through glass controls. It is a perfect match for the Bertazzoni Design Series wall ovens and cooktops. Available with an efficient yet quiet 600 CFM motor and stainless-steel baffle filters, it can be installed for recirculation or ducted extraction.

CONTROLS



Use the touch control interface that lets you adjust the 3 different power levels with just the touch of a finger.



TO COOK BEAUTIFULLY

