



INTERIOR COLOUR SCHEME

Purchasers:

NISHIT ZAVERI & EISHA, SOOD ZAVERI

Telephone Res. / Bus:

/ (416) 918-6474

Decor Advisor:

Dean-Marie Gray

Scheduled Closing Date:

Friday, March 05, 2021

Property:

47 of Plan -

Project:

North Oakville - Phase 1

Model and Elevation:

ORIOLE (38-05) Elev A

Layout Changes: ☒ Yes ☐ No

Sketch Attached: ☒ Yes ☐ No

Exterior Colour Scheme:

1. Cabinetry

| Style and Colour                     | Counter                        | Hardware                       |
|--------------------------------------|--------------------------------|--------------------------------|
| Kitchen / Breakfast                  | CAPE COD 3DL, ORCHID *SEE NOTE | *MSI 2 CALACATTA BOTANICA 9677 |
| Laundry Room                         | CAPE COD 3DL, NAVY BLUE        | *UPG. CAESARSTONE 3142 9677    |
| Powder Room                          | CAPE COD 3DL, NAVY BLUE        | *UPG. CAESARSTONE 3142 9677    |
| ENSUITE 3                            | CAPE COD 3DL, ORCHID           | STD. CAESARSTONE 3040 9677     |
| Master Ensuite Bathroom              | CAPE COD 3DL, ORCHID           | STD. CAESARSTONE 3040 9677     |
| Second Ensuite Bathroom (If Applic.) | CAPE COD 3DL, ORCHID           | STD. CAESARSTONE 3040 9677     |
| ENSUITE 4                            | CAPE COD 3DL, ORCHID           | STD. CAESARSTONE 3040 9677     |

Comment

BASEMENT BATH: CABINETS: CAPE COD 3DL, ORCHID COUNTER TOP: STD. CAESARSTONE 3040 HARDWARE: 9677  
KITCHEN ISLAND CABINET AND HUTCH : 2 CAMDEN OAK, SHALE GREY CL

2. Floor Tile

| Selection                               |
|-----------------------------------------|
| Entrance Vestibule                      |
| Main Hall                               |
| Kitchen / Breakfast                     |
| Laundry Room                            |
| Powder Room                             |
| ENSUITE 3                               |
| Master Ensuite Bathroom                 |
| Second Ensuite Bathroom (If Applicable) |
| Lower Landing (If Applicable)           |
| ENSUITE 4                               |

Comment

BASEMENT BATH: \*UPG. 3, ERAMOSA ICE 12 X 24

3. Wall Tile

| Selection                               | Custom                                                        | Describe                                       |
|-----------------------------------------|---------------------------------------------------------------|------------------------------------------------|
| ENSUITE 3                               | <input type="radio"/> Yes <input checked="" type="radio"/> No | SHOWER FL 2X2 SOHO WHT MA                      |
| Master Ensuite Bathroom                 |                                                               |                                                |
| Tub Deck                                | <input type="radio"/> Yes <input type="radio"/> No            |                                                |
| Shower Stall                            | <input type="radio"/> Yes <input checked="" type="radio"/> No | SHOWER FL 2X2 SOHO TAUPE                       |
| Bathroom Walls                          | <input type="radio"/> Yes <input type="radio"/> No            |                                                |
| Second Ensuite Bathroom (If Applicable) | <input type="radio"/> Yes <input checked="" type="radio"/> No | SHOWER FL 2X2 SOHO WHT MA                      |
| ENSUITE 4                               | <input type="radio"/> Yes <input checked="" type="radio"/> No | SHOWER FL 2X2 SOHO WHT MA                      |
| Kitchen Backsplash                      | <input checked="" type="radio"/> Yes <input type="radio"/> No | Backsplash Behind Stove to Upper Cabinets *YES |

Comment

MASTER ENSUITE SHOWER TILE: UPG. 5, MAYFAIR STATUARIO VENATO 12 X 24  
BASEMENT BATH: KEATON ICE 8 X 10



INTERIOR COLOUR SCHEME

Purchasers: NISHIT ZAVERI & EISHA, SOOD ZAVERI  
Telephone Res. / Bus: / (416) 918-6474  
Decor Advisor: Dean-Marie Gray

Scheduled Closing Date: Friday, March 05, 2021  
Property: 47 of Plan -  
Project: North Oakville - Phase 1  
Model and Elevation: ORIOLE (38-05) Elev A

4. Plumbing Fixtures

|                                           |                          |                          |                          |
|-------------------------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/>                  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Master Ensuite Bathroom                   | Second Ensuite           | Powder Room              |                          |
| <input type="checkbox"/>                  | <input type="checkbox"/> | Other Washroom           | <input type="checkbox"/> |
| Other Room - Specify <input type="text"/> |                          |                          |                          |
| Comment <input type="text"/>              |                          |                          |                          |
| SEE INVOICE <input type="text"/>          |                          |                          |                          |

5. Hardwood Flooring

| Type and Stain                | Type and Stain   | Type and Stain       | Type and Stain       |
|-------------------------------|------------------|----------------------|----------------------|
| Main Hall                     | *SEE NOTES BELOW | Upper Landing        | SANDED LANDING       |
| Kitchen / Breakfast           | -                | Upper Hall           | *SEE NOTES BELOW     |
| Living Room                   | -                | Master Bedroom       | *SEE NOTES BELOW     |
| Dining Room                   | *SEE NOTES BELOW | Bedroom #2           | *SEE NOTES BELOW     |
| Family Room                   | *SEE NOTES BELOW | Bedroom #3           | *SEE NOTES BELOW     |
| Den/Library                   | *SEE NOTES BELOW | Bedroom #4           | *SEE NOTES BELOW     |
| Entrance Vestibule            | -                | Bedroom #5           | -                    |
| Lower Landing (If Applicable) | SANDED LANDING   | Other Room - Specify | <input type="text"/> |

Comment

\*HARDWOOD TO BE OAK, MORCHELLO 5" X 3/4"

6. Carpeting

|              |                          |         |             |                               |
|--------------|--------------------------|---------|-------------|-------------------------------|
| Ground Floor | <input type="checkbox"/> | Upgrade | Description | <input type="text"/>          |
| Second Floor | <input type="checkbox"/> |         |             | <input type="text"/>          |
| BASEMENT     | <input type="checkbox"/> |         |             | SPIREA 11, H247 FRENCH COFFEE |

| Type         | Area              |
|--------------|-------------------|
| *2ND UPGRADE | BASEMENT          |
| Capped       | Runner - *Upgrade |

Comment

7. Fireplace

|                | Living Room                                                                                            | Family Room                                                                                 | Other Room - Specify                                                                                   |
|----------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
|                | Purchased <input type="radio"/> As Per Plan <input type="radio"/> N/A <input checked="" type="radio"/> | Purchased <input type="radio"/> As Per Plan <input type="radio"/> N/A <input type="radio"/> | Purchased <input type="radio"/> As Per Plan <input type="radio"/> N/A <input checked="" type="radio"/> |
| Fireplace Type | <input type="text"/>                                                                                   | UPGRADE                                                                                     | <input type="text"/>                                                                                   |
| Mantle Type    | <input type="text"/>                                                                                   | PF 51                                                                                       | <input type="text"/>                                                                                   |
| Colour / Stain | <input type="text"/>                                                                                   | WHITE PAINT GRADE                                                                           | <input type="text"/>                                                                                   |
| Surround       | <input type="text"/>                                                                                   | GRIGIO CARNICO                                                                              | <input type="text"/>                                                                                   |
| Hearth         | <input type="text"/>                                                                                   | NONE                                                                                        | <input type="text"/>                                                                                   |

Comment



INTERIOR COLOUR SCHEME

Purchasers: NISHIT ZAVERI & EISHA, SOOD ZAVERI      Scheduled Closing Date: Friday, March 05, 2021  
Telephone Res. / Bus: / (416) 918-6474      Property: 47 of Plan -  
Decor Advisor: Dean-Marie Gray      Project: North Oakville - Phase 1  
Model and Elevation: ORIOLE (38-05) Elev A

8. Trim Carpentry

|                |          |                          |          |              |         |
|----------------|----------|--------------------------|----------|--------------|---------|
| Interior Doors | STANDARD | Front Door Glass Inserts | STANDARD | Door Handles | *BERGEN |
| Interior Trim  | STANDARD |                          |          |              |         |
| Comment        |          |                          |          |              |         |

9. Plaster Mouldings and Medallions

Standard Throughout ☐ Yes ☒ No ☐ N/A

|                    |  |  |                      |  |  |
|--------------------|--|--|----------------------|--|--|
| Entrance Vestibule |  |  | Kitchen/Breakfast    |  |  |
| Main Hall          |  |  | Den/Library          |  |  |
| Living Room        |  |  | Lower Landing        |  |  |
| Dining Room        |  |  | Other Room - Specify |  |  |
| Family Room        |  |  |                      |  |  |

Comment

10. Railings and Spindles

|                  |                                                                                                   |                |                                                                                         |  |  |
|------------------|---------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------|--|--|
| Railing Package  | **UPG.3 R3C RAIL (1 3/4" X 3 1/4"), 1/2" METAL- PLAIN SQUARE SPINDLES 3 1/2" CHAMFORD, ELORA POST |                |                                                                                         |  |  |
| Railing Colour   | MORCHELLO                                                                                         | Spindle Colour | BLACK                                                                                   |  |  |
| Stringer / Riser | MORCHELLO                                                                                         | Treads         | MORCHELLO                                                                               |  |  |
| Comment          | Oak Stairs                                                                                        |                | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A |  |  |

11. Wall Paint / Ceilings

|                           |                                     |  |  |  |
|---------------------------|-------------------------------------|--|--|--|
| Throughout Finished Areas | PELICAN                             |  |  |  |
| Trim Paint                | White                               |  |  |  |
| Smooth Ceilings           |                                     |  |  |  |
| Ground Floor              | <input checked="" type="checkbox"/> |  |  |  |
| Second Floor              | <input checked="" type="checkbox"/> |  |  |  |
| Note                      | AND BASEMENT                        |  |  |  |
| Comment                   |                                     |  |  |  |



INTERIOR COLOUR SCHEME

Purchasers: NISHIT ZAVERI & EISHA, SOOD ZAVERI      Scheduled Closing Date: Friday, March 05, 2021  
Telephone Res. / Bus: / (416) 918-6474      Property: 47 of Plan -  
Decor Advisor: Dean-Marie Gray      Project: North Oakville - Phase 1  
Model and Elevation: ORIOLE (38-05) Elev A

12. Electrical

Hood Fan   ☐ White   ☐ Stainless   ☒ N/A

Above Kitchen Cabinet Light   ☐ Yes   ☒ No  
Below Kitchen Cabinet Light   ☐ Yes   ☒ No

Standard Appliances   ☐

Over The Range Microwave   ☐

Chimney Style Fan   ☒

Comment

13. Heating and Air Conditioning

Air Conditioning   YES

☐

Gas Provisions Stove

☐

-

Gas Provisions Dryer

☐

STD

Gas Provisions Barbecue

Comment

14. Additional Comments

15. Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. \_\_\_\_\_ Purchaser's Initials
- 4) The Purchaser acknowledges reading and accepting the "Valery Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:


Signature: \_\_\_\_\_ Date: \_\_\_\_\_

RECEIVED  
AUG 28 2020

Lot 47  
Aug. 27, 20

3,587 sq. ft.

1966年6月6日 星期日



- ① RELOCATE SINK + DISHWASHER AFT FROM ISLAND TO EXTERIOR WALL + ADD WINDOW
- ② CLOSE OPENING FROM DINING ROOM TO KITCHEN
- ③ COOKTOP + WALL OVEN BUILT-INS TO BE CONFORMING + PURCHASED AT TIME OF COUNCIL SELECTION
- ④ FILLING AND REFINISHING AREA AS SHOWN


Lot 47 (N24)  
Jan 30, 2020

RECEIVED  
AUG 28 2020

Lot 47 (N27) (N10)  
Aug 27, 2020

Smooth ceilings

ORIOLE | 3,587 SQ. FT.  
INCLUDES 780 SQ. FT. FINISHED BASEMENT



VALERY NORTH CARVILLE

ALL INFORMATION IS SUBJECT TO THE TERMS AND CONDITIONS OF THE REAL ESTATE BROKERAGE AGREEMENT. THIS INFORMATION IS NOT TO BE USED FOR ANY OTHER PURPOSE. THE REAL ESTATE BROKERAGE AGREEMENT IS THE ONLY DOCUMENT THAT GOVERNS THE TRANSACTION. THE REAL ESTATE BROKERAGE AGREEMENT IS THE ONLY DOCUMENT THAT GOVERNS THE TRANSACTION. THE REAL ESTATE BROKERAGE AGREEMENT IS THE ONLY DOCUMENT THAT GOVERNS THE TRANSACTION.

df M N

RECEIVED  
AUG 28 2020

Aug 27, 2020

21




**VALERY**  
NORTH OAKVILLE

630242  
NORTH  
OAKVILLE

greatest of the Bible. From the time of the writing of the book of Job to the time of the writing of the book of Revelation, the Bible has been a source of inspiration and guidance to the people of the world. The Bible is a book that has been read and studied for centuries, and it continues to be a source of inspiration and guidance to the people of the world today.

22



This sketch is for DESIGN PURPOSES ONLY — It is not meant to be an exact rendition.



FRENDEL

VALERY HOMES  
NORTH OAKVILLE  
LOT 47



Stacked Cabinets  
Crown Moulding


Drawn By:  
Date: August 7, 2020  
Scale: Not To Scale

Approved By Builder

Date

RECEIVED

AUG 28 2020



This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.



VALERY HOMES  
NORTH OAKVILLE  
LOT 47

N2



Stacked Cabinets  
Crown Moulding

Drawn By:  
Date: August 7, 2020  
Scale: Not To Scale

Approved By Builder

Date

RECEIVED  
AUG 28 2020



This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.



VALERY HOMES  
NORTH OAKVILLE  
LOT 47



- Do NOT  
Install glass  
in upper stack  
cabinets  
Only above  
Upper Angle  
Corner.

Drawn By:  
Date: August 7, 2020  
Scale: Not To Scale





Approved By Builder:

Date:


REC

AUG 28 2020

# Baths



\* Increase Vanity height in all washrooms



This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.



FRENDEL  
BUILDERS LIMITED  
1000 Glenview Drive, Adelaide, SA 5001, Australia

VALERY HOMES  
NORTH OAKVILLE  
385 - ORIOLE

## STANDARD FEATURES:

- 100cm Upper cabinets
- Ceiling strip to underside of bulkhead in Kitchen
- Backing on Kitchen and Bath cabinets
- Kitchen countertops by others
- Post-form laminate countertops in baths and Laundry

Lot 47




Drawn By:  
Date: February 20 2020  
Scale: Not To Scale

Approved By Builder:

Date:

RECEIVED

AUG 28 2020



WASHER/DRYER WALL

This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.



VALERY HOMES  
NORTH OAKVILLE  
LOT 47

Only • Install Laundry Uppers  
• Install Stacked Uppers  
Laundry room  
cabinets will only  
have these two  
upgrades listed  
above for cabinetry.

NZ *mf*

Drawn By:  
Date: July 7, 2020  
Scale: Not To Scale

Approved By Builder:

Date:

RECEIVED  
AUG 28 2020

Oct 4+  
NE PL

# Rainshowers with Immersion™


Master



**Waterhill™ 1 Function 10" Rainshower with Immersion™**

Model S112  
Larger Shower Arm Required

|        |            |
|--------|------------|
| Chrome | - \$464.83 |
| Other  | - \$617.90 |



**Velocity™ 2 Function 8" Rainshower with Immersion™**

Model S6320  
Available in C, BN, ORB & BG

|        |            |
|--------|------------|
| Chrome | - \$392.01 |
| Other  | - \$559.82 |



**Single Function 8" Rainshower with Immersion™**

Model 6345  
Available in C, BN and ORB

|        |            |
|--------|------------|
| Chrome | - \$140.93 |
| Other  | - \$199.18 |



**1 Function 8" Rainshower with Immersion™**

Model S6360  
Available in C, BN and NL

|        |            |
|--------|------------|
| Chrome | - \$296.30 |
| Other  | - \$484.09 |



**Finat™ 2 Function 7" Rainshower with Immersion™**

Model S176  
Available in C, BN, BL & BG

|        |            |
|--------|------------|
| Chrome | - \$244.89 |
| Other  | - \$364.78 |



**ExactTemp® 1 Function 7" Rainshower with Immersion™**

Model S6310  
Available in C, BN and ORB

|        |            |
|--------|------------|
| Chrome | - \$243.69 |
| Other  | - \$363.00 |



**Velocity™ 2 Function 8.5" Rainshower with Immersion™**

Model S6345  
Available in C, BN, & BG

|        |            |
|--------|------------|
| Chrome | - \$348.68 |
| Other  | - \$587.82 |



**900™ 1 Function 6" Rainshower with Immersion™**

Model S6340  
Available in C and BN

|        |            |
|--------|------------|
| Chrome | - \$173.82 |
| Other  | - \$279.97 |



**Voss™ 1 Function 6" Rainshower with Immersion™**

Model S6365  
Available in C, BN, ORB, NL, BL & BG

|        |            |
|--------|------------|
| Chrome | - \$173.82 |
| Other  | - \$279.97 |

**FINISH OPTIONS:**  
To order, combine the model number with one of these finish letter(s):  
LifeShine® Brushed Nickel (BN), Oil Rubbed Bronze (ORB), LifeShine® Polished Nickel (NL) & Wrought Iron (WR). To order Chrome (C) model, use model number only.  
\* To order the Eco-Performance (EP) version, use EP suffix in addition to finish

WR BL BG

RECEIVED  
AUG 28 2020

Lot 47


Align®

Traditional | Transitional | Modern

From large, open master baths to minimalist powder rooms, Align faucets and accessories bring a refreshed modern look to your home.

W2 100

Master




Posti-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower •

Available in BL & BG

Model T2193EP / 3372 / 128284 / T4191 / 62320 / 3887EP / A725

Chrome - \$1,308.36  
Other - \$2,079.89



\* See Alternate hand shower

Posti-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower •

Available in BL & BG

Model T2192EP / 3372 / T4191 / 62320 / 3887EP / A725

Chrome - \$1,187.55  
Other - \$1,927.63

FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):

LifeShine® Brushed Nickel (BN), Matte Black (BL) & Brushed Gold (BG)

To order Chrome (C) model, use model number only.

• Please see vertical spa guide for installation #700106



\* Do not install shower head, as a rain shower head (S6320) is being installed. Supply head only.

RECEIVED  
AUG 28 2020

Lot 47

N2 (P)

# Hand Showers with Slide Bars



**Align™ Eco-Performance  
1 Function Hand Shower  
with Slide Bar\***  
Available in BG  
Model 3887EP / A725  
Not available in ORB

Chrome - \$478.34  
Other - \$961.00



**Eco-Performance  
4 Function Hand Shower  
with Slide Bar\***  
Available in BL  
Model 3669EP / A725

Chrome - \$447.98  
Other - \$961.00



Master-to replace the 3887EP



**Kingsley™ Eco-Performance  
1 Function Hand Shower with  
Slide Bar**  
Model 3869EP / A725  
Not available in ORB, BL or BG



**Envu™ Eco-Performance  
1 Function Hand Shower  
with Slide Bar**  
Model 3863EP / A725  
Not available in ORB, BL or BG

|                                                                                                                                     |                                                                                                       |                                                                                                                 |                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Envu™ Eco-Performance<br/>1 Function Hand Shower<br/>with Slide Bar</b><br>Model 3863EP / A725<br>Not available in ORB, BL or BG | <b>Kingsley™ Eco-Performance<br/>1 Function Hand Shower with<br/>Slide Bar</b><br>Model 3869EP / A725 | <b>Eco-Performance<br/>4 Function Hand Shower<br/>with Slide Bar*</b><br>Available in BL<br>Model 3669EP / A725 | <b>Eco-Performance<br/>1 Function Round Square Hand<br/>Shower with Slide Bar</b><br>Model 3988EP / A725<br>Not available in BG & BL |
| Chrome - \$447.98<br>Other - \$961.00                                                                                               | Chrome - \$563.27<br>Other - \$961.00                                                                 | Chrome - \$447.98<br>Other - \$961.00                                                                           | Chrome - \$498.58<br>Other - \$981.70                                                                                                |

**FINISH OPTIONS:**  
To order, combine the model number with one of these finish letter(s):  
LifeShine® Brushed Nickel (BN), Oil Rubbed Bronze (ORB), Matte Black (BL),  
Brushed Gold (BG). To order Chrome (C), use model number only.



Oct 47


## Align®

Traditional | Transitional | Modern

From large, open master baths to minimalist powder rooms, Align faucets and accessories bring a refreshed modern look to your home.

(N2) (47)

• Basement Bath



**Eco-Performance Posi-Temp®  
Tub/Shower Faucet**  
Available in BL & BG  
Model T2193EP / 62320

NEW

Chrome  
Other

- \$427.57  
- \$639.06

• Ens. 2  
• Ens. 3  
• Ens. 4



**Eco-Performance Posi-Temp®  
Shower Only**  
Available in BL & BG  
Model T2192EP / 62320

NEW

Chrome  
Other

- \$344.43  
- \$524.46

### FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):  
LifeShine® Brushed Nickel (BN), Matte Black (BL) & Brushed Gold (BG)



C BN BL BG

Ens. 2 x |  
Ens. 3 x |  
Ens. 4 x |  
Basement x | - (w/ toe tap)

Lot 47  
(N2) (M8)

# Align®

Traditional | Transitional | Modern

From large, open master baths to minimalist powder rooms, Align faucets and accessories bring a refreshed modern look to your home.

**Single Handle Vessel Lav Faucet with Push-Button Drain without Overflow**  
Available in BG  
Not Available in BL  
Model 6192 / 140780  
Chrome - \$581.38  
Other - \$843.53

**Single Handle Lav Faucet with Lift Rod Drain**  
Available in BG  
Model 6190  
Chrome - \$353.22  
Other - \$524.57

**Two Handle Adjustable Widespread (8" - 16") Lav Faucet with Lift Rod Drain**  
Available in BG  
Model T6193 / 69000  
Chrome - \$547.52  
Other - \$711.97

**Two Handle Roman Tub Faucet**  
Available in BG  
Model T393 / 4796  
Chrome - \$681.66  
Other - \$968.01

**Two Handle Roman Tub Faucet with Hand Shower**  
Available in BG  
Not Available in BL  
Model T394 / 9796  
Chrome - \$1,128.73  
Other - \$1,502.75

**Two Handle Bidet Faucet**  
Not Available in BL or BG  
Model T5191 / 9265  
Chrome - \$962.38  
Other - \$1,241.54

**Tub Drain Half Kits Available**  
Chrome - \$62.91  
Other - \$157.44

**Tub Drain Half Kits Available**  
Chrome - \$62.91  
Other - \$157.44

Master x 2  
Ens 2  
Ens 3  
Ens 4  
Basement

Powder Only

## FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s)  
LifeShine® Brushed Nickel (BN), Matte Black (BL) & Brushed Gold (BG)  
To order Chrome (C) model, use model number only.

\*\* T90331 / 140680

^ Deckplate included - Deckplate sold separately - 172666 series




Master x 2  
Ens 2 x 1  
Ens 3 x 1  
Ens 4 x 1  
Basement x 1

20147  
N2  
P8

## Arbor®

Traditional | Transitional | Modern

Arbor's smooth profile is tailored to perfection.  
This classic transitional look works with a variety of decorating styles.



### MotionSense™ Hands-Free Single Handle Pulldown Kitchen Faucet\*\*

Model 7594E  
Not available in BL

Chrome  
Other

- \$923.68  
- \$1,016.66

Kitchen



### MotionSense Wave™ Hands-Free Single Handle Pulldown Kitchen Faucet\*\*

Model 7594EW  
Available in BL

Chrome  
Other

- \$741.58  
- \$829.61



### Single Handle Pulldown Kitchen Faucet\*\*

Model 7594

Chrome  
Other

- \$557.69  
- \$718.23



### Single Handle Pulldown Bar/Prep Faucet\*

Model 5995

Use model number only for C

Chrome  
Other

- \$531.01  
- \$685.46



### Single Handle Kitchen Faucet with Side Spray\*\*

Model 7790

Use model number only for C  
Available in C and SRS

Chrome  
Other

- \$461.32  
- \$602.31



### Single Handle Pulldown Kitchen Faucet\*\*

Model 7294

Chrome  
Other

- \$544.18  
- \$701.85

#### FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):  
Chrome (C), Spot Resist™ Stainless (SRS), Oil Rubbed Bronze (ORB) & Matte Black (BL).

\* Deckplate sold separately - 141002 series

\*\* Deckplate included



C SRS ORB BL

RECEIVED  
AUG 28 2020

## Align®

Traditional Transitional Modern

From mid-century galley kitchens to large gourmet workstations,  
Align faucets bring a refreshed modern look to your home.



Lot 47



**MotionSense Wave™ Hands-Free Single Handle  
Pre-Rinse Spring Pulldown Kitchen Faucet**

Available in Bi.

Model 5923EW

|                 |            |
|-----------------|------------|
| Chrome          | - \$855.49 |
| Other           | - \$980.49 |
| Black Stainless | \$1,078.53 |

Laundry



**Single Handle Pre-Rinse Spring  
Pulldown Kitchen Faucet**

Model 5923

|                 |            |
|-----------------|------------|
| Chrome          | - \$669.82 |
| Other           | - \$866.93 |
| Black Stainless | \$953.64   |

### FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):

Spot Resist™ Stainless [SRS] & Matte Black [BL].

To order Chrome [C] model, use model number only.

For Chrome MotionSense, order 7565EC.


• Deckplate sold separately - 141002 series

C SRS BL



## 5.0 cu. ft. Front Load Washer

MHW8630H



Metallic Steel  
MHW8630HC

Also available in:

☐ White ☒ MHW8630HW

Lot 47

| Capacity                                                                                                 | Technical Details                                                 |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Total<br>5.0 cu. ft.                                                                                     | Drum Material<br>Stainless Steel                                  |
| General Features & Properties                                                                            | Control Location<br>Front                                         |
| 24 Hr Fresh Hold <sup>®</sup> Option                                                                     | Control Type<br>Knobs                                             |
| Optimal Dose Dispenser                                                                                   | Number of Cycles<br>14                                            |
| Quick Wash Cycle                                                                                         | Bulky Items<br>Clean Washer<br>with afresh <sup>®</sup><br>Colors |
| Sanitize Cycle                                                                                           | Custom Cycle<br>Delicates                                         |
| Maytag <sup>®</sup> Commercial Technology                                                                | Drain & Spin<br>Heavy Duty<br>Normal                              |
| 10-Year Limited Parts Warranty <sup>*</sup> on the Direct<br>Drive Motor and Stainless Steel Wash Basket | Washer Cycle Selections                                           |
| Remote Start                                                                                             | Overnight Wash<br>& Dry (12hr)<br>Quick Wash                      |
| Cycle Notifications                                                                                      | Sanitize<br>Towels                                                |
| Troubleshoot                                                                                             | Whites<br>Wrinkle Control                                         |
| Electrical Details                                                                                       | Number of Options<br>10                                           |
| Amps<br>15 or 20                                                                                         | Delay Wash<br>Extra Power <sup>™</sup><br>Boost Option            |
| Volts<br>120                                                                                             | Remote Enable<br>Steam Clean                                      |
| Certifications                                                                                           |                                                                   |
| ADA Compliant<br>Yes                                                                                     |                                                                   |
| ENERGY STAR <sup>®</sup> Certified<br>Yes                                                                |                                                                   |
| Connected/Smart<br>Appliance <sup>†</sup><br>Yes                                                         |                                                                   |
| Dimensions                                                                                               |                                                                   |
| Product Dimensions<br>(H x W x D)<br>38-5/8" x<br>27" x<br>32-15/16"                                     |                                                                   |
| Depth with Door Open 90°<br>52-15/16"                                                                    |                                                                   |
| Reference Material                                                                                       |                                                                   |
| Installation Guide                                                                                       |                                                                   |
| Use & Care Guide                                                                                         |                                                                   |
| Energy Guide                                                                                             |                                                                   |
| Warranty                                                                                                 |                                                                   |

### Key Features & Benefits

#### Powerful Cleaning


Most Powerful Cleaning in the industry<sup>\*</sup> achieved by the Heavy Duty Cycle with Extra Power Button.

#### Extra Power Button

Some stains dissolve best in hot water. Others in cold. With the push of a button, Maytag fights both in a single load. The Extra Power button boosts stain-fighting performance on any wash cycle with a dual-temperature water

#### Smart Appliance

Size in control and efficiently manage laundry from anywhere. <sup>™</sup> Remotely start or stop your appliance and get end of cycle notifications so no load is left behind. Troubleshoot select issues to avoid unnecessary service calls and help ensure dependable performance, year after year. Get personalized tips to help you best clean your clothing and maximize the power of your Maytag<sup>®</sup> appliances.



<sup>\*</sup>Models with Extra Power option: MHW8630H, MHW6630H, MHW5530H. Based on cleaning score of a 20-lb load, simulating leading front load brands. Heavy Duty Cycle plus Extra Power vs. comparable cycles and options. <sup>™</sup>Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at [maytag.com/connect](http://maytag.com/connect). Visit [maytag.com](http://maytag.com) for warranty details. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

© Maytag 2020. All rights reserved. Printed in the U.S.A. 4200104XXP. MHW8630HSpecSheetV11

A2-W8

Lot 47

## DRYER DIMENSIONS

Additional parts may be required, depending on your installation. Check local codes. Check existing electrical supply and venting. Read "Electrical Requirements" and "Venting Requirements" before purchasing parts.

### If using a power supply cord:

Use a UL listed power supply cord kit marked for use with clothes dryers. The kit should contain:

- A UL listed 30 A power supply cord, rated 120/240 V minimum. The cord should be type SFD or SFDT and be at least 4 ft. (1.22 m) long. The wires that connect to the dryer must end in ring terminals or spade terminals with upturned ends.
- A UL listed strain relief.

### Optional Equipment (not supplied with dryer):

Refer to your Use and Care Guide for information about accessories available for your dryer.

## LOCATION REQUIREMENTS

Check code requirements. Some codes limit, or do not permit, installing dryer in garages, closets, mobile homes, or sleeping quarters. Contact your local building inspector.

## WARNING



### Explosion Hazard

Keep flammable materials and vapors, such as gasoline, away from dryer.


Place dryer at least 18 inches (460 mm) above the floor for a garage installation.

Failure to do so can result in death, explosion, or fire.

### You will need:


- A location allowing for proper exhaust installation. See "Venting Requirements."
- A separate 15 or 20 A circuit for a gas dryer or 30 A circuit for an electric dryer.
- If using power supply cord, a grounded electrical outlet located within 2 ft. (610 mm) of either side of dryer. See "Electrical Requirements."
- Floor must support dryer weight of 200 lbs. (90.7 kg). Also consider weight of companion appliance.
- Cold water faucets located within 4 ft. (1.2 m) of the water fill valves, and water pressure of 20–120 psi (1.38–8.27 kPa). You may use your washer's water supply by purchasing the necessary parts noted in "Parts needed."
- Level floor with maximum slope of 1" (25 mm) under entire dryer. If slope is greater than 1" (25 mm), install Extended Dryer Feet Kit, Part Number 279810. If not level, clothes may not tumble properly and automatic sensor cycles may not operate correctly.
- For garage installation, place dryer at least 18" (460 mm) above floor. If using a pedestal, you will need 18" (460 mm) to bottom of dryer.
- The dryer must not be installed or stored in an area where it will be exposed to water and/or weather.

**IMPORTANT:** Do not operate, install, or store dryer where it will be exposed to water, weather, or at temperatures below 40°F (4°C). Lower temperatures may cause dryer not to shut off at end of automatic sensor cycles, resulting in longer drying times.




Side view:

Whirlpool® Models



Side view:


Maytag® Models



AZ-18

Lot 47

Back view:



**NOTE:** Most installations require a minimum of 5" (127 mm) clearance behind dryer for exhaust vent with elbow. See "Venting Requirements."

#### Installation Clearances

For each arrangement, consider allowing more space for ease of installation and servicing, spacing for companion appliances, and clearances for walls, doors, and floor moldings. Space must be large enough to allow door to fully open. Add spacing on all sides of dryer to reduce noise transfer. If a closet door or lowered door is installed, top and bottom air openings in door are required. Check code requirements. Some codes limit, or do not permit, installation of the dryer in garages, closets, mobile homes, or sleeping quarters. Contact your local building inspector.


**NOTE:** No other fuel-burning appliance can be installed in the same closet as a dryer.

#### Installation spacing for recessed area or closet installation

All dimensions show recommended and minimum spacing allowed.


- Additional spacing should be considered for ease of installation and servicing.
- Additional clearances might be required for wall, floor, floor moldings, dryer venting, and gas line.
- Additional spacing should be considered on all sides of the dryer to reduce noise transfer.
- For closet installation with a door, minimum ventilation openings in the top and bottom of the door are required. Lowered doors with equivalent ventilation openings are acceptable.
- Companion appliance spacing should also be considered.

#### Recommended installation clearances (dryer only):



0" (0 mm) rear spacing is allowed for straight back venting only. For steam models only, inlet hose must not be kniked.

#### Custom under-counter installation:



#### Mobile home – Additional installation requirements:

This dryer is suitable for mobile home installations. The installation must conform to the Manufactured Home Construction and Safety Standard, Title 24 CFR Part 3280 (formerly, the Federal Standard for Mobile home construction and Safety, Title 24, HUD Part 280) or Standard CAN/C.SA-2240 MH.

#### Mobile home installations require:

- Metal exhaust system hardware, available for purchase from your dealer. For further information, see "Assistance or Service" in your Use and Care Guide.
- Special provisions must be made in mobile homes to introduce outside air into dryer. Openings (such as a nearby window) should be at least twice as large as dryer exhaust opening.

#### For mobile home installation of gas dryers:

- Mobile Home Installation Hold-down Kit Part Number 346764 is available to order. For further information, see "Assistance or Service" in your Use and Care Guide.

NZ PD