

Telephone Res. / Bus:

/ (416) 838-6170

Purchasers:

INTERIOR COLOUR SCHEME

BALA PRAVEEN Reddy DUGGIMPUDI & ALEKH Property: Scheduled Closing Date: Thursday, October 1, 2020 166 of Plan

Project: North Oakville - Phase

Decor Advisor: Layout Changes: ယ Ņ SHARED Second Ensuite Bathroom (If Applicable) **Master Ensuite Bathroom** Second Ensuite Bathroom (If Applic.) Comment Kitchen Backsplash **ENSUITE 4** BASEMENT BATH: MALENA ICE, 13 X 13 Comment **ENSUITE 4** (If Applicable) Bathroom SHARED **Powder Room** Laundry Room Main Hall *KITCHEN CABINETS: 6,Camden Paint Winter White *KITCHEN ISLAND: 6,Camden Paint Earl Grey
BASEMENT BATH: CABINETS: 3, Cape Cod 3DL Moonlight COUNTER: 4924-38 WHITE CARRARA LAMINTATE HARDWARE: 9677 Comment **ENSUITE 2** Bathroom **Master Ensuite** SHARED BATH **Powder Room** Laundry Room Kitchen / Breakfast Lower Landing Bathroom (If Applicable) Second Ensuite Master Ensuite Kitchen / Breakfast Entrance Vestibule Wall Tile Cabinetry Floor Tile **Bathroom Walls Shower Stall** Yes No **Tub Deck** Terri Parisani Cape Cod 3DL Moonlight Cape Cod 3DL Moonlight Cape Cod 3DL Moonlight * SEE NOTES Style and Colour *4, Cape Cod Paint Navy Blue Cape Cod 3DL Moonlight KEATON ICE, 13 X 13 MALENA ICE, 13 X 13 KEATON ICE, 13 X 13 *UPG. 3, CLASSIC CARRARA, GLAZED PORCELAIN KEATON ICE, 13 X 13 *UPG. 3, Selection Selection KEATON ICE, KEATON ICE, 8 X 10 MALENA ICE, 8 X 10 *MSI 2 CALCUTTA BOTANICA Sketch Attached: CLASSIC CARRARA, GLAZED PORCELAIN ੂ No . 8 × 6 Model and Elevation: DOVE (38-03) Elev A Yes O No 4924-38 WHITE CARRARA LAMINTATE *MSI 2 CALCUTTA BOTANICA Counter Custom Backsplash Behind Stove to Upper Cabinets YES)Yes ● No Yes Yes Yes Yes Yes **Exterior Colour Scheme:** N <u>Z</u> <u>N</u> N O **⊘** 12 x 24 12 x Describe 24 9677 9677 9677 9677 9677 Hardware

BASEMENT BATH: MALENA ICE, 8 X 10



Purchasers:

INTERIOR COLOUR SCHEME

Telephone Res. / Bus: Scheduled Closing Date: Thursday, October 1, 2020 BALA PRAVEEN Reddy DUGGIMPUDI & ALEKH Property: 166 of Plan - / (416) 838-6170

Decor Advisor: Terri Parisani Model and Elevation: DOVE (38-03) Elev A

Master Ensuite Bathroom		pecify	Other Washroom
ALL FIXTURES TO REMAIN AS STANDARD	NIN AS STANDARD		
5. Hardwood Floo	Flooring		
Main Hall	Type and Stain *LEVEL 3. OAK MORCHELLO 5"	Upper Landing	Type and Stain *LEVEL 3, OAK MORCHELLO 5"
Kitchen / Breakfast			*LEVEL 3, OAK MORCHELLO 5"
Living Room	1		
Dining Room	*LEVEL 3, OAK MORCHELLO 5"	Bedroom #2	•
Family Room	*LEVEL 3, OAK MORCHELLO 5"	Bedroom #3	
Den/Library	*LEVEL 3, OAK MORCHELLO 5"	" Bedroom #4	•
Entrance Vestibule		Bedroom #5	
Lower Landing (If Applicable)	*LEVEL 3, OAK MORCHELLO 5"	Other Room - Specify	
Comment			
6. Carpeting	Upgrade Description		
Ground Floor	**	1 ESCADE TO MAIII #80827 MISTY HORIZON	TV HORIZON
BASEMENT	*UPG. 1 E	1 ESCAPE TO MAUI #89827 MISTY HORIZON	TY HORIZON
Upgrade Underpad	Type	Area	
	Capped	Runner - *Upgrade	pgrade
Carpet on Stairs Comment			
7. Fireplace	Living Room Purchased As Per Plan N/A	Family Room Purchased As Per Plan N/A	Other Room - Specify Purchased As Per Plan N/A
	(STANDARD	
Fireplace Type		ASCENT	
Fireplace Type Mantle Type		WHITE PAINT-GRADE	
Fireplace Type Mantle Type Colour / Stain		GRIGIO CARNICO	
Fireplace Type Mantle Type Colour / Stain Surround		A STATE OF THE PARTY OF THE PAR	



INTERIOR COLOUR SCHEME

Telephone Res. / Bus: Purchasers: Scheduled Closing Date: Thursday, October 1, 2020 BALA PRAVEEN Reddy DUGGIMPUDI & ALEKH Property: 166 of Plan - / (416) 838-6170

Decor Advisor: Terri Parisani Model and Elevation: DOVE (38-03) Elev A

Interior Doors *SEE NOTES Front Door Glass Inserts Door Handles STANDARD Interior Trim STANDARD	NEN AND LAUNDRY RM DOORS ONLY	Comment DOORS: UPGRADE TO SHAKER STYLE MADISON DOOR ON MAIN FLOOR AND ALL BEDROOMS, LINEN AND LAUNDRY RM DOORS ONLY. CLOSETS AND WASHROOMS TO BE STANDARD. SEE FLOOR PLAN (11 DOORS TOTAL)	E TO SHAKER STYLE SHROOMS TO BE ST	Comment DOORS: UPGRADI CLOSETS AND WA
Front Door Glass Inserts			STANDARD	Interior Trim
	Door Handles STANDARD		*SEE NOTES	Interior Doors

Comment	Stringer / Riser	Railing Colour	Railing Package	10. Railings and Spindles	Entrance Vestibule Main Hall Living Room Dining Room Family Room Comment
La to 1862 est y a company	NATURAL FINISH	NATURAL FINISH	Railing Package STANDARD **WITH ELORA POST**	nd Spindles	Entrance Vestibule Main Hall Living Room Dining Room Family Room Comment
Oak Stairs	Treads	Spindle Colour			Kitchen/Breakfast Den/Library Lower Landing Other Room - Specify
Yes No	NATURAL FINISH	BLACK			
O N/A					

Second Note	Trim Paint Smooth Ceilings	Throughout Finished Areas
	White	Throughout Finished Areas PELICAN
		LICAN
	nd Floor	eilings ound Flo ond Flo



Purchasers:

INTERIOR COLOUR SCHEME

Scheduled Closing Date: Thursday, October 1, 2020 BALA PRAVEEN Reddy DUGGIMPUDI & ALEKH Property: 166 of Plan - / (416) 838-6170

Decor Advisor: Telephone Res. / Bus: Terri Parisani Model and Elevation: DOVE (38-03) Elev A

ment contains	The Purchaser acknowledges reading and accepting the "Valery Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.	^o urchaser acknowledges readin r miscellaneous disclaimers.	4) The F
e permitted other	The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability Purchaser's Initials	^o urchaser acknowledges that aff re-selection due to unavailabilit	3) The F than
be paid in full.	2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be	xtras listed above are null and v	2) Any e
in manufacturing.	Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in	ırs of all materials are as close a	1) Colou
		Disclaimers and Notes	15. Di
		Additional Comments	14. Ad
YES	Oning Gas Provisions Stove Gas Provisions Barbecue	8. Heating and Air Conditioning Air Conditioning Gas Provisions Dryer Comment	Air Condit Gas Provi
		ent	Comment
		Chimney Style Fan	Chimn
		Over The Range Microwave	Over T
inet Light (Yes Wo	Below Nitchen Cabinet Light	Standard Appliances	Standa
Yes	Stainless N/A Above Kitchen Cabinet Light	White	Hood Fan

This Interior Colour Selection is final and approved by:

Signature

Date:

Apr. 29, 2020


526, 18, 2020

वश्री

(a)

DOVE

3,658 SQ. FT.




I K BOLDICOY









Strive®

32" x 18-5/16" x 9-5/16" Undermount single-bowl kitchen sink with accessories

CAD \$1,339.00

This Strive kitchen sink offers professional style with easy-to-disar-curved corners. Made of thick, premium quality 16-gauge stainless steel, the large, deep single bowl allows you to soak and clean large cookware and bakeware. Strive features a sound-absorption system includes a bottom sink rack to help prevent scratches and a sink birdge that significantly reduces disposal and dishwashing noise. This sink utility shelf with dishcloth bar to organize dishcloths, scrubbers, and

Parts & Support


Our Kohler Product Consultation Virtual Product


Click here to launch the Kitchen Planner


FEATURES



RECEIVED








四回 RTAZZONI **DESIGN SERIES**

36" SEGMENTED COOKTOPS PM36 5 00 X








level. Bertazzoni sets the new standard in surface cooking flexibility with its new Design Series Segmented cooktops. Housed in a sleek and sophisticated low-profile stainless steel maintop, these new 36" cooktops are available in six combinations of gas, electric griddle and induction to perfectly match your own style of cooking. Combine a segmented cooktop with a Bertazzoni Design Series or Professional Series wall oven for a perfectly integrated kitchen, or upgrade your existing cooktop and elevate your cooking to the ultimate

BRASS POWER BURNER



Bertazzoni's exclusive dual zone power burner in cast brass delivers highefficiency performance from a delicate low simmer to full power (750-18,000 BTUs) with best-in-class heat-up time.




TO COOK BEAUTIFULLY

36" SEGMENTED COOKTOPS PM36 5 00 X

FEATURES

Brass Burner	Ø
Dual wok (1x)	750-18000 Btu/h
Rapid (2x)	11000 Btu/h
Semi-rapid (2x)	6200 Btu/h



TECHNICAL SPECIFICATIONS

TOTAL OF FOIL TOTAL OF TOTAL	
Electrical Requirements	120V 60Hz
Max. Amp Usage	1 Amp
Certification	CSA
Warranty	2 years parts and labor
Product weight	48.5 lbs
Box weight	50,5 lbs
ACCESSORIES	
Wok ring (standard)	code 408117
Simmer ring (optional)	code 408077

DIMENSIONS


,		Dimensions	sions
χer.	Description	Inches	mm
ם	Cooktop depth	20 15/32	520
G1	Distance between gas outlet connection and frontal side	17 15/32	444
G5	Distance between gas outlet connection and left side	13/16	20
드	Cutout depth	19 11/16	500
L3 (min)	Cutout clearance from backwall	23/4	70
L9 (min)	Cutout clearance from cabinetry	625/32	172
L10	Cutout width	33 7/8	860
M	Cabinetry height	35 ³¹ / ₃₂	914
Mα	Toekick height	43/4	121
M4	Cabinetry width	28 1/2	724
M10	Cooktop max encumbrance	3 17/32	90
S.	Cooktop height	211/16	69
S4	Chassis height	211/16	69
٤	Cooktop width	35 1/32	890
Z 5	Adjustable horizontal exit	8 27/32	225

INSTALLATION INSTRUCTIONS
Bertazzoni recommends to operate the appliance after it has been installed in a cabinet.
The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during appliance usage.

SINGLE CONVECTION SELF-CLEAN OVEN MASFS30XV








perfect partner for the ultimate user experience in your kitchen. in both vertical and horizontal combinations. Eleven cooking modes make this new Bertazzoni wall oven the installs flush with the cabinet doors and integrates seamlessly with specialty ovens and warming drawers glides ensure even heat roasting and baking on multiple levels with no flavor crossover. This beautiful oven touch controls. The exclusive dual diagonal convection system and 7 usable shelf positions with telescopic the Master Series wall ovens. The exceptional, energy-efficient performance of the Bertazzoni Master Series wall ovens is enhanced by the intuitive and easy-to-use interface operated with large, round knobs and The Bertazzoni traditions of Italian design, engineering excellence and culinary expertise come together in

INTUITIVE CONTROLS




Bertazzoni ovens use stainless steel metal knobs to select cooking modes and temperature, while the intuitive interface lets users program time and other functions.

DUAL DIAGONAL CONVECTION



Two large-blade fans positioned on the diagonal axis and subsidiary air vents at the top and bottom of the oven cavity provide balanced airflow and even heat distribution.





All Bertazzoni ovens install flush with the cabinet doors and integrate seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations.



SINGLE CONVECTION SELF-CLEAN OVEN MASFS30XV

FUNCTIONS



























(3)

DEFROST DEHYDRATE



HEATURES	
Oven type	electric convection self-clean
Oven broiler type	electric
Oven controls	LED touch interface
Inner oven door	quadruple glass
Door Hinge	soft motion
Oven handle	solid metal
Oven door finishing	stainless steel
Convection System	dual diagonal
Oven levels	7
Wire shelves	2 heavy gauge
Tray	1 baking tray

28" 1/2 22" % 28" 1/4 28" 29" 3/4

4" 3/4

23"

28" 11/16

ACCESSORIES


Grill trivet for Trays

yes

1	80
) Telescopic
	Slide
	Shelf
	code TG

TECHNICAL SPECIFICATIONS

Voltage, frequency	120/208 Vac - 120/240 Vac, 60 Hz
Oven volume	4.113
Max Amp usage, power rating $30~\text{A}$ - $5500~\text{W}$	30 A - 5500 W
Certification	CSA
Warranty	2 years parts and labor



Cut out for power cord

INSTALLATION INSTRUCTIONS

Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. The appliance must be installed into cabinetry and be supported from underneath. The air intake opening at the bottom of the door must be left unobstructed. For a flush mount For under counter installation refer to the installation drawing in the specific sections of thickness as the oven control panel. For installation of the oven in column please refer to the drawings view of model MO 30 STANE. installation the surrounding cabinets doors should have the same cooktop or rangetop

For any combinations of built-in models, please see related installation drawings


iclaimer: while every effort has been made to insure the accuracy of the information or brochure, Fratelli Bertazzoni reserves the right to change any part of the information hout notice.

Fratelli Bertazzoni, Bertazzoni and the Bertazzoni Spa. winged wheel brand icon are registered trademarks of

30" CONVECTION SPEED OVEN MAS SO30 X








versatile unit. By combining baking and microwave functions, this powerful oven completes cooking cycles in half the time without compromising results. With its intuitive touch-control interface and family-sized capacity, this Bertazzoni speed oven often becomes the go-to oven in a busy kitchen. This beautiful oven installs flush with the cabinet doors and integrates seamlessly with specialty ovens and warming drawers The Bertazzoni Master Series speed oven combines convection baking, electric grill and microwave in one in both vertical and horizontal combinations.

INTUITIVE CONTROLS




Bertazzoni ovens use stainless steel metal knobs to select cooking modes and temperature, while the intuitive interface lets users program time and other functions.

PERFECT BAKING



The European convection system ensures even roasting and baking on multiple levels with no flavor crossover.



All Bertazzoni ovens install flush with the cabinet doors and integrate seamlessly with specialty ovens and warming drawers in both vertical and horizontal combinations.



30" CONVECTION SPEED OVEN MAS SO30 X

FUNCTIONS



BROILER MICROWAVE












CONVECTION CONVECTION MICROWAVE

FEATURES

Oven type	combination electric convection and grill with microwave
Oven grill type	electric
Oven controls	knobs and touch
Timer	digital programmer
Inner oven door	double glass
Auto cooking modes	5 preset
Cooling fan	yes
Oven handle	solid metal
Oven door finishing	stainless steel
Cavity finishing	stainless steel
Convection system	European ring heating element
Oven levels	2
Oven lights	single
Tray	1 glass turntable
Grill trivet for trays	yes



TECHNICAL SPECIFICATIONS

Voltage, frequency	208-240 V/60Hz
Oven volume	1,34 ft ³
Max Amp Usage	15 A - 3300 W
Certification	UL
Warranty	2 years parts and labor

For any combinations of built-in models, please see related installation drawings


INSTALLATION INSTRUCTIONS
Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. For further installation instructions refer to the installation manual.

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this brochure, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice.


Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon Bertazzoni Spa.

BERTAZZONI DESIGN SERIES

36" HOOD KG36 CON X



The Bertazzoni Design Series hood offers a steek and elegant style with stainless steel framed glass and electronic touch through glass controls. It is a perfect match for the Bertazzoni Design Series wall ovens and cooktops. Available with an efficient yet quiet 600 CFM motor and stainless-steel baffle filters, it can be installed for recirculation or ducted extraction.



Use the touch control interface that lets you adjust the 3 different power levels with just the touch of a finger.



BERTAZZONI DESIGN SERIES

36" HOOD KG36 CON X

-	
food finishing	stainless steel and finishing glass
Motor	-
Speed	8
tood control	louch
lalogen fights	20
Wers .	aluminum mesh
day antiquedian nation	600 -1

Electrical Requirements	120 V 60 Hz
Max Amp usage, power rating	3.3 A - 400 W
Certification	طفالالبه
Warranty	2 years parts and labor

Recirculation Kit	ACCESSORIES
code 901 154	

