

Lot 51

A.S.



PROJECT PARTNER:

SHIP TO:
WASEEM, AHMED

UNDEFINED UNDEFINED
OAKVILLE, ON XXX

REMINDER:

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances to share all the attached specifications with their cabinet provider, contractor, or any other tradesperson so they have the information required to complete their work accurately. Product specifications are for planning purposes only and are subject to change without notice. Refer to Installation instructions shipped with the product before cutting cabinets, counters, panels, etc.

Tasco Appliances assumes no liability for product specifications.

RECEIVED

DEC 18 2020

Lot 51

A.S.

Full Spec Package

WASEEM, AHMED

UNDEFINED UNDEFINED
OAKVILLE, ON XXX



Tasco Appliances
tascoappliances.ca

BOBBY NANDWANI
4163009545

Quote QT00204096
Version 1.1

Wed, Sep 30, 2020
3:15 PM EDT



steelcod.com/sp/tasc/RE99164

Models	Pages
RF23J9011SG/AA Samsung Refrigeration	3-4
NQ70M7770DG/AA Samsung Wall Oven	5-6
NK36K7000WG/AA Samsung Ventilation	7-8
NA36N7755TG/AA Samsung Cooktop	9-10
WW60M9900AV/A5 Samsung Washer	11-12
DVE60M9900V/AC Samsung Dryer	13-16
SHV89PW73N Bosch Dishwasher	17-19

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only. Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Lot 9

A.S.

RF23J9011SR

23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus



Features

- 4-Door Counter-Depth Design
- Large Capacity – 23 cu. ft.
- Cool Select Plus
- Triple Cooling System
- Ice Master Ice Maker in the Refrigerator
- ENERGY STAR® Compliant
- High-Efficiency LED Lighting
- Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
- Fingerprint Resistant Coating
- Tempered Glass Spill-Proof Shelves
- Flip-Up Shelf
- Gallon Door Bins
- Two Clear Crispers


Convenience

- Door Alarm
- Water Filter Indicator

ENERGY STAR® rated
679 kWh/yr



Clean, Modern Design



Triple Cooling System

Available Color



Stainless Steel

Signature Features

CLEAN, MODERN DESIGN

- Active and open interior lighting system is called LightMax
- Stainless steel accents on interior shelving and door bins

COUNTER DEPTH

- Maximize the available floor space
- Over 23 cu. ft. capacity with the most available storage space for up to 24 hours of freshness
- Stylish counter depth design allows the entire available space in the kitchen

Active and open interior lighting system is called LightMax

COOL SELECT PLUS

- Versatile, bottom right drawer can be a freezer or freezer maximizing fresh food storage space
- The most fresh food storage available in its class at 18.05 cu. ft. when the Cool Select Plus is used as a refrigerator
- Four customizable temperature settings: Fresh at 39°F, Soft Freeze at 23°F, Cold at 32°F and Cold at 33°F

Active and open interior lighting system is called LightMax



Ranked "Highest in customer satisfaction with French Door refrigerators, in a tie."*

—J.D. Power

SAMSUNG

2-451

RF23J9011SR


23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus

A.S.


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding, tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.5 cu. ft.

Refrigerator: 13.6 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- Ice Master Ice Maker
- High Efficiency LED Lighting
- 2 Clear Crispers
- 5 Tempered Glass Spill-Proof Shelves
 - 1 Slide-in & fold up
 - 1 Flip-Up
 - 3 Fixed

Cool Select Plus: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Drawers
- 4 Temperature Zones
 - 41°F
 - 30°F
 - 23°F
 - 9°F - 1°F
- High Efficiency LED Lighting

Freezer: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Freezer Drawers
- High Efficiency LED Lighting

Accessories

Water Filter HAF-CIN

Warranty

One (1) Year Parts and Labor on Refrigerator
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor and compressor condenser block covered for life.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors):
35 1/8" x 71 1/8" x 28 1/8"

Frame Dimensions (WxHxD without hinges and doors):
35 1/8" x 70 1/8" x 24 1/8"

Dimensions (WxHxD with hinge and door, no handle):
35 1/8" x 71 1/8" x 28 1/8"

Weight: 352.7 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/8" x 78" x 31 1/8"

Weight: 385.8 lbs.

Color

Stainless Steel

Model

RF23J9011SR

UPC Code

887276088969

SAMSUNG

*Samsung received the highest numerical score for French door refrigerators in a tie in the proprietary J.D. Power 2014 Kitchen Appliance Study™. Study based on 15,380 total responses measuring 10 French door refrigerators brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit jdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Not metric weights and measurements are approximate.

©2015 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07640 Tel: 800-SAMSUNG samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.


Lot 51

A.S.

NQ70M7770DS

30" Microwave Combination Wall Oven

SAMSUNG



Signature Features

Steam Cook (Oven)

- Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

- Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)

- Cook two dishes at different temperatures simultaneously with the Smart Divider.

Available Colors



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

Features

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)
- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

Lot 51

A.S.

NQ70M7770DS

30" Microwave Combination Wall Oven


SAMSUNG

Cabinet Dimensions


Combination Oven Installed in Cabinet

* Junction Box

** Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



Total Capacity: 1.9/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
- Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
- Hidden Bake Element
- Bake: 175°F-550°F
- Convection Bake: 175°F-550°F
- Convection Roast: 175°F-550°F
- Broil: Low-High
- Steam Bake: 230°F-550°F
- Steam Roast: 230°F-550°F
- Proofing
- Sabbath Mode

Warranty

One (1) Year All Parts and Labor

Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:

29 1/4" x 43 1/4" x 25 1/16"

Combination Oven Cut-Out Dimensions:

28 1/2" x 42 1/4" x 23 1/2"

Weight: 262.4 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 1/8" x 48 1/16" x 29 1/16"

Weight: 291.1 lbs.

Color

Stainless Steel

Black Stainless Steel

Model

NQ70M7770DS

NQ70M7770DG

UPC Code

887276195186

887276195162

RATING	
240V	9.5 kW
208V	7.2 kW
BREAKER SIZE	
240V	40 Amps
208V	40 Amps

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660 Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.


Lot 51

A.S.

NK36K7000WS/A2

36" Range Hood

SAMSUNG



Signature Features

Bluetooth® Connected Hood

- Automatically sync the fans and the lights with the cooktop through Bluetooth.*
- *Only on select Samsung cooktops

Baffle Filter

- Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

Powerful 390 CFM* Ventilation

- Circulates air to remove odors quickly.
- *600 CFM capable

Available Colors




Stainless Steel (shown)



Black Stainless Steel



Baffle Filter



Wi-Fi Monitoring

Features

- Wi-Fi Monitoring
- ADA Compliant
- 4 Fan Speeds, Including Booster
- Wall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting & Recirculating Capabilities
- 74 dBA (10.8 sonnes) Noise Level
- Optional Recirculating Kit Available
- Optional Extension Kit Available

Convenience

- LED Lighting

Lot 51


A.S.

NK36K7000WS/A2

36" Range Hood

SAMSUNG

Venting Methods



Total Power
220W

Power Source
120V / 60 Hz / 15A

Range Hood

- 36" Stainless Steel Chimney Hood
- Vent Fan: 390 CFM (600 CFM Optional)
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- 74 dBA (10.8 sonnes) Noise Level
- Hood Connectivity Control
- Bluetooth® On/Off Control
- Mobile Monitoring: Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Hood Dimensions:
36" x 25 7/16" x 19 1/16"

Weight: 48.5 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:
40 1/16" x 26 1/2" x 18 1/16"

Weight: 60.4 lbs

Color

Stainless Steel

Black Stainless Steel

Model

NK36K7000WS/A2

NK36K7000WG/A2

UPC Code

887276245287

887276245270

Hood Extension Kit (Optional)

NK-AE705PWS

NK-AE705PWG

Recirculation Kit (Optional)


NK-AF030FNB

Charcoal Filter

NK-AR050FNB

Dimensions and Clearance

- * For Vented Installation
- ** For Non-Vented Recirculating Installation



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Front model weights and measurements are approximate.
©2018 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07666 Tel: 800-SAMSUNG, samsung.com Samsung is a registered trademark of Samsung Electronics Co., Ltd.


Lot 51

A.S.

NA36N7755TS

36" Gas Cooktop

SAMSUNG



Signature Features

22K True Dual-Power Burner

- Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

- The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

- Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors



Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
 - Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: True Dual, 22K BTU (Brass)

- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

Convenience

- Wok Grate
- LP Conversion Kit



ADA Compliant

Lot 51





NA36N7755TS

36" Gas Cooktop

Installation Requirements

Countertop cut-out and minimum clearance dimensions:



Total Power (BTU)
59K

Power Source
120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x 54 1/2" x 22 1/4"

Cooktop Cut-Out Dimensions:

33 1/4" x 3 1/4" x 19 1/2"

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions: 40 1/4" x 10 1/8" x 25 1/8"

Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant Black Stainless Steel)

Color

Stainless Steel

Model

NA36N7755TS

UPC Code

887276281766


Fingerprint Resistant

Black Stainless Steel


NA36N7755TG

887276281759

Installing Over a Single Oven



Cooktop Dimensions



Lot 51

A.S.

24" Custom Panel Dishwasher

Benchmark Series - Custom Panel SHV89PW73N



BOSCH
Invented for life



SHV89PW73N
Custom Panel

The flexible 3rd rack allows you to accommodate deeper items, while adjustable tines let you customize the rack's loading space.

Features & Benefits

39 dBA: Quietest dishwasher brand in North America.*

A flexible 3rd rack with folding tines adds 30% more loading area.

A clean white light illuminates the interior when open.

Telescopic Rails provide a smooth glide for easier unloading and loading on all 3 levels.

Water Softener ensure optimally spot-free and shiny dishes.

General Properties

Number of wash cycles	7
Number of options	7
dBA	39
Third rack	Flexible Third Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	TFT Touch Control
Concealed heating element	Yes
Leak protection system	24/7 AquaStop® Plus
Water softener	Yes
Five-level wash	Yes
ChildLock	No
Special features	Telescopic Glides on all 3 levels, Stainless Steel ToeKick

Efficiency

Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5

Capacity

Number of place settings 15

Technical Details

Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	N/A

Minimum water pressure (lb/sin)

Length inlet hose (in)	55"
Length outlet hose (in)	63"


Dimensions & Weight

Overall appliance dimensions (HxWxD)(in)	34 1/16" x 23 9/16" x 21 5/8"
Required cutout size (HxWxD)(in)	34 1/8" x 24" x 24"
Adjustable feet	Yes
Net weight (lbs)	118 lbs

Accessories—Optional

Drain Hose Extension Kit	SGZ1010UC
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Stainless Steel Door with Stainless Steel Straight Bosch Bar Handle	SHZ1008UC
Stainless Steel Straight Bosch Bar Handle	SMZ1007UC
Anti-Tarnish Silverware Cassette	SMZ5002UC
Power Cord with Cold Plug	SMZPC002UC

*Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands U.S. & Canadian websites. Major brands defined as TraiOne Top 5 Market Share U.S. & Canada December 2016.



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 9am to 8pm PST Sat 9am to 3pm PST. Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making a list. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be altered, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/particle plan blemishes, chip, dents, or other damage) in the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "IT" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

06/17

BOSCH
Invented for life

Benchmark Series - Custom Panel SHV89PW73N







The technical drawing illustrates the dimensions for the cabinet body and countertop assembly. Key dimensions include:

- Cabinet Body Dimensions:**
 - Top width: $21\frac{1}{8}"$ (550) and $23\frac{7}{16}"$ (598)
 - Front height: $34\frac{1}{16}" - 36\frac{7}{16}"$ (865-925)
 - Internal front height: $27\frac{3}{4}" - 30\frac{1}{2}"$ (705-775)
 - Internal top width: $23\frac{1}{8}"$ (588-594)
 - Bottom width: $3\frac{5}{8}" - 8\frac{3}{4}"$ (92-222)
 - Bottom depth: $4"$ (100)
 - Side panel thickness: $\frac{5}{16}" - \frac{7}{16}"$ (16-22)
 - Door opening height: $3\frac{1}{2}"$ (89)
 - Door bottom clearance: $2\frac{1}{16}"$ (53)
- Countertop Assembly Dimensions:**
 - Top width: $24" - 24\frac{1}{4}"$ (610-616)
 - Minimum side panel thickness: min. $3\frac{3}{4}"$ (min. 886)

• $23\frac{5}{8}"$ (600 mm) without decor strips
 ** measured from the bottom edge of the countertop panel thickness recommended $\frac{3}{4}"$ (20 mm), panel weight 7–22 lbs (3–10 kg)
 *** $24"$ (610 mm) wide panel may be used depending on cabinet design

measurements in inches (mm)



For help and assistance with Bosch smartpool, please visit: www.bosch-smartpool.com/eshop/bosch-us or call 1-800-844-2808 Mon-Fri 9am to 6pm PST Sat 9am to 3pm PST. All rights, with and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for further details. All dimensional data and other data is printed to making it out. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing warranty begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic damage in material and workmanship (such as scratches of stainless steel, pail porcelaine bathtubs, rug, dents or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase. This cosmetic warranty includes slight color variations due to the way the color is placed in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any trading floor, "As Is," or "As Is" at all appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-844-2808

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Lot 51

A.S.



24" Custom Panel Dishwasher


Benchmark Series – Custom Panel SHV89PW73N



BOSCH
Invented for life



Installation Details



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 5pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranty: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stated, tolled, extended, or suspended, for any reason whatsoever. The Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dent, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH

05/17