


NK30K7000WS

30" Range Hood

Lot 77



Features


- Wi-Fi Monitoring
- 3 Fan Speeds including Booster
- Wall Mounted Chimney Style
- Digital Touch Control
- Exhaust Venting
- 74 dBA Noise Level
- ADA Compliant

Convenience

- LED Lighting



ADA Compliant



Baffle Filter



Wi-Fi Monitoring

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Signature Features

BLUETOOTH CONNECTED HOOD

- Automatically sync the fan and range plus with the hood up through Bluetooth

BAFFLE FILTER

- Deteriorates, so filter must be changed often. It is easily changed by detaching grease and oil from through the hood.

POWERFUL 600 CFM VENTILATION

- Circulates air to remove odors quickly

SAMSUNG

RECEIVED


JAN 06 2021

NK30K7000WS


30" Range Hood

Venting Methods

Roof Venting



Wall Venting



Total Power
220W

Power Source
120V / 60 Hz / 15A

Range Hood

- 30" Stainless Steel Chimney Hood
- Vent Fan: 600 CFM
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- 74 dBA Noise Level
- Hood Connectivity Control
- Bluetooth On/Off Control
- Mobile Monitoring Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Hood Dimensions

30" x 25 7/16" x 19 11/16"

Weight: 44.1 lbs.

Shipping Dimensions & Weight (WxHxD)


Dimensions:

34 1/4" x 26 1/2" x 18 1/16"

Weight: 56.7 lbs.

Dimensions and Clearance

• • For Vented Installation



Color

Stainless Steel

Black Stainless Steel

Model #

NK30K7000WS

NK30K7000WG

UPC Code

887276182954

887276182957

SAMSUNG

Actual color may vary. Design specifications are subject to change without notice.
Venting kit sold separately. See installation instructions for details.
© 2021 Samsung Electronics America, Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

RECEIVED


JAN 06 2021

RF28R7551SR

28 cu. ft. 4-Door French Door Refrigerator
with 21.5" Connected Touchscreen Family Hub™

SAMSUNG

Lot 77



Signature Features

Food

- See inside your refrigerator from anywhere, with 3 built-in cameras.
- Create and share shopping lists, plan meals based on the food inside your refrigerator and automatically set expiration dates.

Family

- Create your own home screen with Family Board, by adding personalized pictures, stickers and handwritten notes.
- Customize your screen saver with picture slide show, weather and animations.

Fun

- Stream your favorite music service directly on your Family Hub™ screen.
- Mirror your Samsung TV or Samsung phone, right on your Family Hub™.

Your Home

- Access your smart devices and Samsung appliances from your Family Hub™ screen; set lights, hear and speak to someone at your front door, monitor your baby's room and receive laundry end-of-cycle notifications.
- Receive Wi-Fi updates so your fridge stays up to date with the latest features and apps.

Bixby Voice 2.0

- Intelligent voice assistant allows hands-free navigation.
- Recognizes user's voice and provides a personalized experience.

Available Colors



Fingerprint Resistant
Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



Fingerprint Resistant
Tuscan Stainless Steel



Family Hub™



FlexZone™ Drawer

Convenience

- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- Wi-Fi and Bixby Enabled
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Water Filter Indicator

Design

- Fingerprint Resistant Finish
- Modern External Filtered Water and Ice Dispenser
- High Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
- Tempered Glass Spill-Proof Shelves
- Galton Door Bins
- Dispenser Light

Performance

- Twin Cooling Plus™
- Metal Cooling
- 25W Built-In Speaker
- Ice Max - Stores up to 4.2 lbs of ice
- ENERGY STAR® Compliant
- Power Freeze and Power Cool Options
- Two Humidity-Controlled Crispers
- CoolTight Door
- Door Alarm

Rating



ENERGY STAR™ rated:
755 kWh/yr

RECEIVED

JAN 06 2021

RF28R7551SR

28 cu. ft. 4-Door French Door Refrigerator with 21.5" Connected Touchscreen Family Hub™


Installation Specifications

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring)
2. Refer to illustration below to determine dimensions
3. Allow 2 1/2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact


4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com



Dimensions



SAMSUNG



Total Capacity: 27.7 cu. ft.

Refrigerator: 15.6 cu. ft.

- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves

- 1 Slide-In
- 1 Slide-Out
- 1 Foldable Half
- 2 Fixed
- 6 Door Bins
- Right Door: 3 Door Bins
- Left Door: 3 Regular Bins
- Metal Cooling
- High Efficiency LED Lighting

FlexZone™ Drawer: 3.8 cu. ft.

- EZ-Open Handle™
- 4 Temperature Zones with Smart Divider
 - Meat/Fish (29°F)
 - Cold Drinks (33°F)
 - Deli/Snacks (37°F)
 - Wine/Party Dishes (42°F)

Freezer: 8.3 cu. ft.

- EZ-Open Handle™
- Take Out Box
- 1 Drawer Divider
- High Efficiency LED Lighting

Warranty

One (1) Year Parts and Labor on Refrigerator
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Coverage requires registration at www.samsung.com and connecting to a Wi-Fi network.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors):
35 1/2" x 70" x 36 1/8"

Dimensions (WxHxD without hinges and door):
35 1/4" x 68 3/4" x 29 1/2"

Dimensions (WxHxD with hinge and door, no handle):
35 1/4" x 70" x 34"

Weight: 346 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/2" x 75 3/4" x 36 1/2"

Weight: 368 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF28R7551SR	887276345321
Fingerprint Resistant Black Stainless Steel	RF28R7551SG	887276345314
Fingerprint Resistant Tuscan Stainless Steel	RF28R7551DT	887276345307

Actual color may vary. Design specifications and color availability are subject to change without notice. Dimensions and product weights are approximate. ©2017 Samsung Electronics America, Inc. 55 Chalmers Road, Basking Ridge, NJ 07007. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

RECEIVED



JAN 06 2021

NA30N7755TS

30" Gas Cooktop

SAMSUNG

267 77



Signature Features

22K True Dual-Power Burner

- Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

- The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance

Cast Iron Griddle

- Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle

Available Colors



Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
 - Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: True Dual, 22K BTU (Brass)

Convenience

- Wok Grate
- LP Conversion Kit



ADA Compliant

RECEIVED

JAN 06 2021

NA30N7755TS




30" Gas Cooktop

SAMSUNG




Installation Requirements

Countertop cut-out and minimum clearance dimensions:




Installing Over a Single Oven



- That cockpit can be installed above any Samsung single built-in oven. Refer to installation manual of oven.
- Gas and electric connections for gas cooktop must be located in an adjacent accessible location to the right.

Cooktop Dimensions



Total Power (BTU)
59K

Power Source
120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

30" x 5 1/2" x 22 1/2"

Cooktop Cut-Out Dimensions:

 $28\frac{1}{2} \times 3\frac{1}{2} \times 19\frac{1}{2}$

Weight: 75.8 lbs. (76.3 lbs. Fingerprint Resistant Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $34^{11}/_{16}'' \times 10^{1}/_{32}'' \times 25^{1}/_{32}''$

Weight: 84.0 lbs. (84.9 lbs. Fingerprint Resistant Black Stainless Steel)

Color

Model #

Stainless Steel

NA30N775TS 887276281704

Fingerprint Resistant

Black Stainless Steel NA30N7755TG 887276281698

NA30N775TG 887276281698

RECEIVED


JAN 06 2021

NQ70M7770DS

30" Microwave Combination Wall Oven

SAMSUNG

20777



Signature Features

Steam Cook (Oven)

- Delivers moisture at precise times for a crisp, browned outside and tender inside

Speed Cook (Microwave)

- Cook food faster and more evenly by using power convection

Flex Duo™ (Oven)

- Cook two dishes at different temperatures simultaneously with the Smart Divider



Steam Cook



Flex Duo

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Features

- Digital-Analog Controls
- 19/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)

Convenience

- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display
- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion


RECEIVED

JAN 06 2021

NQ70M7770DS

30" Microwave Combination Wall Oven


SAMSUNG




Cabinet Dimensions

Combination Oven installed in Cabinet

- * Junction Box
- ** Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



Total Capacity: 19/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
- Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
- Hidden Bake Element
- Bake: 175°F - 550°F
- Convection Bake: 175°F - 550°F
- Convection Roast: 175°F - 550°F
- Broil: Low-High
- Steam Bake: 230°F - 550°F
- Steam Roast: 230°F - 550°F
- Proofing
- Sabbath Mode

Warranty

One (1) Year All Parts and Labor
Ten (10) Years Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:
29 1/8" x 43 1/4" x 25 7/16"

Combination Oven Cut-Out Dimensions:

28 1/2" x 42 1/2" x 23 1/8"

Weight: 119 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 1/8" x 48 1/16" x 29 51/64"

Weight: 132.5 lbs.

Color

Stainless Steel

Black Stainless Steel

Model

NQ70M7770DS

NQ70M7770DG

UPC Code

887276195186

887276195162

RATING	240V	9.5 kW
	208V	7.2 kW
BREAKER SIZE	240V	40 Amps
	208V	40 Amps

Actual product and design specifications and color availability are subject to change without notice. Some markings, weights and measurements are approximate.
©2017 Samsung Electronics America, Inc. 85 Chesapeake Blvd., Basking Ridge, NJ 07005 Tel: 800-SAMSUNG, www.samsung.com/samsung_electronics_usa

RECEIVED

JAN 06 2021