

Lot 62

30" Gas Cooktop

800 Series – Stainless Steel NGM8056UC



NGM8056UC
Stainless Steel

Also available in:
Black w/Black Knobs NGM8046UC
Stainless Knobs

Bosch gas cooktops are engineered to perform precisely, offering high heat and low simmer options for optimal cooking flexibility.

Features & Benefits

Powerful 19,000 BTU burner for boiling, searing and stir-frying

OptiSim® Burner – simmer delicate sauces and melt chocolate without scorching

Electronic re-ignition will automatically re-ignite the burner in case the flame goes out

Seamless, one-piece stainless steel design makes clean-up simple

Distinctive red LED light indicates burners are on

General Properties

Knob material	Metal
Sealed burners	Yes
Grate material	Cast iron

Element Performance

Total BTU load (NG / LP)	50,000 / 43,200
Power of front left burner (NG / LP)	10,000 / 9,100
Power of back left burner (NG / LP)	5,500 / 5,000
Power of center burner (NG / LP)	19,000 / 15,000
Power of back right burner (NG / LP)	10,000 / 9,100
Power of front right burner (NG / LP)	5,500 / 5,000

Technical Details

Watts	360 W
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3 prong
Power cord length	60"
Energy source	Gas
Convertible to LP (kit required)	Yes



Dimensions & Weight

Overall appliance dimensions (HxWxD)	31 3/16" x 31" x 21 1/4"
Required cutout size (HxWxD)	31 3/16" x 28 15/16" x 19 1/8"
Minimum distance from counter front	1 7/8"
Minimum distance from rear wall	3"
Net weight	37 lbs

Accessories – Included

Included	LP conversion kit
----------	-------------------

Accessories: To purchase Bosch accessories, cleaners & parts, please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making a cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.
© 2019 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

11119

RECEIVED

DEC 07 2020

2962.





BOSCH
Invented for life

Technical drawing of a hood assembly showing top, side, and perspective views with dimensions in inches and millimeters.

- Top View:**
 - Overall width: 31" (788)
 - Overall depth: 21 1/8" (540)
 - Front flange width: 3 13/16" (97)
 - Gas connection port: 1" (25) diameter, 9/16" (15) offset.
- Side View:**
 - Front flange height: 1 7/8" (37)
 - Internal depth: 28 15/16" (735)
 - Back flange height: 19 1/8" (486)
 - Back flange width: 3" (76)
- Perspective View:**
 - Front flange height: 13" (330)
 - Internal depth: 13" (330)
 - Back flange height: 17/8" (48)
 - Back flange width: max. 3" (76)

• Dimension from countertop to top of grates in front of 1 7/8" (37).
 ** When installed in combination with a hood, refer to hood manufacturers requirements for installation.

Measurement in inches (mm)



RECEIVED
DEC 07 2020


Lot 62

30" Gas Cooktop

800 Series – Stainless Steel NGM8056UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/time or call 1-800-944-2904 (Mon to Fri 8 am to 6 pm PST, Sat 8 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making layout.

Warranties: Please see Use & Care Manual or Bosch's website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© 2019 Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


11/18

RECEIVED
DEC 07 2020

Lot 62

30" Speed Combination Oven

800 Series - Stainless Steel HBL8752UC



HBL8752UC
Stainless Steel

Also available in:

Black HBL8742UC
Stainless Steel

The Bosch speed combination oven allows for faster cooking results and features a QuietClose® door.

Features & Benefits

Cooks faster than a traditional oven and can be used as a microwave.

Dampened hinges softly and quietly guide the QuietClose® door shut.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.



*Wall oven only

General Properties	
Cooking modes - upper cavity	Speed oven; 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods
Cooking modes - lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack
	Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat
Cleaning type	lower Self Clean
Telescopic rack	1
Illumination type	Halogen (Upper and Lower)
Interior lights	1 Upper / 2 Lower
Oven Performance	
Microwave power - upper cavity	1000 W
Bake / broil element wattages - upper cavity	600 / 1,750 W
Convection element wattages - upper cavity	1,700 W
Bake / broil element wattages - lower cavity	2,400 / 3,800 W
Convection element wattages - lower cavity	2,000 W
Technical Details	
Watts (W)	9,600 W
Circuit breaker (A)	40 A
Volts (V); Frequency (Hz)	240 / 208 V; 60 Hz
Power cord length (in)	50"
Plug type	Fixed Connection, No Plug
Energy source	Electric

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size - Standard (HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2"
Required cutout size - Flush (HxWxD) (in)	49 1/8" x 30" x 24 1/2"
Oven cavity size - upper	1.6 cu. ft.
Overall upper oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"
Turntable - Metal Max. Cookware - upper	12 3/4" dia.
Turntable - Ceramic Max. Cookware - upper	12 1/2" dia.
Rack - Rectangular Cookware Max. - upper	15" x 12"
Oven cavity size - lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" x 18"
Usable lower oven interior dimensions (HxWxD) (in)	12 5/16" x 23 1/4" x 15 1/4"
Net weight (lbs)	259 lbs
Accessories-Included	
Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray	
Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe	
Accessories-Optional	



HEZTR301
30" Telescopic Rack

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri: 9 am to 6 pm PST, Sat 9 am to 3 pm PST). Height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications at any time without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty. For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904. © 2019 Bosch Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

00/119

RECEIVED
DEC 07 2020



Lot 62

30" Speed Combination Oven

800 Series - Stainless Steel HBL8752UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/fibre or call 1-800-944-2904 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications at any time without notice. Consult the product's installation instructions for final dimensions and data and other data is prior to making a cutout.
Warranty: Please see use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.
© 2019 Bosch Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

03-19

RECEIVED
DEC 07 2020


Lot 62

30" Speed Combination Oven

800 Series – Stainless Steel HBL8752UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 5 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranty: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

03/19

RECEIVED

DEC 07 2020

Lot 62

RF23J9011SR

23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus

Features



- 4 Door Counter-Depth Design
- Large Capacity - 23 cu. ft.
- Cool Select Plus
- Triple Cooling System
- Ice Master Ice Maker in the Refrigerator
- ENERGY STAR® Compliant
- High-Efficiency LED Lighting
- Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
- Fingerprint Resistant Coating
- Tempered Glass Spill-Proof Shelves
- Flip-Up Shelf
- Gallon Door Bins
- Two Clear Crispers

Convenience


- Door Alarm
- Water Filter Indicator



ENERGY STAR® rated:
679 kWh/yr



Clean, Modern Design



Triple Cooling System

Available Color



Stainless Steel

Signature Features

CLEAN, MODERN DESIGN

- Artful and symmetrical design expresses individuality
- Beautifully appointed stainless steel body and interior bins

COUNTER DEPTH

- More capacity, smaller footprint
- Our 23 cu. ft. capacity French Door has enough room to fit up to 23 bags of groceries
- Stylish crisper depth design allows for more workable space in the kitchen

Actual color may vary. ©2017 Samsung Electronics America, Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics America, Inc.

COOL SELECT PLUS

- Versatile, bottom right door can be a fridge or freezer, maximizing fresh food storage space
- The most fresh food storage available in its class at 18.0 cu. ft. when the Cool Select Plus is used as a refrigerator
- Four customizable temperature settings: Fridge at 37° - 40°, Soft Freeze at 23°F, Chill at 30°F, and Cool at 41°F

Actual color may vary. ©2017 Samsung Electronics America, Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics America, Inc.



Ranked "Highest in customer satisfaction with French Door refrigerators, in a tie."
-J.D. Power

SAMSUNG

RECEIVED

DEC 07 2020

Lot 62


RF23J9011SR

23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, including the countertop overhang, etc. Check to be sure there is enough room to open the door from side to side easily, stand by or other obstacles when measuring.
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handles may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please Note: The following dimension and cutout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com



Dimensions



Total Capacity: 22.5 cu. ft.

Refrigerator: 13.6 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- Ice Master Ice Maker
- High-Efficiency LED Lighting
- 2 Clear Crispers
- 5 Tempered Glass Spill Proof Shelves
 - 1 Slide-in & Told-up
 - 1 Flip-Up
 - 3 Fixed

Cool Select Plus: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Drawers
- 4 Temperature Zones
 - 41°F
 - 30°F
 - 23°F
 - 9°F – 1°F
- High-Efficiency LED Lighting

Freezer: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Freezer Drawers
- High-Efficiency LED Lighting

Accessories

Water Filter: HAF-CIN

Warranty

One (1) Year Parts and Labor on Refrigerator
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drive, cooling, and tubing

Product Dimensions & Weight

Dimensions (WxHxD) with hinges, handles and doors:
35 3/4" x 71 7/8" x 28 7/8"

Dimensions (WxHxD) without hinges and door:
35 3/4" x 70 3/4" x 24 1/8"

Dimensions (WxHxD) with hinge and door, no handles:
35 3/4" x 71 1/8" x 28 7/8"

Weight: 352.7 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/8" x 78" x 31 1/8"

Weight: 385.8 lbs.

Color: Stainless Steel

Model #: RF23J9011SR

UPC Code

887276088969

SAMSUNG

*Samsung received the highest numerical score for French door refrigerators in a lie in the proprietary J.D. Power 2014 U.S. Home Appliance Study™. Study based on 15,380 online responses measuring 10 French door refrigerators. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit jdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

© 2015 Samsung Electronics America, Inc. 45 Challenger Road, Ridgefield Park, NJ 07640 Tel: 800-SAMSUNG www.samsung.com
Samsung is a registered trademark of Samsung Electronics Co., Ltd.

RECEIVED


DEC 07 2020

SPECIFICATIONS

DIMENSIONS

MODEL	OKANAGAN CPM1 SERIES
VOLTS	120 VAC
Hz	60
AMPS	5.0
CFM (LOW SPEED)	210
CFM (HIGH SPEED)	600*
SONES (LOW SPEED)	1.1
SONES (HIGH SPEED)	8.5
DUCTING SIZE	8" ROUND
2 SHIELDED HALOGEN BULBS	120 V, 50 W MAX., GU10 BASE
WARRANTY	5 YEARS

*OPTIONAL ARI-P8 AIR FLOW REDUCER
(LIMITS THE AIRFLOW OF THE HOOD UNDER 300 CFM).




H00083

*DIMENSIONS INCLUDE RIVET HEADS.

AIR FLOW PERFORMANCE

REQUIREMENTS & STANDARDS



- Complies with the CSA C22.2 no. 113 Standard
- Complies with the UL 507 requirements
- HVI certified



HVI 2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. (2.54 mm) static pressure, based on tests conducted in a state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

www.venmar.ca

Venmar Ventilation Inc., 550 Lemire Blvd., Drummondville, Quebec, Canada J2C 7W9 . Tel: 1-800-567-3855 Fax: 1-800-567-1715

PROJECT	REMARKS
LOCATION	
MODEL NO.	
QTY.	
SUBMITTED BY	
DATE	

PRODUCT SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

12-02

91402

RECEIVED

DEC 07 2020