


NQ70M7770DS

30" Microwave Combination Wall Oven

Lot 7100
Aug 4, 22

SAMSUNG



Signature Features

Steam Cook (Oven)

- Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

- Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)

- Cook two dishes at different temperatures simultaneously with the Smart Divider.


Available Colors



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

Features

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)

- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

Not 7100
Aug 14, 22

NQ70M7770DS

SAMSUNG


30" Microwave Combination Wall Oven

Cabinet Dimensions


Combination Oven Installed in Cabinet

* Junction Box

** Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



Total Capacity: 1.9/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
- Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
- Hidden Bake Element
- Bake: 175°F–550°F
- Convection Bake: 175°F–550°F
- Convection Roast: 175°F–550°F
- Broil: Low-High
- Steam Bake: 230°F–550°F
- Steam Roast: 230°F–550°F
- Proofing
- Sabbath Mode

Warranty

One (1) Year All Parts and Labor
Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:
29 7/8" x 43 1/4" x 25 11/16"

Combination Oven Cut-Out Dimensions:
28 1/2" x 42 1/4" x 23 1/2"

Weight: 119 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:
33 5/8" x 48 3/16" x 29 51/64"

Weight: 132.5 lbs.

Color

Stainless Steel
Black Stainless Steel


Model

NQ70M7770DS
NQ70M7770DG






UPC Code

887276195186
887276195162


RATING	
240V	9.5 kW
208V	7.2 kW
BREAKER SIZE	
240V	40 Amps
208V	40 Amps



CUT OUT WIDTH	A	B	C	D
24"	MIN. 23-1/2" (59.7 cm) MAX. 23-5/8" (60.0 cm)	MIN. 19-5/16" (49.0 cm) MAX. 19-3/8" (49.3 cm)	2-1/2" (6.35 cm)	MIN. 3" (7.62 cm)
30"	MIN. 29" (73.7 cm) MAX. 29-1/8" (74.0 cm)	MIN. 19-5/16" (49.0 cm) MAX. 19-3/8" (49.3 cm)	2-1/2" (6.35 cm)	MIN. 3" (7.62 cm)
36"	MIN. 34-7/8" (89.6 cm) MAX. 35" (89.9 cm)	MIN. 19-5/16" (49.0 cm) MAX. 18-3/8" (46.3 cm)	2-1/2" (6.35 cm)	MIN. 3" (7.62 cm)
42"	MIN. 43-1/8" (109.6 cm) MAX. 43-1/4" (109.9 cm)	MIN. 15-15/16" (40.5 cm) MAX. 16-1/16" (40.8 cm)	4" (10.16 cm)	MIN. 3" (7.62 cm)



PACKAGING GROSS WEIGHT DIMENSION	24"		30"		36"		42"	
	lb / inch	Kg / mm	lb / inch	Kg / mm	lb / inch	Kg / mm	lb / inch	Kg / mm
W	28" 3/8	720	33" 7/8	860	39" 3/4	1010	48"	1220
D	23" 5/8	600	23" 5/8	600	23" 5/8	600	20" 1/4	515
H	8" 1/4	210	8" 1/4	210	8" 1/4	210	8" 1/4	210



- A 13" (33 cm) Depth of unprotected overhead cabinets.
 - B 24" (61.0 cm) MIN. (Model 24").
 - 30" (76.2 cm) MIN. (Model 30").
 - 36" (91.4 cm) MIN. (Model 36").
 - 42" (106.7 cm) MIN. (Model 42").
 - C 18" (47.7 cm) MIN. Height from countertop to nearest cabinet on either side of unit.
 - D 30" (76.2 cm) MIN. (see Note 1) Clearance from countertop to unprotected overhead surface.
 - E 5" (12.7 cm) min Clearance from cut out to side wall on the left and right of the unit.
 - F From the back corner of cut-out to hole center 2-9/32" (5.8 cm).
 - G From the right corner of cut-out to hole center 2-19/32" (6.6 cm).
 - H From the back corner of cut-out to hole center 2-9/32" (5.8 cm). Opening with oven under cooktop.
 - I From the top of countertop to hole center 4-25/32" (12.2 cm) Opening with oven under cooktop.
 - L Electric outlet from bottom of counter top and adjacent to the cabinet side 12" (30.5 cm).
 - Hole 1-1/5" (3 cm).
- NOTE:
- If cabinet has a drawer, a 5-1/4" (13.35 cm) depth clearance from the top of the countertop to the top of the drawer for other obstruction in base cabinet is required. The drawer depth may need to be shortened to avoid interfering with the regulator.
- 24" (61 cm) min. clearance if bottom of wood or metal cabinets is protected by not less than 1/4" (0.6 cm) flame retardant milboard covered with not less than No. 28 (MSG sheet steel) 0.015" (0.04 cm) stainless steel, or 0.024" (0.06 cm) aluminum or 0.020" (0.05 cm) copper. 30" (76.2 cm) min. clearance between top of cooking platform and bottom of unprotected wood or metal cabinet.

RS22T5561SR

Lot 71 00
Aug 14, 22

SAMSUNG

21.5 cu. ft. Side-By-Side Counter Depth Refrigerator
with 21.5" Touchscreen Family Hub™



6 Simple Truths

What should we have for dinner?

See inside your refrigerator from anywhere, shop for groceries, search for recipes and pre-heat your oven all from the Family Hub.

I love entertaining friends and family

Stream your favorite music apps on the Family Hub and enjoy premium speaker quality listening.

I miss out because I'm busy in the kitchen

Mirror shows, movies, or live sports from your Samsung TV on the Family Hub.

I'm always multi-tasking

Get a notification on the Family Hub when the laundry is done.

I want peace of mind when I am home with my family

See who's at the front door. Monitor the baby's room. Adjust the thermostat all from the Family hub.

It's the little moments that matter

Upload pictures remotely to the Family Hub. Leave handwritten notes for loved ones. Set reminders for when you get home.

Available Colors




Fingerprint Resistant
Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



Family Hub™



Built-in Look with Counter Depth

Design

- Built-in Look with Counter Depth
- Fingerprint Resistant Finish
- Minimal Display Dispenser: external filtered water and ice
- LED Lighting
- Four Gallon Door Bins
- Two Clear Drawers
- 25W Speaker

Convenience

- Wi-Fi and Bixby Enabled
- Adjustable Top Shelf
- Door Alarm
- Water Filter Indicator

Performance

- All-Around Cooling
- In-Door Ice Maker - Stores up to 4.4 lbs of ice

Rating



ENERGY STAR® rated:
636 kWh/yr

21.5 cu. ft. Side-By-Side Counter Depth Refrigerator


with 21.5" Touchscreen Family Hub™

Installation Specifications


1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at [samsung.com](#).



Dimensions



Total Capacity: 21.5 cu. ft.

- Refrigerator: 14.1 cu. ft.
- 4 Tempered Glass Shelves
 - 2 Clear Drawers
 - 5 Door Bins
 - 1 Gallon Bin
 - 4 Door Bins
 - LED Lighting

- Freezer: 7.4 cu. ft.
- External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
 - In-Door Ice Maker
 - 4 Tempered Glass Shelves
 - 2 Drawers, 1 with Flip Cover
 - 2 Door Bins
 - LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles, doors and dispenser): 35⁷/₈" x 70¹/₁₆" x 28⁵/₈"

Dimensions (WxHxD without hinges and door): 35⁷/₈" x 68⁵/₈" x 24"

Dimensions (WxHxD with hinge and door, no handle): 35⁷/₈" x 70¹/₁₆" x 28⁵/₈"

Weight: 256 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 37³/₄" x 75³/₈" x 30¹/₈"

Weight: 265 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RS22T5561SR	887276372198
Fingerprint Resistant Black Stainless Steel	RS22T5561SG	887276372181

DW80R2031US

Samsung Dishwasher with Integrated
Digital Touch Controls

Lot 7100
Aug 14, 22
SAMSUNG



Signature Features

Digital Touch Controls

- Digital touch controls make it easy to select functions with a gentle touch

Adjustable Rack

- Height adjustable upper rack makes it easy to accommodate various dishware shapes and sizes


Stainless Steel Door

- The interior door is covered with stainless steel that's more durable


Available Color



Stainless Steel



Digital Touch Controls



Stainless Steel Interior Door

Features

- Fully Integrated Top Control
- Advanced Wash System
- ENERGY STAR® rated: 255 kWh/Year
- Touch Control
- 4 Wash Cycles
- 5 Options
- 14 Place Settings
- 55 dBA Noise Level

Convenience


- Control Lock
- Delay Start
- Height-Adjustable Upper Rack
- Digital Water Leakage Sensor

DW80R2031US

Samsung Dishwasher with Integrated Digital Touch Controls

SAMSUNG

Installation Specifications



- Features**
- 4 Wash Cycles: Auto, Normal, Heavy, Express 60
 - 5 Options: Hi-Temp Wash, Sanitize (Anti-Bacterial-NSF), Delay Start, Control Lock, Heated Dry

- Convenience**
- Control Lock
 - Digital Water Leakage Sensor
 - Height-Adjustable Upper Rack
 - Polypropylene Racking
 - Silverware Basket


Warranty
One (1) Year All Parts and Labor
Five (5) Year Limited on Printed Circuit Board

Product Dimensions & Weight (WxHxD)
Dimensions: 23 3/4" x 33 3/4" x 24 5/8"
Weight: 64 lbs



Shipping Dimensions & Weight (WxHxD)
Dimensions: 26" x 35" x 29 1/2"
Weight: 73.9 lbs

Dimensions

Side View



Rear View



The water supply line, power cable and drain hose should go through this space behind the dishwasher. Then, the power cable runs in channels under the dishwasher to connections in the front.

Color	Model #	UPC Code
Stainless Steel	DW80R2031US	887276305004

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.