

Lot 204-1



204-22, 23

JT3800SH

GE® 30" Combination Double Wall Oven

DIMENSIONS AND INSTALLATION INFORMATION

NOTE: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.


INSTALLATION INFORMATION:
Before installing, consult installation instructions packed with product for current dimensional data.

Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

NOTE: These ovens are not approved for stackable or side-by-side installations.

KW RATING	
240V	7.2
208V	5.4
BREAKER SIZE	
240V	30 Amps
208V	30 Amps



Dimension and installation information are shown in inches.

ATTENTION INSTALLER: All electric wall ovens must be hard-wired (retro-wired) into an approved junction box. A plug and receptacle is NOT permitted on these products.

NOTE: If the cabinet does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. For single ovens, the runners and braces must support 200 lbs (91 kg). For double ovens, the runners and braces must support 375 lbs. (170 kg).

NOTE: If marks, thermoses or the cutout opening are visible above the installed oven, it may be necessary to add wood strips under the runners and front trim until the marks or opening are covered.

NOTE: If the cabinet does not have a front frame and the sides are less than 3/4" (1.9 cm) thick, trim both sides equally to establish the cutout width.

CABINET		JT3800
A—Overlap of oven at top of cutout	30"	
B—Overlap of oven over side of edges of cutout	1"	
C—Overlap of oven at bottom of cutout	3/4"	
OVEN		
D—Install depth	23-1/2"	
E—Overall height with trim	42-3/8"	
F—Overall width	29-3/4"	

Dimension and installation information are shown in inches.



For answers to your Monogram, GE® CAFE®, GE Profile® or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



204-1


Lot 204-1

JT3800SH

GE® 30" Combination Double Wall Oven

FEATURES AND BENEFITS

- High capacity microwave
- Sensor cooking microwave (upper oven)
- 16" turntable (upper oven)
- Self-clean with Steam Clean option (lower oven)
- Never-scrub, heavy-duty oven racks (lower oven)
- Glass touch controls
- Halogen interior oven lighting (lower oven)
- 10-pass bake element (lower oven)
- 8-pass broil element (lower oven)
- 1-yr Guarantee
- Model JT3800SHSS – Stainless steel



GUARANTEED FIT

Replacing a similar wall oven from GE or another brand? GE wall ovens are guaranteed for an exact fit to make replacement easy.

Visit geappliances.com for more info.



RF23BB8600

Bespoke Counter Depth 4-Door French Door Refrigerator (23 cu. ft.) with Beverage Center™

SAMSUNG

Lot 204-1
Jul 22, 23
34

Signature Features

Customizable Door Colors
Customize the design of your refrigerator with changeable color door panels. Choose from 12 colors and 2 finishes to create a space that fits your style – the options are endless.


Beverage Center™

Quick access to refreshingly cool, filtered water two ways. Choose from an internal dispenser or a built-in pitcher that automatically refills, with the option to infuse with a flavor.

Dual Ice Maker with Ice Bites

Enjoy your favorite beverage with your choice of ice. Select from cubed ice or Ice Bites that chill your drink faster. Makes up to 5.3 lbs per day, stores up to 7.3 lbs total.

Bespoke 4-Door Refrigerator Standard Color Models



Design

- Customizable Door Colors
- Modern Design
- Recessed Handle

Technology

- Beverage Center™
- Wi-Fi Enabled

Performance


- Dual Ice Maker with Ice Bites
- FlexZone™ Drawer
- Metal Cooling
- 23 cu. ft. Capacity
- Twin Cooling Plus

Rating

ENERGY STAR® rated: 621 kWh/yr



ADA Compliant



Bespoke Counter Depth 4-Door French Door Refrigerator (23 cu. ft.) with Beverage Center™

RF23BB8600

Lot 204-1

- Total Capacity:** 22.8 cu. ft.
- Refrigerator:** 13.5 cu. ft.
- 4 Tempered Glass Spill-Proof Shelves
 - 2 Clear Drawers, including Crisper+
 - 6 Door Bins
 - Right: 1 Gallon Bin, 2 Regular Bins
 - Left: 3 Regular Bins
 - Surface Lighting
- FlexZone™ Drawer:** 2.5 cu. ft.
- 5 Temperature Zones
 - Soft Freeze (23°F)
 - Meat/Fish (30°F)
 - Cold Drinks (34°F)
 - Deli/Snacks (37°F)
 - Wine/Party Dishes (41°F)
- 2 Drawer Dividers
- High Efficiency LED Lighting
- Freezer:** 6.8 cu. ft.
- Dual Ice Maker in Freezer (Cubed Ice AND Ice Bites)
 - Ice Bucket with Cover and 1 Scoop
 - Produces up to 5.3 lbs ice/day, stores up to 7.3 lbs
 - High Efficiency LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

- One (1) Year Parts and Labor on Refrigerator
- Two (2) Years Parts and Labor on Ice Maker
- Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
- Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions

Dimensions (WxHxD with hinges and doors): 35 3/4" x 70" x 28 7/8"

Dimensions (WxHxD without hinges and door): 35 3/4" x 68 7/8" x 24"

Shipping Dimensions (WxHxD)

Dimensions: 38 1/4" x 75 3/4" x 30 5/8"

Color

Model #

UPC Code

Product & Shipping Weight (lbs)

Stainless Steel - All Panels

White Glass - All Panels

Morning Blue Glass Top Panel with White Glass Middle and Bottom Panels

Custom Panel-Ready


RF23BB8600AP 887276624204 313.1 335.1

RF23BB86004M 887276639741 341.7 363.8


RF23BB860012 887276639734 341.7 363.8

RF23BB8600QL 887276624211 330.6 352.7

- Installation Specifications**
1. Measure the height, width and depth of the opening, making sure to include baseboards, the door (consider walls, islands or other obstacles when measuring).
 2. Refer to illustration below to determine dimensions.
 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.
- For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.
- Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate. ©2022 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com, Samsung is a registered trademark of Samsung Electronics Co., Ltd.

HCP56652UC
Stainless Steel


Features & Benefits

Connect* app.

required).

General Properties		Technical Details	
Operating mode	Convertible: ducted / recirculating	Maximum CFM (blower)	600 CFM
	Number of speed settings	4-stage	
	Motor location	Integrated motor in hood chimney	
	Number of lights	2	
	Bulb type	LED	
	Light lumens	100-150	
	Light color	3500-4000 K	
	Total power of the lamps	3 W	
	Damper included	Yes	
	Grease filter material	Aluminum	
	Grease filter type	Multilayer cassette	
	Home Connect (Wi-Fi Enabled)	Yes	
Technical Details	Watts	358 W	
	Volts	120 V	
	Frequency	60 Hz	
	Plug type	No plug	

© 1994 HomeConnect



© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

11/22

Dimensions & Weight		Accessories – Optional	
Overall appliance dimensions (width of canopy included) (HxWxD)	25" – 39 1/2" / 29" – 43 1/2" x 36" x 19 11/16"	Height of the chimney	19 9/16" – 33 7/8" / 23 1/4" – 42 9/16"
		Minimum distance above cooktop / range cooking surface	Min. 30" electric / 30" gas
		Diameter of air duct top	8"
		Net weight	53 lbs

Accessories - Optional

HCPEXT5UC
Chimney extension for
9-11.5 ft. ceilings

HCIFILTUC
Filter kit

HCRC5UC
Recirculation kit



11/22

Lot 204-1

36" Pyramid Canopy Chimney Hood



500 Series – Stainless Steel HCP56652UC



HVI Performance Values

Exhaust	Duct Size	Pressure (in. H ₂ O)		Power (W)		CFM		Sones	
		High Speed	Working Speed	High Speed	Working Speed	High Speed	Working Speed	High Speed	Working Speed
Vertical	8"	0.1	0.02	358	184	430	180	8.5	2.0

Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.





Lot 204-1

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



Lot 204-1

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



Installation Details

min 33" (84 cm)
max 43" (110 cm)

Remove plug

Non-metallic tie

Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty. For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

36" Electric Cooktop

800 Series - Black Frameless NET8669UC

Lot 204-1

7/11.22.23
BOSCH
Invented for life



NET8669UC
Black

Also available in:

Black with Stainless
Steel Frame

NET8669SUC

The 800 Series electric
cooktop is sleek in design,
and features SpeedBoost®
which adds even more
power to speed up the
cooking process.

Features & Benefits

Bridge element
accommodates oblong
pans and many diameters
of cookware.

The smooth ceramic glass
surface makes cooking and
cleaning especially easy.

SpeedBoost® offers
shorter heat-up times
for liquids.

PreciseSelect® offers 17
different direct cooking
level settings.

Element Performance	
Power of Front Left heating element	1,800 W
Power of Back Left heating element	1,800 W
Power of Center heating element	3,600 / 1,400 W
Power of Back Right heating element	1,200 W
Power of Front Right heating element	1,900 / 800 W

Element Size	
Dimension of Front Left heating element	7"
Dimension of Back Left heating element	7"
Dimension of Center heating element	9", 6"
Dimension of Back Right heating element	6"
Dimension of Front Right heating element	8", 5"

Technical Details	
Watts	10,200 W
Circuit breaker	50 A
Volts	208-240 V
Frequency	60 Hz
Plug type	No plug
Energy source	Electric

Dimensions & Weight	
Overall appliance dimensions (HxWxD)	4" x 37" x 21 1/4"
Required cutout size (HxWxD)	4" x 34 7/8" x 20"
Minimum distance from counter front	2 1/4"
Minimum distance from rear wall	2"
Net weight	31 lbs





Accessories - Optional	
	HEZ390210 8" AutoChef® pan
	HEZ390220 9" AutoChef® pan
	HEZ390230 10" AutoChef® pan



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

1-70c 120

Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1 800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without warranty. Please use & Care manual or Bosch website for statement of limited warranty.
Warranties: For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.