


[NEWS ABOUT SAMSUNG](#)[LOGIN HELP WITH MY ORDER](#) [CART \(6\)](#)[SHOP PRODUCTS](#)[BUSINESS SOLUTIONS](#)[CONNECTED LIVING](#)[MY ACCOUNT](#)[SUPPORT](#)[Home > Ranges > Specifications >](#)[Twitter](#) [7](#) [Like](#) [66](#)

1

[18](#)[Search](#) [29](#)

LOT 129
Brooklyn Forest

[Specifications Sheet PDF](#) | [Print This](#)

FEATURES

Capacity (cu. ft.)	5.8
Self Clean / Steam Clean	Self Clean
Chrome Oven Racks	3
Convection Bake	Yes
Convection Roast	Yes
Warming Drawer	Yes
Four Preset Menu Cook Options	Yes
Child Safety Lock	Yes
Premium Stainless Steel Look	Yes
Porcelain Enamel Black Burners	5

Power Consumption

57,000 BTUs

Power Source

120 V / 60 Hz

Induction/Radiant Ceramic Cooktop

Right Front Radiant	18,000 BTU
Left Front Radiant	15,000 BTU
Right Rear Radiant	8,000 BTU
Left Rear Radiant	9,500 BTU
Center Rear Warming Center	9,500 BTU

<http://www.samsung.com/us/appliances/oven-ranges/FX710BGS/XAA-specs>

10/5/2012

Get 5/12
904.0.

Oven Functions

Hidden Bake Element	18,000 BTU
Bake	150°F - 550°F
Convection Bake	175° - 552°F
Broil Element	13,500 BTU
Variable Broil	375°F - 480°F
Convection Roast	175° - 550°F
Proofing	Yes
Subbath Mode	Yes
Convection (upper/lower)	Convection Cooking

Warming Drawer

Capacity (cu. ft.)	0.7
Heating Performance	600 W (4 pass)
Temperature Settings	High, Medium, Low

Warranty

One (1) Year All Parts and Labor	Yes
Five (5) Years Gas Cooktop	Yes

Dimensions

Oven Dimensions (W x H x D)	21" x 21 1/8" x 19"
Outside Net Dimensions (W x H x D)	29 13/16" x 46 1/2" x 23 9/16"
Shipping Dimensions (W x H x D)	32 7/8" x 60 13/32" x 30 1/8"

Design

Color	Stainless Steel
-------	-----------------

Weight

Product Weight (lb.)	196.2 lbs
Shipping Weight (lb.)	229.3 lbs

Who We Are

Shop

What We Make

How can we help you ?

About Samsung	Shopping Cart	TV + Video	Mobile	Photo	Computing	Home Appliances	Find product support
Careers	Order History	TVs	Cell Phones	Cameras	Laptops	Washers & Dryers	Register your product
Sustainability	Help with Your Order	Blu-ray & DVD Players	Tablets	Camcorders	All-in-One PCs	Refrigerators	Product recycling
News	Order Tracking	Home Theater Systems	Cell Phones	SD Cards	Tablet PCs	Microwaves	Get downloads
Investor Relations			Accessories		Chromecast	Distillers	Order benefits
			Laptops		Monitors	Ranges	Articles
			Chromebook		Printers	Vacuums	Shopping guides
			Media Players		Memory & Storage	LED Lighting	Samsung Wireless Accessibility
							Contact us

bot1.24

NEWS ABOUT SAMSUNG

LOGIN, HELP WITH MY ORDER, CART (0)

SHOP PRODUCTS

BUSINESS SOLUTIONS

CONNECTED LIVING

MY ACCOUNT

SUPPORT


Home > Refrigerators > Specifications >

Images 2

Like 3

0

3



Specifications Sheet PDF | Print This

FEATURES

Additional Filtered Ice Maker in the Freezer	Yes
Cool Select Pantry with Temperature Control	Yes
Total Capacity (cu. ft.)	25.5
LED Lighting	Yes
Cooling System	Twin Cooling® Plus
Surround Air Flow	Yes
Power Freeze and Power Cool Options	Yes
Humidity Controlled Crispers	Yes
Tempered Glass Spoil Proof Shelves	Yes
Gallon Door Bins	6
EZ-Open Handle™	Yes
2-Minute Door Alarm	Yes
CoolTight Door	Yes
Dispenser Light	Yes
Display Color	Blue
Filter Indicator	Yes
Handles	Al. Hair Line
Water Filter	Yes
Refrigerant	R134a

Dimensions

<http://www.samsung.com/us/appliances/refrigerators/RF260BEAESR/AA-specs>

10/5/2012

for 129


Product Dimensions with Hinges (W x H x D)	35 3/4" x 70" x 35 1/4"
Product Dimensions without Hinges (W x H x D)	35 3/4" x 69 5/8" x 33 1/4"
Shipping Dimensions (W x H x D)	38 5/8" x 75 6/8" x 36 1/4"
Refrigerator Features	
Refrigerator Capacity (cu. ft.)	17.6
Humidity Control Crispers	Yes
Tempered Glass Shelves	Yes
Gallon Door Bins	6
Door Bins	6
LED Lighting	Yes
CoolSelect Pantry™	Yes
Interior Light	LED
Internal Digital Display	Yes
Shelves	5
Slide-In Shelf	1
Slide-out Shelves	3
Spill proof shelves	Yes
Freezer Features	
Freezer Capacity (cu. ft.)	8.1
EZ-Open Handle™	Yes
Drawer Divider	1
LED Lighting	Yes
Cubed and Crushed Ice	Cubed Only
Icemaker	Yes
Warranty	
1 Year	All Parts and Labor
10 Years	Sealed System Parts and Labor
Design	
Color	Stainless Steel
Power	
ENERGY STAR® Compliant	Yes
Refrigerator Type	
Type	French Door

bvt129


NNSD291S
Genius® Prestige® Inverter® Over-the-Range Stainless Steel Microwave

- Blue LED Light dial control system
- Stainless steel finish with fingerprint resistant coating
- 2.0 cu. Ft.
- 1100W high power output
- Super powerful and quiet fan (up to 450 CFM)
- Energy saving cook-top LED light
- Stylish Blue Colour LED display
- All metal finish design
- Sensor Reheat
- Sensor Cook with instant access (15 categories)
- Inverter® Turbo defrost
- Half mirror glass door
- Stainless steel keypad
- Exterior Dimensions (H x W x D):
418 x 759 x 393 mm / 16.5" x 29.9" x 15.5"

MSP: \$699.99




+ enlarge image



WTT 129
Brooklyn East

TOP LOAD WASHERS



Graphite Steel

WT 129

High Efficiency Top Load Washer

WT5170

Performance

- 5.4 cu.ft. Ultra Large Capacity with NeverRust™ Stainless Steel Drum (IEC)
- DirectDrive™ Motor for the Ultimate in Durability and Reliability with 10 Year Warranty
- 1100 RPM Powerful Spin for Efficient Water Extraction

Intelligent Fabric Care

- WaveForce™ Technology
- NSF Certified Sanitary Cycle
- Internal Water Heater
- ColdWash™ Option
- SmartRinse™ Jet Spray System
- SlamProof™ Lid
- SmartDiagnosis™
- TrueBalance™ Anti-Vibration System
- SenseClean™ System for Intelligent Fabric Care
- 14 Washing Programs and 5 Temperature Settings
- Delay Wash up to 19 hours for Washing Convenience

Style and Design

- Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Clear Diamond Class Lid

Technology Benefits

- LoDecibel™ Quiet Operation
- Highly Energy and Water Efficient



NSF certifies the SANITARY course which is intended for reducing 99.9% of bacteria and other harmful microscopic organisms on laundry.



LG front load washers exceed Energy Star classifications by a minimum of 39%.



Inverter
DirectDrive



Life's Good

TOP LOAD WASHERS

Catch the Wave

LG WaveForce™ uses rapid drum movement and powerful water jets to provide outstanding washing and rinsing performance, while staying gentle on clothes.

The Hottest Thing in Cold

Now using the cold cycle on your washer doesn't mean compromising on how clean your clothes are. ColdWash™ technology uses cold water and enhanced washing motions to penetrate deep into fabrics, giving you cold-water savings with warm-water performance.

More Free Time

Towers of towels, piles of sweatshirts, and a mountain of jeans? Go for it. The ultra large capacity (5.4 cu.ft.) washer lets you do more laundry in fewer loads. That's time well saved.

Count On It


When you buy a washer, you don't want to worry that it won't last. Because the Direct Drive Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

No Snags

Instead of a bulky, inefficient agitator, this washer has a low-profile, highly-efficient impeller. And both the NeveRust™ impeller and wash tub are made of durable stainless steel, avoiding nicks that can snag fabrics.




LG ELECTRONICS CANADA INC.
550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com
Customer Service & Parts
1-888-542-2623

W15170

W15170	
TYPE	
Top Loader	•
Design Look	Rear Control
Intelligent Electronic Controls with Dual LED Display	•
Dual-A-Cycle™	•
Capacity*	ICC 5.4 cu.ft.
Dry Load Capacity	10.1lb
ENERGY	•
ENERGY STAR	•
WASH PROGRAMS	•
14 Programs	Cotton/Normal, Soak/Bedding, Perm Press/Cool, Speed Wash, Heavy Duty, BrightWash™, FinesColor™ Wash, Baby Care, Baby Wear, Sports Wear, Sanitary, Delicates, Tub Clean
13 Options	Rapid-Spin, Spin Only, StainCare™, Soak, ColdWash™, Extra Rinse, Fabric Softener, Child Lock, Custom Program, Signal On/Off Delay Wash (up to 19 hours)
5 Wash/Rinse Temperatures	Extra Hot, Hot, Warm, Cold, Deep Cold (4th Cold Rinse)
Spin Speeds	Extra High (1100 max.), High, Medium, Low, No Spin
No. of Water Levels	Automatically adjusts to the size of load
No. of Soil Levels	3
FABRIC CARE FEATURES	•
Vibracore™	•
ColdWash™	•
SmartRinse™ Jet Spray System	•
SenseClean™ System	•
CONVENIENCE FEATURES	•
3 Tray Dispenser	Main Wash Fabric Softener, Liquid Bleach
TruBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
LoadSense	•
Stuck Indicator(s)	•
End of Cycle Signal	•
Child Lock	•
Auto Soak Removal	•
Forced Drain System	•
Internal Water Heater	•
Leveling Legs	4 Adjustable Legs
LoadSmart™ Quiet Operation	•
Motor AND AGITATOR	•
Motor Type / Motor Speed / Avg	Direct Drive / Variable / Vertical
MATERIALS AND FINISHES	•
NeveRust™ Stainless Steel Tub	•
Cabinet	Painted Steel
Control Panel	Plastic
Top Cover	Painted
Transparent Diamond Glass Lid	•
Available Colours	Graphite Steel (W)
POWER SOURCE	•
Rateds / Electrical Requirements / Type	UL Listed / 120V, 10 Amps / Electric
DIMENSIONS	•
Product (WxHxD)	27" x 45 3/8" x 28 3/8"
Weight (Product/Carton)	(55 5/4" H with lid open)
Carton (WxHxD)	29 1/2" x 48" x 31 1/4"
UPC CODES	145.5 lbw/172 lbs
W15170HV	772454, 059360
WARRANTY	•
	1 year parts and labour, 5 years part on Drum, 10 years part on DirectDrive™ Motor

Design, features and specifications are subject to change without notice.
Non-metric weights and measurements are approximate.
All trademarks are property of their respective owners.

ELECTRIC DRYERS



Graphite Steel

hot 129

Ultra Large Capacity SteamDryer™

DLEX5170

Performance

- 7.3 cu.ft. Ultra Large Capacity with NeveRust™ Stainless Steel Drum

Intelligent Fabric Care

- TrueSteam™ Technology
- SteamFresh™ Cycle
- SteamSanitary™ Cycle
- ReduceStatic™ Option
- EasyIron™ Option
- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- Precise Temperature Control with Variable Heat Source
- SmartDiagnosis™
- 14 Drying Programs
- 5 Temperature Settings
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Drying Rack
- Wrinkle Care Option
- Delicates Cycle
- Anti-Bacterial Cycle
- Custom Program
- Damp Dry Signal

Style and Design

- Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Chrome Edged Diamond Glass Door

Technology Benefits

- LoDecibel™ Quiet Operation



ELECTRIC DRYERS

Harness the Power of Steam

LG TrueSteam™ technology uses a steam generator to produce real steam right into the dryer giving you unique cycle options that remove wrinkles, odours, static and allergens.

The Quick Fix

Late for the party and no time to iron your favourite outfit? The Steamfresh™ cycle refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

Refresh and Sanitize

SteamSanitary™ cycle refreshes and sanitizes dry items in the SteamDryer. The SteamSanitary™ cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

Less Time with Your Iron


Who likes ironing? No one. The EasyIron™ option lightly moistens clothes to make ironing easier and more efficient.

Never Cling

That slowaway sock won't be attached to your pant leg any longer. The ReduceStatic™ option virtually eliminates static cling.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.



LG ELECTRONICS CANADA INC.
550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com
Customer Service & Parts
1-888-542-2623

WST 129

DLEX5170	
TYPE	
Front Loader	•
Design Look	Rear Control
Intelligent Electronic Controls with Dual LED Display	•
Delay-Cycle*	•
Capacity	7.5 cu.ft.
Dry Linen Capacity	>10.1kg
DRYING PROGRAMS	
14 Programs	Super Dry, Cotton/Normal, Perm Press/Casual, Towels/Delicates, Small Load, Heavy Duty, Baby Care/Deodor, Steamfresh™, SteamSanitary™, Anti-Static/Sports Wear, Manual Dry, Super Dry, Air Dry, Soft Dry
9 Options	More Time, Less Time, Custom Program, Damp Dry Signal, Wrinkle Care, Child Lock, ReduceStatic™, EasyIron™, End of Cycle Signal
5 Temperature Settings	High, Medium High, Medium, Low, Ultra Low
5 Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
FABRIC CARE FEATURES	
Steamfresh™ Cycle	•
SteamSanitary™ Cycle	•
ReduceStatic™ Option	•
EasyIron™ Option	•
Sensor Dry	•
Precise Temperature Control and Variable Heater	•
CONVENIENCE FEATURES	
SmartDiagnosis™	•
NewSensor™ Duct Clogging Indicator	•
Anti-theft Lock Cycle	•
Wrinkle Care Option	•
Remaining Time Display/Status Indicator(s)	•
End of Cycle Signal	•
Child Lock	•
Dryng Back	•
Drum Light	•
Reversible Door	•
Leveling Legs	4 Adjustable Legs
3 Minute Installation Check	•
Lockback™ Quiet Operation	•
MATERIALS AND FINISHES	
NeveBlue™ Stainless Steel Drum	•
Cabinet	Painted Steel
Control Panel	Plastic
Top Panel	Painted
Transparent Glass Door	•
Door Bin	Chrome
Available Colours	Graphite Steel (1)
POWER SOURCE	
Rating / Electrical Requirements	UL Listed / 240V, 50 Amps
Type	Electric
DIMENSIONS	
Product (WxHxD)	27" x 45 3/8" x 28 3/8" (55 3/4" H with door open)
Carton (WxHxD)	29 1/2" x 48" x 31 1/4"
Weight (Product/Carton)	133.2 lbs/145.5 lbs
UPC CODES	
DLEX5170V	772454 029384
WARRANTY	1 year parts and labour

Design, features and specifications are subject to change without notice.
Non-metric weights and measurements are approximate.
All trademarks are property of their respective owners.