INNISFIL - PHASE 1

Item#	Construction Details INNISFIL - PHASE 1 - Lot 106 Model Type & Elevation: MARINA (42-02) ELEVATION A - OPT. 2ND FLOOR	Bel	le flire
	Purchasers Names: ANTONIO MOGAN	Date	Note
Included	Granite Kitchen Countertops with Undermount Sink		BONUS PACKAGE
Included	3 piece stainless steel kitchen appliances with white top loading washer and dryer		BONUS PACKAGE
Included	Air Conditioning unit (42' and 50' ONLY)		BONUS PACKAGE
Included	Stainless Steel Under Cabinet Hood Fan		BONUS PACKAGE
Included	3 1/4" x 3/4" Natural prefinished Engineered Hardwood flooring on main floor in non tiled areas as per plan SEE ITEM #7		BONUS PACKAGE
Included	9' main floor ceilings, 8 ft ceilings on second and basement		BONUS PACKAGE
Included	Extended Upper Cabinets in Kitchen (39-1/2")		BONUS PACKAGE
Included	Natural Finish Oak Stairs with Oak Pickets from main to second floor with oak treads, oak veneer stringers and risers to finished areas, as per plan SEE ITEM #9		BONUS PACKAGE
1/	HVAC - BBQ GAS LINE STANDARD	10-Mar-17	STRUCTURALS
2/	REMOVE WALL BETWEEN GREAT ROOM AND DINING ROOM CREATING A TRIMMED FLAT ARCH WITH 2 CAPPED HALF NIB WALLS APPROX. 6FT OPENING.	10-Mar-17	STRUCTURALS
3/	ELECTRICAL - ADD (1) CAPPED LIGHT ABOVE KITCHEN ISLAND ON SEPARATE SWITCH	10-Mar-17	STRUCTURALS
4/	PLUMBING- MOVE LAUNDRY ROOM WASHER , DRYER AND LAUNDRY TUB FROM 2ND FLOOR TO BASEMENT (SEE SKETCH)	10-Mar-17	STRUCTURALS
5/	PLUMBING- CHANGE ORGINAL LAUNDRY ROOM INTO BATHROOM STANDARD TUB, TOILET AND VANITY (SEE SKETCH)	10-Mar-17	STRUCTURALS
6/	TRIM- ADD OPTIONAL DOOR FROM BEDROOM 3 INTO MAIN BATH	10-Mar-17	STRUCTURALS
7/	HARDWOOD - UPGRADE 4 - DINING RM, GREAT RM, MAIN HALL IN LIEU OF STD HARDWOOD	31-Mar-17	COLOURS
8/	HARDWOOD - UPGRADE 4 - UPPER HALL IN LIEU OF CARPET	31-Mar-17	COLOURS
9/	PAINT - STAIN OAK STAIRS (PURCHASER AWARE STAIRS ARE OAK AND HARDWOOD IS MAPLE, STAIN WILL BE AS CLOSE AS POSSIBLE)	31-Mar-17	COLOURS
10/	RAILINGS - UPGRADE 5	31-Mar-17	COLOURS
11/	INTERIOR TRIM - UPGRADE #1 INTERIOR DOOR HARDWARE	31-Mar-17	COLOURS
12/	TILES - MASTER ENSUITE - UPGRADE #1 WALL TILE	31-Mar-17	COLOURS
13/	TILES - MAIN BATH TUB WALL - UPGRADE #1 WALL TILE	31-Mar-17	COLOURS
14/	TILES - 3RD BATH TUB WALL - UPGRADE #1 WALL TILE	31-Mar-17	COLOURS

Decor Consultant - Katherine
Entered By -Lily Joanne
Checked by -

INNISFIL - PHASE 1

Item #	Construction Details INNISFIL - PHASE 1 - Lot 106 Model Type & Elevation: MARINA (42-02) ELEVATION A - OPT. 2ND FLOOR	Bell	e _f lire
	Purchasers Names: ANTONIO MOGAN	Date	Note
15/	TILES - DELETE AL BATHROOM ACCESSORIES	31-Mar-17	COLOURS
16/	CABINETS - KITCHEN UPGRADE #1	31-Mar-17	COLOURS
17/	CABINETS - MASTER ENSUITE UPGRADE#1	31-Mar-17	COLOURS
18/	CABINETS - MAIN BATH UPGRADE #1	31-Mar-17	COLOURS
19/	CABINETS - 3RD BATH UPGRADE #1	31-Mar-17	COLOURS
20/	CABINETS - KITCHEN - 24" DEEP UPPER OVER FRIDGE WITH PANELS	31-Mar-17	COLOURS
21/	CABINETS - ALLOW FOR CHIMNEY HOOD ABOVE STOVE	31-Mar-17	COLOURS
22/	CABINETS - ADD 2 CLEAR GLASS DOORS, INSTALL 1 DOOR ON THE LEFT (HINGED LEFT OF THE CHIMNEY, 1 DOOR ON THE RIGHT SIDE HINGED RIGHT OF THE CHIMNEY	31-Mar-17	COLOURS
23/	CABINETS - ADD 2 CLEAR GLASS DOORS IN KITCHEN (SEE SKETCH)	31-Mar-17	COLOURS
24/	CABINETS - 2 TONE KITCHEN/ISLAND	31-Mar-17	COLOURS
25/	CABINETS - INCREASE LENGTH OF ISLAND BY APPROX 4-1/2" TO ACCOMMODATE MICROWAVE	31-Mar-17	COLOURS
26/	CABINETS - BUILT IN MICROWAVE/TRIM KIT ON KITCHEN ISLAND WITH DRAWER BELOW - INSTALL ON ISLAND	31-Mar-17	COLOURS
27/	CABINETS - SEE STOVE SPEC (MAKE SPACE AS TIGHT AS POSSIBLE)	31-Mar-17	COLOURS
28/	ELECTRICAL - ADD 15 AMP ON SEPARATE CIRCUIT FOR MICROWAVE	31-Mar-17	COLOURS

Decor Consultant - Katherine Entered By -Lily/ Joanne Checked by -


ZANCOR HOMES COLOUR CHART

Vendor	<	er Initial	Purchaser Initial			OF 2 **	** PAGE 1 OF	
	Th		Dim	It is the responsibility of <u>all</u> and/or colour charts <u>PRIOR</u>		panied with a PE s on sketches, Pi lation.	nart must be accompanied of any discrepancies on short states on short states on the states of the s	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.
T 106	LÔT	SFIL	INNISFIL			DE USE***	***FOR TRADE USE***	
	LOT	SITE & L			hart	ed the colour	Purchaser has reviewed the colour chart	Purc
		NA :		o	Location	DELETE ALL	DELET	Bathroom Accessories
		LDING	PLASTER MOULDING		Opt. Crown Moulding	STANDARD	MIRRORS & ACCESSORIES	Mirrors
	Z		MANTLE	NA	Opt. Surround	Opt	NA	LOCATION
				NA				Basement Foyer
				STANDARD				Carpet Underpad
			0		OPEN			Bedroom 4
					OPEN			Bedroom 3
			0	OPENING NIGHT T-20	OPEN			Master Bedroom
	#4	4 3/8" UP#	RL NEBULA	E SELECT V PEARL NEBULA	SAWN MAPLE	VINTAGE SOLID	VII	Upper Hall
	#4	4 3/8" UP #	NEBULA	E SELECT V PEARL	SAWN MAPLE	VINTAGE SOLID	VII.	Main Hall
				NA				Main Foyer *(Waiver)
				NA :				Kitchen *(Waiver)
	# 4	4 3/8 UP #	AKL NEBULA	NA NA		VINIAGE SOLID SAWN	<	Den/Study/parlour/Library
	4	4 3/8" UP #	ARL NEBULA	E SELECT V PEARL NEBULA 4 3/8" UP # 4		VINTAGE SOLID	<u> </u>	Dining Room
j								Living Room
i l				PET	HARDWOOD / CARPET	HARD		
4.1					NA			Basement Ensuite Wall
					NA			Basement Ensuite Floor
	+				NA S			Ensuite ### Bath Wall
BIAN CARR	BΙΔ	NA		LO UP#1	R GREY 8 X	WEAVE TENDER GREY 8 X 10		Ensuite ### Bath Floor
				13	BELLINA GREY 13 X 13	BELLIN		3RD Bath Floor
BIAN CARR	BIA	NA		JP#1	HITE 8 X 10 UP	WEAVE WHITE		Main Bath Tub Wall
				13	GRECO IVORY 13 X 13	GRECO		Main Bath Floor
					BIANCA CARRERRA	BIAN		Master Shower Jamb
BIAN CARR	BIA				2 X 2 WHITE	2		Master Shower Floor
	1	NA	4	12 UP#1	NA NA	NA N		Mstr Ens Tub Wall/Deck
				13	BELLINA GREY 13 X 13	BELLIN		Mstr Ensuite Floor
					NA			Laundry
					NA			Kitchen Bk.Splash
				13	BELLINA GREY 13 X 13	BELLIN		Breakfast Floor
				\ \	NA A GREV 13 X	RFILIN		Kitchen Floor
				\	SEAL GREY 13 X 13	SEAL		Mud Room
					SEAL GREY 13 X 13	SEAL		Powder Room
								Basement Foyer
		11001110		13 /	IA GREY 13 X 13	BELLINA		Main Foyer
DESMOINS	THE	INCEPTS				TILES		baseline ile batti
						Z Z		Basement Bath
						NA NA		Powder Room
	Ц					NA		Ensuite ###
	-07	BLACK ALICANTE 4926K-07	BLACK ALIC	K1100 A1	.)	SIERRA PVC WHITE (1)	SIERR	3rd BATH
	<u></u>	BASALT SLATE 3690-58	BASALT S	K 1100 A1	.)	SIERRA PVC WHITE (1)	SIERR	Main
	K-07	CALCATTA MARBLE 4925K-07	CALCATTA N	Н 700 ВС	REY (1)	CAMBRIDGE MAPLE NEW GREY (1)	CAMBRIDG	Master Ensuite
,	1	(NAMENIAL LI	GIALLO ORNAMENTA	K TIOO AC	STAIN (I)	NA ONO ON ON	INICOMIC INICI	Servery
	STD		UBA TUBA GRANITE	K 1100 AC		MOSAIC MAYELOWER BROWN STAIN	MOSAIC MAYE	Kitchen
EDGE			COU	HARDWARE		DOOR STYLE	۵	
The state of the s				RTOPS	CABINETRY / COUNTERTOPS	CABINET		

ZANCOR HOMES COLOUR CHART

'n	Date	Vendor Signature		OF 2 ***	PAGE 2 C	***
	MAR 3 1 2018			or colour	installation.	of any discrepancies on sketches, PES and/or charts PRIOR to installation.
				V	rades to inform	It is the responsibility of <u>all Trades</u> to inform the builden
ю	UNU Date	Decor Consultant Signature	ZANCOR		hart must be ac PES.	Any upgrades in the colour chart must be accompanied with a PES.
					DE USE***	***FOR TRADE USE***
'n	Date	Purchaser Signature				DÉCOR NOTES
						EMAIL:
Ď.	Date	Purchaser Signature		416 333 3357		HOME #/CELL #
8)	Made	Bar	Z	ANTONIO MOGAN	,	PURCHASER(S):
			T: 106	12-02-A LOT:	MARINA42-02-A	SITE: INNISFIL
	Down		igning.	our and selections before s	ged accuracy of colo	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
	977		n fee plus costs	a \$5000 administratio	igning are subject to	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
	007		been pre-selected or	ess some items may have l	construction progn	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
	INITIALS	/e lot variances in	rily identical due to d	DISCLAIMER selection but not necessar	possible to Builders	Colours of all materials are as close as I
				NA		ELECTRICAL for Bar Fridge
				NA		ELECTRICAL for Gas Stove
				UPGRADE		ELECTRICAL for Built-in Micro
				NA		ELECTRICAL for Built-in Oven
				6" STANDARD		Hood Fan Venting SIZE
				NA		WATERLINE to Fridge
	NOTES	DECLINED	+	UPG (SEE PES)		GACTINE BBO
		vame:	NO Packag		d in Scheaul	Appliance rackage received in schedule E
		ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	MENTS-UPGRA	PLIANCE REQUIRE	ZANCOR API	Appliance Dackage Tocaling
í						Other
				Α	NA	BASEMENT
			STANDARD		STANDARD	3rd Bath
			STANDARD		STANDARD	Main
			STANDARD	+	STANDARD	Master Ensuite
	LE UNDERMOUNT	STANDARD DOUBLE UNDE	STANDARD	-	STANDARD	Powder Room
		NOTES	FAUCETS		FIXTURES	Kitchen
		UPGRADES TO BE DETAILED ON PES	RADES TO BE D	MBING-		
	NA	Basement		WARM GREY		Powder Room
	NA	Twin		WARM GREY		Laundry
	WARM GREY	3RD BATH		WARM GREY		Main/Upper Hall
	WARM GREY	Master Enc		NA GRET		Den/Study
	WARM GREY	Bedroom 3		WARM CREV		Family/Great room
	WARM GREY	Bedroom 2		WA CREV		Dining Room
	WARM GREY	Master Beds		WARM GREY		Kitchen/Breakfast
			PAINT			
		STANDARD				Exterior Door Hardware
		WAVE IN PEWTER UP # 1	WAVE			Interior Door Hardware
		STANDARD				Interior Doors
		STANDARD				Casing/Baseboards
į.			TRIM			
	3 1/4"	METAL BLACK STAMPED SINGLE /ALT DOUBLE 23/4" GROOVED OAK HANDRAIL 3 1/4	IPED SINGLE /ALT	METAL BLACK STAN	or Railing	Main to top of Basement Door Railing
	DRAIL 3 1/4" SQUARE OAK POST	NA METAL BLACK STAMPED SINGLE /ALT DOUBLE 2 3/4" GROOVED OAK HANDRAIL	MPED SINGLE /ALT	METAL BLACK STAN		Main to 2nd Railing Details:
ļ	ILA	STAIN OAK STAIRS TO MATCH NEBULA	STAIN	The second secon		Stair Stain / Species:
		& STAIR STAIN	G & PICKETS	STAIRS, RAILING & PICKETS & STAIR STAIN		

MCH / 2017 42-02




A.

1,2017 42-02

he Marina

201106



A


New Image Kitchens Inc.
Scale: Approved by:
Date: 24/02/17 BELLE AIR SHORES, INNISFIL MODEL: 42-02 Drawn by: MGER Revised: Chiny flood By owner

W Q LASS 1000


201106

EDGE PROFILES (INTERSTONE / REDSTONE) **ZANCOR HOMES**

STANDARD



UPGRADES





INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal

granite, quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone should never be cleaned with lemon oil or vinegar. The purchaser acknowledges colour and product variations as well as natural PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, imperfections that may exist with the selection of natural stone materials and shall not hold the Vendor liable for

3 P

usually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-

be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not of the finished product. Although every effort will be made to ensure the colours and materials selected are as close CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look

STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor... to have an identical match and that there MAY be shade differences between the two products. will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible

provision of certain upgrades and shall not hold the Builder liable for provision of same. finished interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades matching impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.**

fluctuation in hardwood flooring materials. may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring once installed in the home. HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the good workmanship, the Builder shall not be responsible nor held liable for minor The purchaser acknowledges variances of

an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and

HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). in certain areas. I/We understand there is a concern due to possible water and other substances being frequently I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder

"Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist oj resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types o flooring providing similar degrees of water resistance.

moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence,

SEE COLOUR CHART FOR LOCATIONS I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to

DATE

SITE

0

February 5, 2015




APPLIANCE SPEC INFORMATION SHEET

Date	D.	Purchaser Signature
Date Mauch 32/17	D	Purchaser Signature
Appliance Specs are DUE (if not received during appointment): WEEKS FROM SIGNED DATE ABOVE — Specs received after this date and changes are required to accommodate the appliances, an administration fee of minimum \$250 will apply: *Changes must be approved by head office.	Appliance Specs are DUE (if not received during appoins) IGNED DATE ABOVE – Specs received after this date a pdate the appliances, an administration fee of minimus and the appliances are approved by head office.	Appliance Spont 2 WEEKS FROM SIGNED DATE A accommodate the approximate *Ch
If specs not received, the <u>standard openings</u> as determined by Zancor Homes will be provided. If rework/repair is required due to late specs received, additional costs will be applied.	<u>openings</u> as determine additional costs will b	(a) If specs not received, the <u>standard openings</u> as determined by Zanco required due to late specs received, additional costs will be applied.
Purchaser acknowledges responsibility for providing correct specification for such appliances. The purchaser agrees to deliver forthwith to the Builder the manufacturer's appliance specifications where the size exceeds the standard openings.	ity for providing correct nanufacturer's applianc	Purchaser acknowledges responsibili deliver forthwith to the Builder the ropenings.
NOTE: It is the Purchaser's responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.	bility to coordinate deli ers specifications after	NOTE: It is the Purchaser's responsibility to coordinate delivery, in they are installed as per Manufacturers specifications after closing.
Additional charges may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.	oinetry, electrical and p	Additional charges may apply for cab homeowner.
FRONT LOADING SIDE BY SIDE STACKABLE		24" (STD SIZE)
LAUNDRY		DISHWASHER
8 INCH		UNDER CABINET
Leinch (STD)	J	CHIMNEY (CENTRE VENT)
Spue to Foll		WARMING DRAWER AMPS
OVER THE RANGE AMPS		DOUBLE AMPS
BUILT IN MICRO AMPS		SINGLE AMPS
MICROWAVES	de Park	WALL OVENS
FLUSH INSET		COOKTOP (APRON) AMPS COOKTOP (DROPIN) AMPS
☐ PANELLED/INTEGRATED	S	GAS AMPS
STANDARD OPENING 36" X 72" See S		□36" (STD) >>
REFRIGERATOR		RANGE
Reverse /	Re	SITING: Standard
DATE: Mouch 22/1	12	STE & LOT: Innise


DW80K7050US

Samsung Dishwasher

Installing Your Dishwasher



Dimensions



Lot. 106. March 22/17

Features

- 6 Wash Cycles: Auto, Heavy, Normal, Express 60, Delicate, Rinse Only
- 6 Options: StormWash,[™] Lower Rack Wash,
 Sanitize (Anti-Bacterial-NSF), Hi-Temp Wash,
 Delay Start, Control Lock
- Manual Filtration System
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor: Detects Water Leaks Before They Happen and Shuts Off the Dishwasher to Prevent Water Damage.
- Nylon Racking
- Upper Rack: 2 Cup Shelves, Adjustable Tines
- Lower Rack: Adjustable Tines
- 2 Silverware Baskets

Warranty

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

Product Dimensions & Weight (WxHxD)
Dimensions (height is adjustable):
23 7/8" x 33 7/8" – 35 7/8" x 24 3/4"

Weight: 97 lbs.

Shipping Dimensions & Weight (WxHxD)
Dimensions: 26" x 35" x 291/2"

Weight: 108 lbs.

Stainless Steel Black Stainless Steel Color

Model #DW80K7050US
DW80K7050UG

UPC Code 887276166452 887276166438

DW80K7050US

Samsung Dishwasher

Features

- StormWash™ Heavy Duty Wash System
- AutoRelease[™] Door
- Third Rack
- Light Indicator
- Five-Layer, Insulated Door
- Digital Leakage Sensor
 FlexLoad™ Racking System Touch Control
- ENERGY STAR® rated: 239 kWh/Year
- Half-Load Cycle
- One-Touch Adjustable Racking System
- Quiet Operation 44 dBA Full Stainless Steel Interior
- Hidden Heating Element 15 Place Settings

- Filtration System
- Electronic Touch Sensor


 3 Spray Wash Arms (Upper, Middle, Lower)
- 6 Wash Cycles and 6 Wash Options
- 2 Silverware Baskets

Convenience


- Control Lock
- Rinse Refill Indicator
- Cycle Progress Indicator
 Last Cycle Memory
- Five Sensors (Digital Water Leakage, Turbidity, Water Fill) Rinse Refill , Water Temperature,














StormWash**



Available Colors



Black Stainless Steel

Signature Features

STORMWASH™

- Heavy-duty wash system makes pre-rinsing unnecessary.
 Powerful rotating spray jets positioned to clean dishes at every angle.
- Simply place hard-to-clean items above the StormWash" wheel on the bottom rack and it scrubs them for you.

AUTORELEASE™ DOOR

Door opens automatically to dry dishes faster.*
 *Improvements versus drying performance of the DW80F600.

THIRD RACK

Dedicated space for cutlery and utensils adds 30% more usable space to your dishwasher.


NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

Installing Your Range

cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal aluminum or 0.020" copper. the top of the cooking 30" minimum clearance between

18" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

166106. Machoa/1.

Total Power (BTU) 57,000 BTU

Power Source 120 V/60 Hz

Right Front: 18000 BTU - Dual

- Duai
- Left Front: 15000 BTU
- Right Rear: 5000 BTU
- Left Rear: 9500 BTUCentre Rear: 9500 BTU -
- Oven .Oval

- Bake: 175°F 550°F (79°C 288°C)
 Convection Bake: 150°F 550°F (66°C 288°C)
 Bake Burner: 18000 BTU
 Broil Burner: 16500 BTU
- Variable Broil: Low/High: 446°F 587°F
 (230°C 308°C)
- Convection Roast: 175°F 550°F (79°C 288°C)Sabbath Mode

Warming Drawer • Capacity: 0.7 cu. ft

- 7 cu. ft.

levo-

Heating Performance: 600 W
Temperature Settings: 3 Level

Warranty

A+844

Dimensions

0

One (1) Year All Parts and Labour

Five (5) Years Gas Cooktop

Product Dimensions & Weight (WxHxD) Actual Oven Dimensions: 25" x 211/8" x 19"

Outside Dimensions: 29¹⁵/16" x 36³/16 – 37³/16" (Adjustable) x 26³/8"

Weight: 202 lbs.

Glass cooktop overlaps and sits on top of your kitchen countertop to give a built-in look. Cut out space for the range is $29^{12}/_{16}$.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 33¹/₁₆" x 41³/4" x 30⁵/₁₆"

Weight: 225 lbs.

NX58H9500WS

Stainless Steel Colour

Model#

UPC Code 887276032054

Samsung received the highest numerical score for ranges, cooktops and overs in the proprietary I.D. Power 2014 Kitchen Appliance Study. Study based on 15,380 total responses measuring 17 ranges, cooktops and oven brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and penceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit (dpower com.

263/8"

Actual colour may very. Design, specifications, and colour availability are subject to change without notice. Non-metric weights and n recommended minimum only. Check the regulations and codes in your area for any additional requirements.

NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

Jack 23/ 901/07


Features


- Slide-in Design
- 5 Gas Burners
- Right Front: Dual 18K BTU Left Front: 15K BTU
- Right Rear: 5K BTU
- Left Rear: 9.5K BTU
- Guiding Light Controls - Center: 9.5K BTU (Oval)

 Large Oven Capacity - 5.8 cu. ft.
- Cast Iron 3 Piece Grates
- Reversible Cast Iron Griddle True Convection Oven
- Temperature Probe
- Warming Drawer (3 Levels)Healthy Cook Options

Convenience


- Auto Oven Light
- Sabbath Mode
- Delay Start
- Auto Shut-Off Option
- Child Safety Lock
- Self Clean
- 3 Favourite Cook Presets
- 4 Healthy Cook Presets
 3 Chrome Oven Racks, including 1 Split Rack











Available Colour:



Sule ENS mered 8/20, f



POWERFUL/FLEXIBLE COOKTOP

Signature Features



GUIDING-LIGHT CONTROLS

- Intuitive controls offer simple, step-by-step instructions for choosing cooking options
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- st Control temperature and time settings, select cooking functions and program your favourite recipes.

TRUE CONVECTION

Heated fan system is great for baking and broiling because temperature is distributed thoroughly and food cooks evenly.

REVERSIBLE CAST IRON GRIDDLE

Reversible griddle provides the flexibility of cooking on flat or grilled surface, while the Cast Iron provides even cooking.




RF23HCE DBSZ

22.5 cu. ft. Counter-Depth French Door Refrigerator with Cool Select Pantry


Installing Your Refrigerator

- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- . Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation
- Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual on-line at samsung.com.



Dimensions



Total Capacity: 22.5 cu.

- Refrigerator: 15.7 cu. ft.
 Premium External Filtered Water and Ice Dispenser
- Ice Master Ice Maker
 CoolSelect Pantry¹¹ with Temperature Control –
 Deli (41°C), Fresh (38°F) and Chilled (32°F) options
 2 Humidity-Controlled Crispers
 5 Tempered Glass Spill-Proof Shelves
 Adjustable Shelf for Tall oversized Items
- 6 Door Bins
- Right Door: 3 Gallon Bins
- Left Door: 3 Regular BinsHigh-Efficiency Top and Side LED Lighting

- Freezer: 6.8 cu. ft.
 EZ-Open Handle™
- High-Efficiency LED Lighting 1 Drawer Divider

Water Filter: HAF-CIN Accessories

Warranty

Product Dimensions & Weight Dimensions (WxHxD with hinges, har 35³/₄" x 70" x 31" One (1) Year Ali Parts and Labor Five (5) Years Sealed System Parts and Labor Ten (10) Years Compressor Parts Only handles and doors):

Dimensions (WxHxD without hinges and door): $35^3/_4$ " x $68^7/_8$ " x 24"

Dimensions (WxHxD with hinge and door, no handle): $35^{3}/_{4}$ " x 70" x $28^{1}/_{2}$ "

Weight: 297.62 lbs.

Shipping Dimensions & Weight (WxHxD)
Dimensions: 38 1/4" x 76 5/6" x 31 1/4"

Weight: 321.87 lbs.

Black White Color Stainless Steel RF23HCEDBSR RF23HCEDBWW RF23HCEDBBC Model # 887276967660 887276967646 887276966106 **UPC** Code





RF23HCEDBSR

00.588h plus Jay

22.5 cu. ft. Counter-Depth French Door Refrigerator with Cool Select Pantry

act. 22

Features

- 3-Door Counter-Depth Design

- Large Capacity 22.5 cu. ft.
 Twin Cooling Plus System
 ENERGY STAR® Compliant
 Ice Master Ice Maker in the Refrigerator
- CoolSelect Pantry™ with
- Temperature Control Premium External Filtered Water
- and Ice Dispenser
- High-Efficiency Top and Side LED Lighting EZ-Open Handle™ on Freezer Door
- EZ-Open Handle™ on Freezer Door Adjustable Shelf for Tall Oversized Items
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
 Auto Pull-Out Upper Freezer Drawer
 Easy-to-Access Water Filter

Convenience

- Cool Tight Door
- Door Alarm
- Water Filter Indicator






ENERGY STAR® rated: 699 kWh/yr











Ranked "Highest in Customer Satisfaction with Refrigerators" by J.D. Power and Associates.





ce Master



Available Colors



Stainless Steel (shown)





Signature Features

SLEEK, BUILT-IN LOOK

- ullet Stylish, counter-depth design allows for more work space in the kitchen
- Sleek, built-in look enhances overall kitchen design.

TWIN COOLING PLUS®

- Keeps food fresher longer Twin Cooling Plus humidity levels up to 3.6x higher than single cooling.
- Refrigerator air is kept at higher, near commercial grade humidity levels to keep perishable fruits and vegetables fresher longer.

Drier freezer air means less freezer burn for better-tasting frozen foods.

- ICE MASTER
- Our Ice Master makes 5.2 lbs. of ice per day with storage for nearly 2.7 lbs Space-saving design leaves more room in the refrigerator

COOL SELECT PANTRY™

Provides additional temperature control for your food storage needs with Deli, Fresh and Chilled options.