

CONSTRUCTION SUMMARY

Belle Aire Shores - Zancor Homes (Innisfil) Ltd.

PURCHASER: Farhad S. Sanders

LOT / PHASE

200 / 1

HOUSE TYPE

TEL: RES.: 647-808-5806

PRINT DATE
16-Jun-17

REGATTA (42-03) ELEV A

		DDQ Gas IIIIe
		BBO Gas line
		Extended uppers in kitchen (39-1/2")
		בייייייייייייייייייייייייייייייייייייי
		Stainless steel under cabinet hand fan
		3 Piece stainless steel appliances with white top loading washer and dryer
		Granite kitchen countertops with undermount sink
	16Jun17	4043 BONUS:
	1 00 641 4 7	
	16hin17	3728 KITCHEN - RELOCATE & CENTER STD KITCHEN LIGHT OVER ISI AND
		** FIREPLACE WILL COME INTO THE ROOM, AS PER PLAN**
	16Jun17	3727 GREAT ROOM -OPT. 36" GAS FIREPLACE, INCLUDES STANDARD MANTLE
	1000111	
	16Inm17	3726 SMOOTH CEILINGS ON MAIN ELOOR ONLY
	,	
Notes	Approved No	Ref# Quantity - Description

This Document is Extremely Time Sensitive - Printed 16 Jun 17 at 16:10


ZANCOR HOMES COLOUR CHART

Vendor	Purchaser Initial V	Purc		2 **	** PAGE 1 OF	
			onsibility of <u>all</u> ur charts <u>PRIOR</u>	rith a PES. It is the resp tches, PES and/or color	art must be accompanied wo of any discrepancies on sket to installation.	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.
200	INNISFIL				***FOR TRADE USE***	Contract of
	SITE & LOT			olour chart	Purchaser has reviewed the colour chart	
	N/A		Location	Location	YES	Bathroom Accessories
	PLASTER MOULDING	LASTER I	1000	O to	& ACCESSORIE	MIRRORS
		MANTLE		Opt. Surround		
	TLE NF8	MANTLE	N/A	Opt. Surround	GREAT ROOM	LOCATION
		AD	OTANDARD ONDERFAD	SIANI		calbet olineiban
		PET - T04	STD- OPENING NIGHT CARPET -	STD- OPENII		Bedroom 4
	-	PET - T04	STD- OPENING NIGHT CARPET - T04	STD- OPENII		Bedroom 3
		PET - T04	OPENING NIGHT CARPET -	STD- OPENII		Bedroom 2
	- -	PET - T04	STD- OPENING NIGHT CARPET - TO4	STD- OPENIT		Upper Hall Master Bedroom
	OD	ARDWOO	ATURAL OAK H	STD 3'-1/4" NATURAL OAK HARDWOOD		Main Hall
			N/A			Main Foyer *(Waiver)
			N/A			Kitchen *(Waiver)
	OD	ARDWO	ATURAL OAK H	STD 3"-1/4" NATURAL OAK HARDWOOD		Great Room
	OD	ARDWOO	ATURAL OAK H	STD 3"-1/4" NATURAL OAK HARDWOOD		Living /Dining Room
			(PET	HARDWOOD / CARPET		
PERLA I O ROYALE	7.7.7			TOSCANY GREY 8 X 10		Mail bath (ub Wall
			13	GRECO IVORY 13 X 13		Main Bath Floor
PERLATO ROYALE	PERI			PERLATO ROYALE		Master Shower Jamb
				WHITE 2 X 2		Mstr Shower Floor
			10	TUSCANY GREY 8 X		Mstr Ensuite Shower
			[Δ]	GRECO IVORY 13 X 13		Mstr Ensuite Floor
				N/A		Kitchen Bk.Splash
			ω	GRECO BEIGE 13 X 13		Breakfast Floor
			ω	GRECO BEIGE 13 X 13		Kitchen Floor
			į tu	N/A		Main Hall
			ω 	GRECO BEIGE 13 X 13		Powder Room
			3	GRECO BEIGE 13 X 13		Laundry Room -2nd Floor
			ω	GRECO BEIGE 13 X 13		Main Foyer
THRESHOLDS	INSERTS THI			S	TILES	
					N/A	Laundry- 2ND FLOOR
					N/A	Powder Room
STD	PORTICAL MARBLE -7735-58	PORTI	H500BC	PVC WHITE	STD 400 SERIES PVC WHITE	Main
STD	PORTICAL MARBLE -7735-58	PORTI	H500BC	PVC WHITE	STD 400 SERIES PVC WHITE	Master Ensuite
С	O ORNMENTAL -LIGHT	GIALL	H700BC	C TUXEDO	STD SHAKER PVC TUXEDO	Island
С	GIALLO ORNMENTAL -LIGHT		Н700ВС	C TUXEDO	STD SHAKER PVC	Kitchen
EDGE	COUNTERTOP		HARDWARE	TYLE	DOOR STYLE	
			RTOPS	CABINETRY / COUNTERTOPS	CA	

ZANCOR HOMES COLOUR CHART

	Vendor Signature Date	Ven	*	PAGE 2 OF 2 ***	***
	JUN 0 9 2017			<u>ades</u> to inform the builder ches, PES and/or colour <u>Installation.</u>	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
	Consultant Signature Date	Décor Co	NANCOR HOMES	art must be accompanied PES.	Any upgrades in the colour chart must be accompanied with a PES.
<u>"</u>	Purchaser Signature Date	Purch		E USE***	DÉCOR NOTES
			@gmail.com	<u>tredsanders1982@gmail.com</u>	EMAIL:
	Purchaser Signature Date	Purch	5806	647-808-5806	HOME #/CELL #
12	Such Star 10.	Z A	NDERS	FARHAD SANDERS	PURCHASER(S):
		P	LOT: 200	INNISFIL	SITE:
ia	(S) (s before signing.	ed accuracy of colour and selection	Purchaser has checked and acknowledged accuracy of colour and selections before signing
)(7.3)		inistration fee plus costs	gning are subject to a \$5000 adm	Any changes to the colour chart after signing are subject to a $$5000$ administration fee plus costs
-	the Vendors's	installed. In this event t	nay have been pre-selected or	construction progress some items n	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
	INITIALS	lo lot corianos in	MER	DISCLAIMER	Colours of all materials are as close as r
		NO	0	NO	ELECTRICAL for Bar Fridge
		NO	0		0
		NO		/OTR NO	\sim
	טטונטנוג טטוראטטווט	NO 8		NO	ELECTRICAL for Built-in Oven
	BILLI DED'S STANDARD	NO C	<u>v</u>	VES 6	Hood Fan Venting SIZE
		NO		NO	GAS LINE
	NOTES	DECLINED		UPG (SEE PES)	
		Name:	YES / NO Package Name:	d in 'Schedule E'	Appliance Package received in 'Schedule E'
<u></u>	NILED ON PES	ADES TO BE DETA	QUIREMENTS-UPGRA	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	
			STANDARD	STANDARD	Main Bath
			STANDARD	STANDARD	Master Enquite
			STANDARD	STANDARD	Kitchen
_	NOTES		FAUCETS	FIXTURES	
		ETAILED ON PES	PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUMBING	
			VHITE	OYSTER WHITE	Powder Room
			VHITE	OYSTER WHITE	Laundry
	OYSTER WHITE	Main Bath	VHITE	OYSTER WHITE	Main/Upper Hall
	OYSTER WHITE	Bedroom 4	VHITE	OYSTER WHITE	Great room
	OYSTER WHITE	Bedroom 3			
!	OYSTER WHITE	Bedroom 2	VHITE	OYSTER WHITE	Living/Dining Room
	OYSTER WHITE	Master Beds		OYSTER WHITE	Kitchen/Breakfast
		STANDARD	PAINT		Parent Cool Hallawale
		STANDARD			Exterior Door Hardware
		STANDARD			Interior Doors
		STANDARD			Casing/Baseboards
			TRIM		
	D	STANDARD		ils:	Main to Basement Railing Details:
	D	STANDARD			Main to 2nd Railing Details:
!_		N/A			White Paint Req'd
	NIV	VARNISH ONLY			Stair Stain / Species:
_		& STAIR STAIN	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, R	

Elevation B 2740 sq.ft. Elevation A 2762 sq.ft.







Garage 18'4" x 21'6"

REGATTA 42-03

INNIISTI J




Second Floor Elevation A




INNISTIL

REGATTA 42-03




Basement Elevation A




REGATTA 42-03

}

101 200 1411/15FIL



16/200 INNISTIL



STANDARD CABINET HARDWARE

(New Image Kitchens)




MARCH CARCUITS




ZANCOR HOMES

EDGE PROFILES (INTERSTONE / REDSTONE)



UPGRADES



LOT / SITE

PURCHASER SIGNATURE



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour charts and



the selection of natural stone materials and shall not hold the Vendor liable for provision of same. maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with substance require immediate attention. installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of Stone countertops require regular seal re-application as part of home



range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-



be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not of the finished product. Although every effort will be made to ensure the colours and materials selected are as close CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look



STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air



is.

includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This have an identical match and that there MAY be shade differences between the two products. will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to The type and intensity of lighting in the areas of designated cabinetry placement may also highlight



possible. The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished



CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office.



apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the of fluctuation in hardwood



HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of certain areas. I/We understand there is a concern due to possible water and other substances being frequently I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of

flooring providing similar degrees of water resistance.

moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of r
TARION and/or the Builder in relation to the matter.

SEE COLOUR CHART FOR LOCATIONS I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to residence,

ក្ន

DATE



APPLIANCE SPEC INFORMATION SHEET

Purchaser Signature Date	Purchaser Signature Accommodate the appliances, an administration fee of minimum \$250 will apply. Changes must be approved by head office. Date Date	If specs not received, the <u>standard openings</u> as determined by Zancor Homes will be provided. If rework/repair is required due to late specs received, additional costs will be applied. Appliance Specs are DUE (if not received during appointment): 2 WEEKS FROM SIGNED DATE ABOVE — Specs received the state of the st	NOTE: It is the Purchaser's responsibility to coordinate delivery, installation and hook up of appliances they are installed as per Manufacturers specifications after closing. Purchaser acknowledges responsibility for providing correct specification for such appliances. The purchaser forthwith to the Builder the manufacturer's appliance specifications where the size exceeds the openings.	Additional charges may apply for cabinetry, electrical and plumbing in order to acco	DISHWASHER 24" (STD SIZE)	FLUSH INSET	CHIMNEY (CENTRE VENT)	WALL OVENS SINGLE DOUBLE AMPS STEAM OVEN WARMING DRAWER AMPS	RANGE 30" (STD) 36" 48" GAS	SITING: Standard R	STE & LOT: 200 KN MISTIL
e	e TWAC () 2014	by Zancor Homes will be provided. If rework/repair is applied. eived during appointment):	ery, installation and hook up of appliances and to ensure losing. specification for such appliances. The purchaser agrees to specifications where the size exceeds the standard	STACKABLE TOP LOAD Imbing in order to accommodate the specs given by the	LAUNDRY FRONT LOADING SIDE BY SIDE	10 INCH	ANS 6 INCH (STD)	MICROWAVES BUILT IN MICRO AMPS MICRO TRIM KIT MODEL OVER THE RANGE AMPS	REFRIGERATOR STANDARD OPENING 36" X 72" BUILT IN FRIDGE WATERLINE REQUIRED PANELLED/INTEGRATED FLUSH INSET	Reverse	DATE: JUDE 6-2017.