



CONSTRUCTION SUMMARY

PURCHASER *MODEL* **Cookstown - Zancor Homes (Cookstown) Ltd.** *SIMONE*
TEL: RES. *416-843-7270*

LOT / PHASE	HOUSE TYPE	PRINT DATE
19 / 1	Beaumont (50-05) Elev B	27-Jun-18

Ref#	Quantity	Description	Approved	Notes
4633	STAIRS -	1. REMOVE 2 base landing/stairs on main floor and install standard treads with square edge 2. OPEN TO BELOW OAK STAIRS FROM MAIN FLOOR TO FINISHED BASEMENT *Includes 2 hockey sticks and finished foyer **Railings where applicable **door at top of stairs and walls under stairs on main floor to be removed.	14Jun18	
4635	BASEMENT WINDOWS -	1. ENLARGE ALL BASEMENT WINDOWS TO BE 30 X 24 2. ADD 2 WINDOWS AT REAR - 30 X 24 3. RIGHT SIDE WINDOW IN REC ROOM - SHIFT TO BE CENTRED WITH FIREPLACE BUMP OUT ***EGRESS REQUIRED AT FUTURE BEDROOM	14Jun18	
4636	CEILINGS -	1. COFFERED in main hall 2. WAFLE in library 3. RAISED 18 INCH COFFERED in upper hall at stairs	14Jun18	
4637	MASTER ENSUITE	1. COFFERED ceiling in master ensuite where vanity is 2. COFFERED ceiling in master ensuite where tub area is.	14Jun18	COFFER ABOVE TUB IS DELETED - SEE #5795
4638	LAUNDRY ROOM -	1. INSULATE ALL WALLS OF LAUNDRY ROOM ON SECOND FLOOR 2. CHANGE LOCATION OF LAUNDRY ROOM DOOR	14Jun18	
4639	MASTER ENSUITE -	1. OPENING from bedroom to bathroom to be 36 INCHES by extending the nib walls approx 1 foot from the closet side of openings 2. Delete double doors to closet. ADD single door in new location	14Jun18	
4640	MASTER ENSUITE - INFINITY DRAIN		14Jun18	
4667	FRAMELESS GLASS SHOWER in ensuite 4 in lieu of standard MAAX HALO Frameless glass system in ensuite 2/3 in lieu of standard		14Jun18	
4668	PLUMBING - MASTER ENSUITE **BRUSHED NICKEL TUB - Maax Ariosa 6636 Model #106267 *COLOUR 019 THUNDER GREY TUB FAUCET - VOSS 4 PCE SHOWER - JETS, 8.5" RAINHEAD & SLIDEBAR TOILET - CONTRAC KIERA SINKS - TOTO LT533 FAUCETS - VOSS WIDESPREAD		14Jun18	
4669	PLUMBING - ADD SLIDE BAR to all standards and larger shower head in Ensuite 2/3, Ensuite 4, Basement bath		14Jun18	
4670	PLUMBING - ENSUITE 5 Moen Align Annex Shower Rail **with toe tester in lieu of standard		14Jun18	
4671	PLUMBING - MOEN BATHROOM ACCESSORIES 1. GENTA BH3808 paper holder, BH3824 24 inch towel bar in Ensuite 2/3, 4, 5 & basement bath 2. VOSS in paper holder, 24 inch towel bar master ensuite		14Jun18	
4672	ELECTRICAL - LED POTLIGHTS (4) foyer, delete std (4) in library, delete std (4) in hall at stairs, separate from standard (1) in furniture niche, sep switch (3) hall in front of dining room, delete std (2) powder HALL		14Jun18	
4673	ELECTRICAL - LED POTLIGHTS (6) dining room sep switch, std remains (10) great room, delete std (4) breakfast on sep switch, std remains (6) kitchen sep switch (1) powder room on same switch as wall sconces Std kitchen light to be over island along with additional capped		14Jun18	



CONSTRUCTION SUMMARY

PURCHASER: **MODEL** **Cookstown - Zancor Homes (Cookstown) Ltd.** **SMALL**
TEL. RES: **416 843 7270**

LOT / PHASE	HOUSE TYPE	PRINT DATE
19 / 1	Beaumont (50-05) Elev B	27-Jun-18

Ref#	Quantity	Description	Approved	Notes
4674		ELECTRICAL - LED POTLIGHTS (4) Master bed on sep switch, std remains (3) bedroom 3, (1) on same switch with std, (2) on sep switch (2) bedroom 5, sep switch, std remains	14Jun18	
4675		ELECTRICAL - LED POTLIGHTS (9) upper hall, delete std (3) laundry, delete std (3) ensuite 5, same switch as standard (1) ensuite 5 SHOWER POT (2) ensuite 2/3 on same switch as standard - standard on wall above each sink (2) ensuite 2/3 water closet	14Jun18	
4676		ELECTRICAL - LED POTLIGHTS (3) ensuite 4 on same switch as standard (1) master ensuite inside coffer, sep switch (3) master tub area on sep switch, see location of std (6) master walk in closet (2) in EACH closet, B2, 3, 4, 5 **POTS IN B2, 3, 4, 5 WALK IN CLOSETS TO BE ON DOOR JAMB SWITCHES	14Jun18	
4677		ELECTRICAL - LED POTLIGHTS (3) master ensuite same switch as shower (2) master ensuite toilet area, delete std	14Jun18	
4678		ELECTRICAL - BASEMENT (4) LED potlights basement foyer, delete std	14Jun18	
4679		10 FOOT MAIN FLOOR CEILING HEIGHT - INCLUDES taller windows, 8 foot high interior doors 9 FOOT SECOND FLOOR CEILING HEIGHT - INCLUDES transoms above windows where applicable, 8 foot high interior doors	14Jun18	
4680		ELECTRICAL - WALL SCONCES (2) dining 18" in each end, sep switch 66"H (2) library 18" in each end, sep switch 66"H (2) powder, either side of sink, same switch as pot 66"H (2) master ensuite above each sink 72"H (2) master ensuite make up desk 72"H sconces on wall across from master vanity to match locations	14Jun18	
4803		PLUMBING - UNDERMOUNT SINK TOTO LT641 ENSUITE 2/3 (x2) ENSUITE 4 ENSUITE 5	14Jun18	
4804		PLUMBING - POWDER ROOM TOILET - CONTRACT KIERA	14Jun18	
4806		FRAMING - MASTER WALK IN CLOSET - 1. CLOSE OFF WALL FROM CLOSET TO VANITY AREA 2. RELOCATE SINGLE DOOR FROM BEDROOM TO WALK IN CLOSET **DOOR TO BE APPROX 24" AWAY FROM WALL TO ALLOW FOR FUTURE BUILT-INS	14Jun18	
4807		ELECTRICAL - RECTANGULAR STEP LIGHTS **EVERY OTHER STEP & 3 IN LANDING AREA	14Jun18	
4808		FIREPLACE IN LIBRARY **INCLUDES BUMP OUT FOUNDATION	14Jun18	DELETED - DO NOT INSTALL FIREPLACE - SEE #5794
14Jun18	Notes:	DELETED - DO NOT INSTALL FIREPLACE - SEE #5794		
4809		FIREPLACE - 142 MONTHIGO LINEAR FIREPLACE GREAT ROOM	14Jun18	**CHANGED TO MAJESTIC RAVE 42 SEE #5800
14Jun18	Notes:	***CHANGED TO MAJESTIC RAVE 42 SEE #5800		



CONSTRUCTION SUMMARY

Cookstown - Zancor Homes (Cookstown) Ltd.

PURCHASER: *MORDEL*

SYMCOTE
4168437270
TE

LOT / PHASE	HOUSE TYPE	PRINT DATE
19 / 1	Beaumont (50-05) Elev B	27-Jun-18

Ref#	Quantity	Description	Approved	Notes
4992		ELECTRICAL - EXTERIOR POTS (1) LEFT SIDE (1) RIGHT SIDE (2) 2ND FLOOR ABOVE PORTICO (EITHER SIDE OF WINDOW) (2) 2ND FLOOR ABOVE GARAGE (EITHER SIDE OF WINDOW) (2) CORNERS OF GARAGE	14Jun18	
5443		PLUMBING - POWDER ROOM SINK - KOHLER K-2373 **COLOUR TRANSLUCENT DUSK TGI *** FAUCET - DELTA ZURA 774-CS-DST	14Jun18	
5465		ELECTRICAL - PLUGS 1. ADD PLUG IN FOYER AS PER LOCATION ON SKETCH 2. SEE LOCATION OF STANDARD PLUGS IN MASTER ENSUITE VANITY **ONE ON EACH END/SIDE, NOT ON REAR EXTERIOR 3. ADD ONE PLUG TO MAKE UP DESK IN MASTER ENSUITE	14Jun18	
5766		ELECTRICAL - See plug location in Den See plug location in Basement foyer	14Jun18	
5767		ADD PLUG & CABLE Above fireplace in Den ADD PLUG & CABLE Above fireplace in Family room	14Jun18	
5768		ELECTRICAL - PUCK LIGHTS for cabinets in kitchen ROPE LIGHTING in dining room at coffer	14Jun18	
5778		ELECTRICAL - MASTER ENSUITE WATERPROOF LED STRIP LIGHTING TO BE INSTALLED IN SHOWER NICHE ***STONE MUST BE ROUTED OUT TO FIT THE LIGHTING****	14Jun18	<i>SEE # 5797</i>
5793		PLUMBING - KITCHEN FAUCET - MOEN ARBOR (MATTE BLACK) HIGH ARC SOAP DISPENSER - MOEN TRANSITIONAL (MATTE BLACK)	14Jun18	
5794		DELETE FIREPLACE IN LIBRARY - ORIGINAL ITEM #4808 ***WALL SCONCES TO REMAIN	27Jun18	
5795		DELETE COFFERED CEILING IN MASTER ENSUITE AREA ABOVE TUB ONLY (ORIGINAL Y #4637) ***COFFERED WHERE VANITY IS TO REMAIN	27Jun18	
5796		MASTER ENSUITE - 1. BUILD OUT A 6 INCH WALL ON THE EXTERIOR WALL AND INSTALL A HORIZONTAL NICHE. FINISHED NICHE WITH TILES TO BE 12 INCHES HIGH, AND 5 FEET WIDE (WALL TO WALL) ***POTLIGHTS WILL BE INSTALLED IN THE UPPER PART OF THE NICHE	27Jun18	DELETE NIB WALL & ARCH WHERE BUILT-INS ARE
5797		ELECTRICAL - 3 WATERPROOF POTLIGHTS TO FIT INTO A 6 INCH DEEP SHOWER NICHE IN MASTER ENSUITE **ON SEPARATE SWITCH	27Jun18	
5798		PLASTER MOULDING - STYLE 105L Foyer (coffer), Library/Living (waffle) Powder Main Hall (coffer) Dining room (Indirect Lighting), Ceiling panel design	27Jun18	
5799		**price is for all plaster moulding PLASTER MOULDING - 105L 2ND FLOOR 2nd floor hall (coffer) Hall to master (coffer); Master bed crown with ceiling design master ensuite (1 coffer) master ensuite (circle and band)	27Jun18	



CONSTRUCTION SUMMARY

PURCHASER

Cookstown - Zancor Homes (Cookstown) Ltd.

TEL: RES


LOT / PHASE	HOUSE TYPE	PRINT DATE
19 / 1	Beaumont (50-05) Elev B	27-Jun-18

Ref#	Quantity	Description	Approved	Notes
5800		FIREPLACE IN GREAT ROOM *****CHANGED DUE TO DISCONTINUED***** INSTALL THE MAJESTIC 42, CLEAN FACE FRONT WITH <u>SAPPHIRE GLASS</u> (JADE#2) SEE SKETCH	27Jun18	FRAME BOX INTO ROOM - APPROX 12-13" - ALSO FRAME FROM FLOOR TO CEILING 48" WIDE

This Document is Extremely Time Sensitive - Printed 27 Jun 18 at 12:18

- (1) ONE @ SIDE LEFT
- (2) 2ND FROM ABOVE BALCO
- (2) 2ND FROM ABOVE GARAGE
- (2) CORNERS OF GARAGE
- (1) 2ND FROM RIGHT SIDE


<http://zancorhomes.com/wp-content/uploads/2017/05/Zancor-Cookstown-HT-5005-Elc-B-...> 9/13/2017



NO FIREPLACE IN LIBRARY
NO KITCHEN ABOVE F.P.

BEAUMONT 50-05


B LOT 19 COOKSTOWN



OPT. SECOND FLOOR W/ 5 BEDROOM EL. A

19 Locksborn
 MASTER
 ENSUITE

OPTION 2





EXTERIOR WALL

TOILET WALL



UNICOLOR SUPERWHITE 12X24
 GREY GROUT



282

CROWN

TOTO.

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

These dimensions and specifications are subject to change without notice

#SS-00449 v.04
 AUG 22 2017

TOTO®

LT533

Promenade® Undercounter Lavatory

FEATURES

- 18-1/2" x 14-1/2" Undercounter lavatory
- Front or rear overflow
- Mounting assembly complete with installation template and mounting screw set for wood countertops
- THU410 is required for marble/granite type counter top installation and must be purchased separately

MODELS

- LT533
(#01, #03, #11, #12, #51)

COLORS/FINISHES

- #01 Cotton
- #03 Bone
- #11 Colonial White
- #12 Sedona Beige
- #51 Ebony


CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), State of Massachusetts , City of Los Angeles, and others
- Meets ADA guidelines and ANSI A117.1 requirements when countertop is installed 864mm (34") from finished floor and lavatory is installed 205mm (8-1/8") minimum from front edge.



PRODUCT SPECIFICATION

The undercounter lavatory shall be made of vitreous china. Lavatory shall be 18-1/2" in length and 14-1/2" in width. Product shall be with overflow and lavatory shall include mounting assembly. Lavatory shall be TOTO Model LT533_____.



Lot 19 Colston.

Master Suite
(X2)

1 of 2

AUG 22 2017

TOTO®

LT641

Dartmouth® Undercounter Lavatory

FEATURES

- 18-3/4" x 13-3/4"
- ADA compliant
- Front or rear overflow
- Mounting assembly complete with installation template and mounting screw set for wood countertops
- THU410 is required for marble/granite type counter top installation and must be purchased separately

MODELS

- LT641
(#01, #03, #11, #12, #51)

COLORS/FINISHES

- #01 Cotton
- #03 Bone
- #11 Colonial White
- #12 Sedona Beige
- #51 Ebony


CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), State of Massachusetts, City of Los Angeles, and others
- Meets ADA guidelines and ANSI A117.1 requirements when countertop is installed 864mm (34") from finished floor and lavatory is installed 205mm (8-1/8") minimum from front edge.



PRODUCT SPECIFICATION

The undercounter lavatory shall be made of vitreous china. Lavatory shall be 18-3/4" in length and 13-3/4" in width. Product shall be with overflow and lavatory shall include mounting assembly. Lavatory shall be TOTO Model LT641_____.



LOT 19 Cockstown

Ensute 2/3 (x2)

Ensute 4

Ensute 5

Basement

1 of 2

AUG 22 2017

LT641

Dartmouth® Undercounter Lavatory

SPECIFICATIONS

- Waste 1-1/4" O.D.
- Size 21-1/4"W x 16-1/4"D
- Basin 18-3/4"W x 13-3/4"D
- Warranty One Year Limited Warranty
- Material Vitreous china
- Shipping Weight 21 lbs.
- Shipping Dimensions 22-1/4"W x 18-3/4"D x 9-3/4"H

INSTALLATION NOTES




Mounting Hardware

Wood/Composite Wood/Etc.

THU408 or THU409 (Included)

Marble/Granite/Etc.

THU410 (Sold Separately)



ADA Compliance Check

16119 Corston.
 Enroute 2/3 (x2)
 Enroute 4
 Enroute 5
 Dartmouth

TOTO.

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

These dimensions and specifications are subject to change without notice

#SS-00400 v.04

AUG 22 2017

282

KIERA

4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf 1PC DUAL FLUSH 1 67/8" HIGH ELONGATED

- ☐ 4710BNW Lined Tank
- ☐ 4710BNWU Unlined Tank

Product Specs:

- High efficiency dual flush toilet
- 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf
- Elongated bowl with concealed skirted trapway
- Vitreous china
- 16 7/8" Bowl height
- White top Push Button
- 12" (305mm) Rough-In
- 2" Fully glazed ball pass trapway
- 3" Dual flush valve
- Siphon jet flush action
- Water surface (240mm x 170mm) 7 7/8" x 5 1/2"
- Smooth close toilet seat included

Overall Dimensions:

392mm (W) x 725mm (D) x 765mm (H)
15 1/2" (W) x 28 1/2" (D) x 30 1/2" (H)


Compliance Certifications:

Meets or exceeds the following:

- IAPMO cUPC
- US EPA WaterSense
- ASME A 12.19.2 / CSA B45.1-2013
- MAP tested 1000g
- LEED Compliant


Shipping:

Cube 9.39
GW 92.50lbs



Notes:

This toilet is designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately.
Important: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



LOT 19
CONSTANT
Master Ensuite
+ Powder

contrac.

CANADA | 5870 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 | www.contrac.ca
USA | 5241 Northwind Parkway, Hobart, Indiana, USA 46342 | www.contrac.us

Revised: July 2016



AUG 22 2017

MAAX SUBMITTAL SPECIFICATIONS

Ariosà 6636

MODEL NUMBER 106267

DIMENSIONS: 66" x 36" x 28" Acrylic



Master Ensuite
*COLOUR 019
Thunder Grey

Project :
Contractor :
MAAX Representative :
Date :

Tel :

www.maax.com

Vivez l'expérience
MAAX
Enjoy the experience

STANDARD FEATURES

- 2-piece bathtub with transitional symmetrical look and concealed seam
- Recessed deck with ample space for faucet installation
- Maximized bathing well with center drain
- Above-the-Floor Rough (AFR) and F² Drain compatible
- MAAX innovative leveling legs
- Apron available in white and 5 designer colors
- No systems available

OPTIONS

- Cable-operated waste and overflow
- Waste and overflow
- Waste and overflow
- Brass waste and overflow for high-rise construction
- Brass waste and overflow for high-rise construction
- Linear waste and overflow

UNIQUE FEATURES

- Above-the-Floor Rough (AFR)
- 1 Tub - 2 Pieces
- Compatible with F2 Drain

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



2017-08-22

LOT 19

COOKSTOWN

AUG 22 2017






MAAX SUBMITTAL SPECIFICATIONS

Ariosà 6636

MODEL NUMBER 106267

TECHNICAL DRAWINGS

MAAX ELABORATE



* COLOUR 019

Fluor
 Grey

() : Recommended faucet area of 15" (L) x 4" (W).
 Depth recommended for straight pipes 8".
 All dimensions are approximate. Structure measurements
 must be verified against the unit to ensure proper fit.

2017-08-22

LOT 19
 COOKSTOWN

AUG 22 2017

Soap Dispenser, S3946BL

MASTER BEDROOM – Moen Voss, Brushed Nickel

(Moen will provide)

SHOWER - Rain head, matching slide bar, 3 jets, diverters etc... -

Rough-in-> S3371 / S3600 (X3) / S1300 x 4

Trim -> /TS3100BN/ TS3300BN x 3 / TS1320BN x 4 / S3879EPBN / A721BN / 116651BN / 164745BN / S6345BN

TUB - 4 Pce roman tub Trim T694BN / Rough-in 9797

SINKS – Trim T6905BN / Rough In 69000 - 8 inch centres (widespread) x 2

TOWEL BAR – YB5124BN

TOILET HOLDER – YB5108BN

ENSUITE 2/3 – Moen Vichy (Standard)

No Toe Tester

Lavatory 6710 x 2

Trim T2661/S122/S6310/3669EP/A725/T4171

Rough-in – 62380 / 3372

Towel Bar YB2424CH

Paper Holder YB2408CH

ENSUITE 4 – Moen Vichy (Standard)

No Toe Tester

Lavatory 6710 x 1

Trim T2661/S122/S6310/3669EP/A725/T4171

Rough-in – 62380 / 3372

Towel Bar YB2424CH

Paper Holder YB2408CH

ENSUITE 5 – Moen Vichy (Standard)

WITH Toe Tester

Lavatory 6710 x 1

Trim -> Annex TS3661NH/S6310/164927/T2661/3839


Rough-in -> 62380

Towel Bar YB2424CH

Paper Holder YB2408CH

MOEN

Jets



Master Ensuite

Model S3371 / S3600 (x3) /
TS3100 (x3) / S3879EP / A
164745 / S6345

X 1


X

LOT 19 COOKSTOWN (MODEL HOME)




Bath 2/3 4 5 basement
Vichy 6710
Chrome
x 5 Units

SIB




Model: Annex (Ensuite 5)
TS3661NH/3839/T2661/62380/
173809
x 1 Units



Model: Shower Only
3669EP/A721/T4171/33
72/62380/T2661/S122/1
73809
x 4 Units



x 5 Units



x 5 Units

TOTO®

LT533

Promenade® Undercounter Lavatory

FEATURES

- 18-1/2" x 14-1/2" Undercounter lavatory
- Front or rear overflow
- Mounting assembly complete with installation template and mounting screw set for wood countertops
- THU410 is required for marble/granite type counter top installation and must be purchased separately

MODELS

- LT533
(#01, #03, #11, #12, #51)

COLORS/FINISHES

- #01 Cotton
- #03 Bone
- #11 Colonial White
- #12 Sedona Beige
- #51 Ebony


CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), State of Massachusetts, City of Los Angeles, and others
- Meets ADA guidelines and ANSI A117.1 requirements when countertop is installed 864mm (34") from finished floor and lavatory is installed 205mm (8-1/8") minimum from front edge.



PRODUCT SPECIFICATION

The undercounter lavatory shall be made of vitreous china. Lavatory shall be 18-1/2" in length and 14-1/2" in width. Product shall be with overflow and lavatory shall include mounting assembly. Lavatory shall be TOTO Model LT533_____.



lot 19 Colkston.

Master Insuite
(x2)

1 of 2

AUG 22 2017

LT533



Promenade® Undercounter Lavatory




SPECIFICATIONS

- Waste 1-1/4" O.D.
- Size 20-1/2"W x 16-1/2"D
- Basin 18-1/2"W x 14-1/2"D
- Warranty One Year Limited Warranty
- Material Vitreous china
- Shipping Weight 25 lbs.
- Shipping Dimensions 22-1/4"W X 18-3/4"D X 9-3/4"H"

INSTALLATION NOTES

Mounting Hardware

Wood/Composite Wood/Etc.	Marble/Granite/Etc.
	
THU408 or THU409 (Included)	THU410 (Sold Separately)



ADA Compliance Check
Note: Overflow must be at rear

lot 19
lockstern.

Master
Growth

282

TOTO®

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

These dimensions and specifications are subject to change without notice

#SS-00449 v.04
AUG 22 2017

TOTO®

LT641

Dartmouth® Undercounter Lavatory

FEATURES

- 18-3/4" x 13-3/4"
- ADA compliant
- Front or rear overflow
- Mounting assembly complete with installation template and mounting screw set for wood countertops
- THU410 is required for marble/granite type counter top installation and must be purchased separately

MODELS

- LT641
(#01, #03, #11, #12, #51)

COLORS/FINISHES

- #01 Cotton
- #03 Bone
- #11 Colonial White
- #12 Sedona Beige
- #51 Ebony

CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), State of Massachusetts , City of Los Angeles, and others
- Meets ADA guidelines and ANSI A117.1 requirements when countertop is installed 864mm (34") from finished floor and lavatory is installed 205mm (8-1/8") minimum from front edge.



PRODUCT SPECIFICATION

The undercounter lavatory shall be made of vitreous china. Lavatory shall be 18-3/4" in length and 13-3/4" in width. Product shall be with overflow and lavatory shall include mounting assembly. Lavatory shall be TOTO Model LT641 ____.



LOT 19 Cookstown

Ensuite 2/3 (x2)

Ensuite 4

Ensuite 5

Basement

1 of 2

AUG 22 2017

LT641



Dartmouth® Undercounter Lavatory



SPECIFICATIONS

- Waste
 - Size
 - Basin
 - Warranty
 - Material
 - Shipping Weight
 - Shipping Dimensions
- 1-1/4" O.D.
21-1/4"W x 16-1/4"D
18-3/4"W x 13-3/4"D
One Year Limited Warranty
Vitreous china
21 lbs.
22-1/4"W x 18-3/4"D x 9-3/4"H

INSTALLATION NOTES

Mounting Hardware

Wood/Composite Wood/Etc.  THU408 or THU409 (Included)	Marble/Granite/Etc.  THU410 (Sold Separately)
---	--



ADA Compliance Check

Lot 19 Costdown
Ensure 2/3 (x2)
Ensure 4
Ensure 5
Dartmouth

TOTO.

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

These dimensions and specifications are subject to change without notice

#SS-00400 v.04

AUG 22 2017

KIERA

4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf 1PC DUAL FLUSH 167/8" HIGH ELONGATED

- ☐ 4710BNW Lined Tank
- ☐ 4710BNWU Unlined Tank

Product Specs:

- High efficiency dual flush toilet
- 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf
- Elongated bowl with concealed skirted trapway
- Vitreous china
- 167/8" Bowl height
- White top Push Button
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Dual flush valve
- Siphon jet flush action
- Water surface (240mm x 170mm) 71/8" x 51/2"
- Smooth close toilet seat included

Overall Dimensions:

392mm (W) x 725mm (D) x 765mm (H)
151/2" (W) x 281/2" (D) x 303/8" (H)


Compliance Certifications:

Meets or exceeds the following:

- IAPMO cUPC
- US EPA WaterSense
- ASME A 12.19.2 / CSA B45.1-2013
- **Map tested 1000g**
- LEED Compliant


Shipping:

Cube 9.39
GW 92.50lbs



Notes:

This toilet is designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately.
Important: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



LOT 19
CONSTANT
Master Ensuite
+ Powder

contrac

CANADA | 5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 | www.contrac.ca
USA | 6241 Northwind Parkway, Hobart, Indiana, USA 46342 | www.contrac.us

Revised: July 2016

\$820.

AUG 22 2017

MAAX SUBMITTAL SPECIFICATIONS

Vivez l'expérience
MAAX®
Enjoy the experience

Ariosà 6636

MODEL NUMBER 106267

DIMENSIONS: 66" x 36" x 28" Acrylic



Master ENSUITÉ
*COLOUR 019
Thunder Grey

STANDARD FEATURES

- 2-piece bathtub with transitional symmetrical look and concealed seam
- Recessed deck with ample space for faucet installation
- Maximized bathing well with center drain
- Above-the-Floor Rough (AFR) and F² Drain compatible
- MAAX innovative leveling legs
- Apron available in white and 5 designer colors
- No systems available

OPTIONS

- Cable-operated waste and overflow
- Waste and overflow
- Waste and overflow
- Brass waste and overflow for high-rise construction
- Brass waste and overflow for high-rise construction
- Linear waste and overflow

UNIQUE FEATURES

- Above-the-Floor Rough (AFR)
- 1 Tub - 2 Pieces
- Compatible with F2 Drain

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



2017-08-22

Project :

Contractor :

MAAX Representative :

Date :

Tel :

www.maax.com

LOT 19

COOKSTOWN

AUG 22 2017


MAAX SUBMITTAL SPECIFICATIONS

Ariosà 6636

MODEL NUMBER 106267

TECHNICAL DRAWINGS

MASTERBATH



* COLOUR 019

Thunder Grey

(): Recommended faucet area of 15" (L) x 4" (W).
Depth recommended for straight pipes 8".
All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

LOT 19
COOKSTOWN

2017-08-22

AUG 22 2017

Lot 19 cookstown (MODEL HOME)



Master Ensuite

Model S3371 / S3600 (x3) / TS7115/
TS3100 (x3) / S3879EP / A721 / 116651/
164745 / S6345

X 1



x 1 Unit



x 5 Unit



Master Ensuite Voss

T6905/69000 x 1



Master Ensuite Voss

T694/9797 x 1

 **MOEN**
Buy it for looks. Buy it for life.*

LOT 19 COOKSTOWN (MODEL HOME)



Bath 2/3 4 5 basement
Vichy 6710
Chrome
x 5 Units

512




Model: Annex (Ensuite 5)
TS3661NH/3839/T2661/62380/
173809
x 1 Units

\$1300 each.



x 5 Units



x 5 Units



Model: Shower Only
3669EP/A721/T4171/33
72/62380/T2661/S122/1
73809
x 4 Units

\$1400 each Bath.

MOEN
Buy it for looks. Buy it for life.®