

#### CONSTRUCTION SUMMARY

#### The Villages in Stayner -Zancor Homes (Stayner) Limited

PURCHASERS: Karolina Gabov and Vitaliy Gabov

Ref#

Quantity - Description

TEL: RES.:

The Clarifold Floring	10/2
HOUSE TYPE PRINT DATE	LOI / PHASE

6012 6011 6010 6009 8008 6007 6006 6005 6004 5997 5994 5993 5992 5991 KITCHEN - ADD 12" WIDE BY 24" DEEP PANTRY BESIDE FRIDGE \*\*12 INCH CABINETS WHERE PANTRY IS NOW GOING, RELOCATE & INSTALL THEM TO END OF SINK WALL \*\*SHIFT OVER FIRDGE & ALL OTHER CABINETS ON THAT WALL BY PANTRY SIZE OF 12" (SEE KITCHEN LAYOUT) DELETE CERAMIC ACCESSORIES STAIN STAIRS TO MATCH LAMINATE RAILINGS - UPGRADE I SQUARE \*\*PICKETS OT BE PAINT GRADE 8 FOOT HIGH DOORS ON KITCHEN - 12 INCH DEEP PANTRY \*\*All upper cabinets, fridge uppers/gable and pantry to be white 
\*\*All lowers &island to be Maple, new grey KITCHEN - TWO TONE CABINETS \*\*UPGRADE ELECTRICAL - CAPPED WALL SCONCES ON EITHER SIDE OF FIREPLACE ON SEPSWITCH \*\*PAINT PICKETS WHITE LAMINATE - UPGRADE 3 PCE ROUGHIN IN BASEMENT ELECTRICAL - LED POTLIGHT IN KITCHEN \*\*CENTRE WITH STOVE ON SEP SWITCH, STANDARD TO REMAIN ELECTRICAL - LED POTLIGHT IN BREAKFAST \*\*CENTRE WITH SLIDING DOOR ON SEP SWITCH, STANDARD TO REMAIN SHIFT OVER ONE BASEMENT WINDOW - LOCATION AS PER SKETCH FRAMLESS GLASS SHOWER IN MASTER ENSUITE OAK STAIRS IN LIEU OF CARPET GRADE ELECTRICAL - LED POTLIGHT IN FAMILY ROOM \*\*CENTRE WITH WINDOW ON SEP SWITCH, STANDARD TO REMAIN ELECTRICAL - ADD CAPPED ROUGH IN OVER THE ISLAND \*\*\*STANDARD KITCHE LIGHT TO BE INSTALLED OVER THE ISLAND ON SAME SWITCH AS CAPPED ELECTRICAL - CAPPED ROUGHIN WITH SWITCH FOR FUTURE VALANCE LIGHTING IN KITCHEN CHANGE LOCATION / SWING OF POWDER ROOM DOOR - SEE SKETCH SMOOTH CEILINGS ON MAIN FLOOR AND UPPER HALL 3 pce stainless steel appliances with white top load washer and dryer Stainless steel under cabinet hood fan Decor Dollars BONUS IN APS UPGRADE TO LAMINATE IN KITCHEN / BREAKFAST IN LIEU OF TILE COLOUR ON MAIN FLOOR THE MAIN FLOOR (x4) 1-3/4" PICKETS 3 AS CLOSE WIDE) AS POSSIBLE AND SQUARE POST SEE SKETCH 30Jul18 30Jul18 30Jul18 Approved 30Jul18 \*\*PICKET, RISERS & STRINGERS WHITE \*\*SHIFT KITCHEN ISLAND AS PER SKETCH Notes \*\*\*RISERS AND STRINGERS TO BE PAINT GRADE



### CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited LOT / PHASE HOUSE TYPE TEL: PRINT DATE
21-Sep-18

The Glen(5006) Elev B

10/2

	21Sep18	*As per APS
	30Jul18	6014 KITCHEN - DEEP UPPERS WITH GABLES ABOVE FRIDGE
	30Jul18	OVIS ELECTRICAL - ADD CAPPED ROUGHIN IN CEILING OF PORCH
Notes	Approved No	Ref# Quantity - Description


This Document is Extremely Time Sensitive - Printed 21 Sep 18 at 13:45

### NCOR HOMES COLOUR CHA


	r					
vendor		Purchaser Initial			** PAGE 1 OF 2 **	
		21/2	bility of all Trades OR to installation.	It is the responsi	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.	Any upgrades in the colour cha to inform the builder of any di
10		STAYNER			***FOR TRADE USE***	
	Ot	Site/Lot		chart	Purchaser has reviewed the colour chart	Pi
		N/A		Location	DELETE	Bathroom Accessories
	P	N/A		Crown Moulding	YES	Mirrors
		DI ASTER MOI II DING	DI ASTER		MIRRORS & ACCESSORIES	MIRRORS
	N/A	HEARTH			N/A	INSERT & SURROUND
	NE%	MANTIF		OOM	FAMILY ROOM	LOCATION
			CAROLAINO	П.		171110
			OAK STAIRS			STAIRS
		Т04	OPENING NIGHT CARPET - COLOUR TO4	OPENING NIGH		UNDERPAD
		T04	OPENING NIGHT CARPET - COLOUR T04	OPENING NIGH		Bedroom 3
		T04	OPENING NIGHT CARPET - COLOUR T04	OPENING NIGH		Bedroom 2
		T04	OPENING NIGHT CARPET - COLOUR TO4	OPENING NIGH		Master Bedroom
		T04	OPENING NIGHT CARPET - COLOUR TO4	OPENING NIGH		Upper Hall
		ALLEY OAK	LAMINATE - UPGRADE COLOUR - SANDY VALLEY OAK	IATE - UPGRAD	LAMIN	Main Hall
			TILE			Main Foyer *(Waiver)
		ALLEY OAK	LAMINATE - UPGRADE COLOUR - SANDY VALLEY OAK	IATE - UPGRAD	LAMIN	Kitchen *(Waiver)
			N/A			Den/Study/parlour
		ALLEY OAK	LAMINATE - UPGRADE COLOUR - SANDY VALLEY OAK	IATE - UPGRAD	LAMIN	Family
		ALLEY OAK	LAMINATE - UPGRADE COLOUR - SANDY VALLEY OAK	IATE - UPGRAD	LAMIN	Dining Room
		ALLEY OAK	LAMINATE - UPGRADE COLOUR - SANDY VALLEY OAK	IATE - UPGRAD	LAMIN	Living Room
	-		PET	HARDWOOD / CARPET	HARD	
			10	UNIWALL WHITE 8 X 10	WINU	Shared Bath Wall
	+		4 BRICK (STD)	AZZURO 12 X 2	NEW BYZANTINE AZZURO 12 X 24 BRICK (STD)	Shared Bath Floor
	+		3 X 10	UNIWALL TENDER GREY 8 X 10	UNIWALL	Ensuite 2 Tub Wall
			BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 BRICK (STD)	Ensuite 2 Bath Floor
				PERLATO		Mstr Ensuite Shower Jamb
				WHITE 2 X 2	<	Master Shower Floor
				UNIWALL TENDER GREY 8 X 10	UNIWALL	Mstr Ensuite Shower Wall
	F	You ke I	(STD) * BRICKED	CALCATTA GRIS 20 X 20 (STD)	CALCATTA	Mstr Ensuite Floor
				N/A		Basement Foyer
	+		KED SOUARE TILE	0 (STD) **BRIC	CALCATTA GRIS 20 X 20 (STD) **BRICKED SOLIARE TILE	Mud Room
			KED SQUARE TILE	0 (STD) **BRIC	CALCATTA GRIS 20 X 20 (STD) ***BRICKED SQUARE THE	Laundry 2nd floor
			KED SOUMBE THE	LAMINALE		Powder Room
			KED SQUARE TILE	0 (STD) **BRIC	CALCATTA GRIS 20 X 20 (STD) **BRICKED SQUARE TILE	Main Foyer
				N/A		Kitchen Bk.Splash
				LAMINATE		Breakfast Floor
	-			LAMINATE		Kitchen Floor
THRESHOLDS	=	INSERTS			TILES	
					N/A	Laundry 2nd floor
		4886-38	H800BC		SIERRA PVC - WHITE	Shared Bath
		7735-58	H800BC	EY	SIERRA OAK - TIMBER GREY	Ensuite 2
		7735-58	H800BC	EY	SIERRA OAK - TIMBER GREY	Master Ensuite
		7735-58	H800BC	(1)	SIERRA MAPLE - NEW GREY (1)	Island & LOWERS
		7735-58	H800BC	)	SIERRA MDF - WHITE (1)	Kitchen & Servery
EDGE		COUNTERTOP	HARDWARE		DOOR STYLE	
			RTOPS	CABINETRY / COUNTERTOPS	CABINET	


### NCOR HOMES COLOUR CH/ T

Date	Vendor Signature		OF 2 ***	PAGE 2 OF	**
31/12 4/18	5		orm the ES and/or	<u>ll Trades</u> to inj on sketches, P R to installation	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.
Date	Décor Consultant Signature	ANCOR	N	PES.	with a PES.
			companied	oer must be ac	Any upgrades in the colour chart must be accompanied
Date	Purchaser Signature				DÉCOR NOTES
JULY 24 2018	Mundle	MAIL.COM	KAROLINAGABOV@GMAIL.COM	KARO	EMAIL:
Date	Purchaser Signature		416-938-0934		HOME #/CELL #
JULY 24 2018	Khuny	ov V	VITALY GABOV KAROLINA GABOV		PURCHASER(S):
		10	NER LOT:	STAYNER	SITE:
达 //a		ning.	ur and selections before sig	ed accuracy of colo	Purchaser has checked and acknowledged accuracy of colour and selections before signing
元 /、/		fee plus costs	a \$5000 administration	gning are subject to	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
11/2	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers.  Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	y identical due to dye lot va this event the Vendors's se	selection but not necessari re-selected or installed. In	ossible to Builders ns may have been p	Colours of all materials are as close as p Due to construction progress some iten
INITIALS		~	DISCLAIMER		
		-	NO		ELECTRICAL for Bar Fridge
			NO	oktop	ELECTRICAL for Gas Stove / Cooktop
MICROWAVE	~		NO	/ OTR	ELECTRICAL for Built-in Micro / OTR
			NO		ELECTRICAL for Built-in Oven
	סרכרווארס	25	6 INCH		Hood Fan Venting SIZE
	DECLINED	DEC	5 8		WATERLINE to Eridge
		250			GAS LINE TO STOVE & BBO
NOTES	ame:	Package N	PE' YES / NO	d in 'Schedule	Appliance Package received in 'Schedule E'
	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	REMENTS-UPGRAD	APPLIANCE REQUI	ZANCOR	
		N/A	A	N/A	Other
		N/A	Α	A/N	BASEMENT
		STANDARD		STANDARD	Shared Bath
		STANDARD		STANDARD	ensuite 2
		STANDARD		STANDARD	Master Ensuite
		STANDARD		STANDARD	Powder Room
		STANDARD		STANDARD	Kitchen
	TAILED ON PES	PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUMBING- U	FIXTURES	
	WARM GREY	8			Kitchen/Breakfast
		PAINT			
	STANDARD				Exterior Door Hardware
	STANDARD	S			Interior Door Hardware
ORS	STANDARD STYLE - MAIN FLOOR TO HAVE X4 8 FOOT HIGH DOORS	D STYLE - MAIN FLO	STANDAR		Interior Doors
	STANDARD	S			Casing/Baseboards
		TRIM			
	N/A			ails:	Main to Basement Railing Details:
ST & OVAL OAK HANDRAIL	SQUARE OAK PO	5/16" SQUARE PAINT	UPGRADE 1 - 1-		Main to 2nd Railing Details:
S, RISERS & STRINGERS	STAIN TO MATCH LAMINATE AS CLOSE AS POSSIBLE **PAINT PICKETS, RISERS & STRINGERS  WHITE	H LAMINATE AS CL	STAIN TO MATO		Stain:
	UPGRADE TO OAK STAIRS	C			Stairs (CARPET OR OAK):
	PICKEIS & SIAIR SIAIN	& PICKE IS	STAIKS, KAILING		




## THE GLEN 50-06







3

### THE GLEN 50-06







# STANDARD CABINET HARDWARE


(New Image Kitchens)



DATE JULY 1618

E.

### THE GLEN 50-06



July may an posting colors

may 10 18 money 43%



### APPLIANCE ACKNOWLEDGEMENT

Wayne @ Coast

App hances

- NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company. Mangrow
- homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or wher

# STANDARD OPENINGS ACCEPTED BY PURCHASER:

ا کد

			(
			HOMEOWNER SIGNATURE
Fridge	₩ W	► 36" (+/-) × 74" (+/-)	
	*	**Space above the fridge is required due to proper air flow	ow
Stove	<b>▶</b> 30"	0"	ENO CEM
Dishwasher	<b>▶</b> 24"	",	DE QUIDED IF
<b>Hood Fan Opening</b>	<b>▶</b> 30"	0"	CAMS STOVE
Hood fan Vent	<b>▼</b>	-	LCK KHY SED

\*\*\*Specs that require changes/modifications after this date will not be accepted\*\* Appliance Specs are DUE (if not received during appointment) 2 WEEKS FROM SIGNED DATE ABOVE

**UPGRADE APPLIANCE OPENING REQUIREMENTS:** WALL OVEN & **HOOD FAN &** FRIDGE **MICRO RANGE VENT** Under Cabinet 36" Single Oven 48" Built-In Insert / Liner Induction Gas Water Line Required Double Oven Paneled / Integrated Warming Drawer Steam Oven Chimney (centre vent) Flush Inset STAYNER (55) 6 Inch 8 Inch Built-in Microwave (\*trim kit required) Over the Range Microwave 10 Inch Cooktop (Dropin) Cooktop (Apron front) \*\*Cut-out charge required for cooktop 101 **HOMEOWNER SIGNATURE** 

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. \*\*  $^{**}$  Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.



### INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour charts and

installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. Stone countertops require regular seal re-application as part of home the selection of natural stone materials and shall not hold the Vendor liable for provision of same maintenance. quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite expected, Purchaser acknowledges colour and product variations as well as natural imperfections may exist with including various lighting may affect the overall Variations in colour, tone, granularity (pitting, fissures) and pattern are finished look. Stone tops are sealed at time of

usually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-

**CERAMIC TILES:** Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home.

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products. STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished

upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be characteristics of cabinetry finish. includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain The type and intensity of lighting in the areas of designated cabinetry placement may also highlight cs of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished

CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour and

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that overall look of the finished product. flooring materials. the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

### HARDWOOD / LAMINATE WAIVER:

I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). certain areas. I/We understand there is a concern due to possible water and other substances being frequently

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist o" flooring providing similar degrees of water resistance ceramic tile, mastic or other

TARION and/or the Builder in relation to the matter moisture absorbency in the mentioned areas, and agree I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to ಠ waive any claims against the Township of residence,
\*\*SEE COLOUR CHART FOR LOCATIONS\*\*

STAYNER (55)

SITE

5

December 20, 2016



# RELEASE FORM BRICK/JOINT PATTERN INSTALLATION

Décor Consultant	Homeowner's Signature Homeowner's Signature	Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.  Location(s)  Location(s)	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be eliminated.  Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.	It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed on a ¼ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ¼ brick installation that has been recommended.  Location(s)	(Large tiles installation for floor and wall) – ¼ Brick  Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers.	SITE NAME	LOT#PURCHASER'S NAME
Date	Dave Date	or shower wall in a brick-joint pattern, that it  Location(s)	here may still be minimal lippage which ancor Homes and their contractor, cannot be	equests to install one of these tiles in a brick- to avoid lippage. Attached with this letter, en recommended.  Location(s)	roduction, many of the over-sized and odd in found to have a slight bow in the tile. It is a	n the extras	VIE GABOV