

CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited PURCHASERS: Lori Kathryn Apa and Maurilio Apa

6472824554

LOT / PHASE 13/2 The Blue(5001) Elev A HOUSE TYPE PRINT DATE
27-Aug-18

	27Aug18	0109 DECOR DOLLARS
	27Aug18	
	27Aug18	
	27Aug18	1
	27Aug18	
		10
	27Aug18	6163 RAILINGS - UPGRADE TO 2 RINGS (PAINT GRADE), GROOVED OAK HANDRAIL AND MATCHING OAK POST
	27Aug18	**PAINT PICKETS WHITE***
	27Aug18	
	27Aug18	
	27Aug18	
	27Aug18	1
	27Aug18	3 pce stainless steel appliances package with white top loading washer and dryer Sainless steel hood fan Decor Dollars *As per APS schedule E
Notes	Approved	1

This Document is Extremely Time Sensitive - Printed 27 Aug 18 at 14:33

ZANCOR HOMES COLOUR CHART

Vendo	er Initial	Purchase			** PAGE 1 OF 2 **	
4 .	M.	da	onsibility of all Trades PRIOR to installation.	It is the respondence	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>	Any upgrades in the colour cl
13	'NER	STAY	· · · · · · · · · · · · · · · · · · ·		***FOR TRADE USE***	
t .	Site/Lot			chart	Purchaser has reviewed the colour chart	
	N/A			Location	DELETE	Bathroom Accessories
	N/A		ılding	Crown Moulding	DELETE	Mirrors
	ING	PLASTER MOULD	PLAS		MIRRORS & ACCESSORIES	MIRROR
N/A		HEARTH			N/A	INSERT & SURROUND
NF20		MANTLE		MOOM	FAMILY ROOM	LOCATION
			S	FIREPLACES		
			OAK STAIRS			STAIRS
			STANDARD			UNDERPAD
		04	OPENING NIGHT - COLOUR TO4	OPENIA		Basement Foyer
		04	OPENING NIGHT - COLOUR T04	OPENIN		Bedroom 3 BASEMENT
		04	OPENING NIGHT - COLOUR TO4	OPENI?		Bedroom 2
		04	OPENING NIGHT - COLOUR TO4	OPENIA		Master Bedroom
)AK	LAMINATE - ROCKINGHAM OAK	LAMINA		Main Hall
			N/A			Kitchen *(Waiver)
)AK	ATE - ROCKINGHAM OAK	LAMINATE -		Family
			N/A			Dining Room
			N/A			Living Room
			ARPET	HARDWOOD / CARPET	HARD	
			10	CINQ GREY 8 X 10	CIN	Basement Ensuite Wall
			24 *BRICK (STD)	GREY 12 X 2	NEW BYTANTINE GREY 12 X 24 *BRICK (STD)	Basement Ensuite Floor
			10	CINQ GREY 8 X 10	CIN	Main Bath Tub Wall
			24 *BRICK (STD)	GREY 12 X 2	NEW BYTANTINE GREY 12 X 24 *BRICK (STD)	Main Bath Floor
				PERLATO		Mstr Ensuite Shower Jamb
				WHITE 2 X 2	٧	Master Shower Floor
			10	CINQ WHITE 8 X 10	CINC	Mstr Ensuite Shower Wall
) X 20	CALCATTA GRIS 20 X 20	CALCA:	Mstr Ensuite Floor
				LAMINATE		Main Hall
			24 *BRICK (STD)	GREY 12 X 2	NEW BYTANTINE GREY 12 X 24 *BRICK (STD)	Main Foyer
				N/A		Kitchen Bk.Splash
			24 *BRICK (STD)	GREY 12 X 2	NEW BYTANTINE GREY 12 X 24 *BRICK (STD)	Breakfast Floor
			24 *BRICK (STD)	GREY 12 X	NEW BYTANTINE GREY 12 X 24 *BRICK (STD)	Kitchen Floor
THRESHOLDS	INSERTS				TILES	
	4886-38	4	Н800ВС		SIERRA PVC - WHITE	Basement Bath
	4886-38	4	H800BC		SIERRA PVC - WHITE	Main
	P948-CA	P	H800BC	ΈΥ	MOSAIC OAK - TIMBER GREY	Master Ensuite
	7735-58	7	H800BC	AiN	MOASIC OAK - ESPRESSO STAIN	Island
	7735-58	7	Н800ВС	AIN	MOASIC OAK - ESPRESSO STAIN	Kitchen
EDGE	NTERTOP	COU	HARDWARE		DOOR STYLE	
			NTERTOPS	CABINETRY / COUNTERTOPS	CABINET	


ZANCOR HOMES COLOUR CHART

Opate	Vendor Signature	*	PAGE 2 OF 2	**
Ap 17/18			<u>ll Trades</u> to inform the on sketches, PES and/or <u>R to installation.</u>	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
Date	Décor Consultant Signature	ZANCOR	¤ES.	with a PES.
			DE USE***	***FOR TRADE USE***
Date	Purchaser Signature			DÉCOR NOTES
AUGUST 17 2018	Marita 1			EMAIL:
Date	Purchaser Signature			HOME #/CELL #
AUGUST 17 2018	Don an	LORI & MAURILIO APA	LORI & MA	PURCHASER(S):
0		LOT: 13	STAYNER	SITE:
mes	80	ns before signing.	ed accuracy of colour and selection	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
mile	08,	pinistration fee plus costs	gning are subject to a \$5000 adm	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
R	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	t necessarily identical due to dye lot vanstalled. In this event the Vendors's se	ossible to Builders selection but no	Colours of all materials are as close as p Due to construction progress some iter
INITIALS		DISCLAIMER	DISC	
		NO	Z	ELECTRICAL for Bar Fridge
		NO		ELECTRICAL for Gas Stove / Cooktop
		NO		ELECTRICAL for Built-in Micro / OTR
		NO	z	ELECTRICAL for Built-in Oven
		VCH	6 INCH	Hood Fan Venting SIZE
		NO	N	WATERLINE to Fridge
		NO	N	GAS LINE
NOTES	DECLINED NO.	UPG (SEE PES) DEC	UPG (S	
	e:	YES / NO Package Name:	d in 'Schedule E'	Appliance Package received in 'Schedule E
	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	E REQUIREMENTS-UPGRAL	ZANCOR APPLIANCI	
				Other
		STANDARD	STANDARD	BASEMENT
		STANDARD	STANDARD	Main
	2 SINKS	STANDARD	STANDARD	Master Ensuite
		STANDARD	STANDARD	Kitchen
	NOTES	FALICETS TO BE DE	FIXTURES	
	TAILED ON PES	PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUME	
	WARM GREY	ı		Kitchen/Breakfast
		PAINT		
	STANDARD	10		Exterior Door Hardware
	STANDARD	50		Interior Door Hardware
	STANDARD	۲۵.		Interior Doors
	STANDARD	(2)		Casing/Baseboards
		TRIM		
GROOVED HANDRAIL	UPGRADE 2 RINGS (PAINT GRADE), MATCHING OAK POST, OAK GROOV	RADE 2 RINGS (PAINT GRAI		Main to Basement Railing Details:
T PICKETS WHITE	E / PAIN	STAIN TO MATCH LAMINAT		Stain:
	UPGRADE TO OAK STAIRS			Stairs (Carpet or Oak):
	TICATIO QUINITUINITU	SILING &	O PAINO, N	


THE BLUE 50-01



(197 | 3 Staymer and 1971 | 18




BASEMENT ELEVATION A



PARHAL BASEMENT ELEVATION B




(ot 13 stayner




LOT 13 Staymer

ma de

Lot 13 Staymer





13 Stayment 13 Ought 18

R &

STANDARD CABINET HARDWARE

(New Image Kitchens)



DATE QUESTING

A SE

RELEASE FORM BRICK/JOINT PATTERN INSTALLATION

Décor Consultant	Manut Manut Homeowner's Signature	Homeowner's Signature	(Small tile installation for walls) – ½ Brick Purchaser requests to install small wall tiles on a b be installed on a ½ brick pattern.	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be eliminated. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cann held responsible for this matter.	It is therefore recommended, that if and when a purchaser requests to install c joint pattern, that it be installed on a ½ brick pattern, to try to avoid lippage. you will find a layout of the ¼ brick installation that has been recommended.	(Large tiles installation for floor and wall) – ¼ Brick Please be advised it has come to our attention, that due to shaped, man-made tiles (i.e. porcelain & ceramic), have b standard occurrence with all suppliers and manufacturers.	SITE NAME *Brick installation requires an additional charge and will be included on the extras	LOT# 13
Date	Date JIT/18	Date Date	Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern. Location(s) Location(s)	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be eliminated. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.	It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed on a ½ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ½ brick installation that has been recommended. Continuous Conti	(Large tiles installation for floor and wall) – ¼ Brick Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers.	e included on the extras	PURCHASER'S NAME Opa



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same. to be expected, substance require immediate attention. installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, including various lighting may affect the overall finished look. Stone tops are sealed at time of Stone countertops require regular seal re-application as part of home

usually approximately 5'x 8' range (if applicable). It will also be w<u>here the leng</u>th of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-

CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not

temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as place as STAIR STAINS: have an identical match and that there MAY be shade differences between the two products. will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to **INS**: Due to the natural properties of wood, many variables can affect the overall look of the finished Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air

impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be all factors that may affect the overall look of the finished product. Such factors make exact colour matching includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. All colour charts

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

HARDWOOD / LAMINATE WAIVER:

certain areas. I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in I/We understand there is a concern due to possible water and other substances being frequently

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient flooring, felted-synthetic-fibre floor-coverings, concrete, terrazzo, ceramic tile, mastic or flooring providing similar degrees of water resistance. other

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter.

***SEE COLOUR CHART FOR LOCATIONS**

1		J	
-			
		C	
1		4	ł
		j	
1	4	2	
	Γ	Ī	
		Į	
_	_	_	
7	Ľ	,	
(Ċ		١
•	•	-	8

SITE

[O]

DATE

December 20, 2016



APPLIANCE ACKNOWLEDGEMENT



NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company. \mathcal{H} Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the

homeowner.

Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes. It is the Purchasers responsibility to consider the standard openings.

Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have been made to the cabinetry.

STANDARD OPENINGS ACCEPTED BY PURCHASER:

action	Induction Induction Onder Cabinet Chimney (centre vent) Insert / Liner	uction ler Cabinet nney (centre vent) rt / Liner le Oven ble Oven le Oven
	uction ler Cabinet nney (centre vent)	action Juction July Juction July Juction July July
uction	Gas Induction Chimney (centre vent) Insert / Liner	Gas Induction Induction Chimney (centre vent) Insert / Liner Single Oven Steam Oven

stst Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.



WAIVER FORM GARAGE MAN DOOR (GMD)

9	ourchaser MMMM MMM MMM MMM MMM MMM MMM	Dated at 11111 this	/We read and understand the above terms and conditions.	/We hereby release and forever dits directors, officers, servants, emplamages, loss or injury however a	/We take full responsibility for thaccommodate a garage man door a relation to this matter. I/We usurchaser(s) trades/contractors harron.	Defion 2 > Door, he be installed across the purchaser(s) re The purchaser(s) a the garage obstruct	Option 1 > Purchas be installed. Purch	t is now confirmed that installation of garage Please select one of the following (2) options:	Garage man door c	/We the purchaser/s for the abov garage man door is determined fro plan engineering. The garage man pnly if grade permits. Should grade an alternative solution.	HOMEOWNER(S):	DATE:	OT#/SITF:
	Witness	7 day of (11) 20 18	ve terms and conditions.	/We hereby release and forever discharge Zancor Homes Ltd., any affiliated companies and al ts directors, officers, servants, employees, agents, TARION, City and the Town from any and al lamages, loss or injury however arising, which we may have hereafter with reference to the	/We take full responsibility for the installation of the stairs and/or deck that is required to accommodate a garage man door and agree to waive any claims against the vendor or trades in relation to this matter. I/We understand that any work and/or damage done by the burchaser(s) trades/contractors hired is not warrantable under the Builder or covered by TARION.	Option 2 > Door, hardware, electrical etcwill be installed. A railing/guard will be installed across the door opening with no steps or deck to grade. It will be the purchaser(s) responsibility to have steps and deck installed after closing. The purchaser(s) are aware that installation of deck/steps may encroach into the garage obstructing parking of a vehicle.	Option 1 > Purchaser accepts the garage man door is not possible and will nobe installed. Purchaser(s) will be issued a credit of \$400 on closing.	t is now confirmed that installation of garage man door is NOT POSSIBLE due to grade. Please select one of the following (2) options:	Garage man door confirmed and will be installed (as per final siting). \int	/We the purchaser/s for the above-mentioned property understand that the installation of agarage man door is determined from the final siting / elevations that are established from site plan engineering. The garage man door indicated on the floor plan for your lot will be installed only if grade permits. Should grade not permit, the following choices will be made available as alternative solution.	Apa	5	IOT 12 - STAYNER (55)