

CONSTRUCTION SUMMARY

Cookstown - Zancor Homes (Cookstown) Ltd.

TEL: 46 8437270 SIMONE

PURCHASER: | NVCNTORY LOT / PHASE Winchester (50-04) Elev A HOUSE TYPE PRINT DATE
13-Nov-18

		**SEE FLOOR PLAN
	13Nov18	6405 TILES - FOYER - MARMI NEO CLASSIC "C" INLAY WITH HARDWOOD BORDER IN FRONT OF LIVING ROOM AND IN FRONT OF DINING ROOM
	03Oct18	
	18Sep17	1
	18Sep17	1
	18Sep17	REINFORCE I
	18Sep17	1
	18Sep17	i
	18Sep17	1
	18Sep17	l .
	18Sep17	4739 ELECTRICAL - (3) WALL SCONCES AT ENSUITE 3/4 VANITY, 65" FROM FINISHED FLOOR, ONE CENTRED AND THE ENDS TO BE CENTRED BETWEEN WALL AND SINK, ON SAME SEP SWITCH
	18Sep17	1
	18Sep17	ı
	18Sep17	ELECTRICAL
	18Sep17	
	18Sep17	4734 ELECTRICAL - LED POTLIGHTS (10) GREAT ROOM ON SEP SWITCH, RELOCATE STD LIGHT AS PER SKETCH (5) KITCHEN ON SEP SWITCH, STD TO BE RELOCATED OVER ISLAND (6) BREAKFAST AREA, DELETE STD (4) & (4) MASTER BEDROOM ON SEP SWITCH, STD TO REMAIN
7	18Sep17	4733 ELECTRICAL - LED POTLIGHTS (4) LIVING ROOM (6) DINING ROOM ON SEP SWITCH, STD REMAINS (3) MAIN HALL, DELETE STD (5) MAIN HALL NEAR STAIRS, DELETE STD (4) MUDROOM, DELETE STD (2) SERVERY, DELETE STD
	18Sep17	INCR same s
	18Sep17	4721 OPEN TO BELOW OAK STAIRS includes finished basement foyer with standard tile, electrical and door to unfinished basement
Notes	Approved	Ref# Quantity - Description



CONSTRUCTION SUMMARY

SMONE

Cookstown - Zancor Homes (Cookstown) Ltd.

TEL:

4168437270

PURCHASER: IN VENTORY

	13Nov18	6420 APPLIANCES - UPGRADED INSERT FAN FOR CANOPY ABOVE STOVE 36 INCH STOVE
	13Nov18	7419 CABINET - KITCHEN CATEGORY 3 TRIPLE STEP, DOUBLE UPPER TWO TONE ISLAND UPPER DOWN TO COUNTER W/1 DRAWERS, GLASS SINGLE DOOR & GLASS SHELVES CONVERT STD BANK TO POTS LA POSITANO CANOPY **STOVE OPENING TO BE 36" WIDE OPTIONAL UPPERS IN SERVERY
	13Nov18	6418 PAINT - UPGRADE COLOURS THROUGHOUT
	13Nov18	6417 RAILINGS - UPGRADE TO SQUARE POST AND R6 GROOVED HANDRAIL
	13Nov18	6416 STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE *2 FLIGHTS - MAIN TO SECOND, MAIN TO BASEMENT
	13Nov18	6415 HARDWOOD - UPGRADE 4 THROUGHOUT VINTAGE OAK BAROQUE SMOOTH 5 INCH ****BORDER REQUIRED AT FOYER AND HALL IN FRONT OF DINING ROOM ***HARDWOOD IN LIEU OF TILE IN FRONT OF HALL CLOSET
	13Nov18	6414 CABINETRY - LAUNDRY SINK BASE CABINET WITH OPTIONAL UPPER CABINETS
	13Nov18	6413 PLUMBING - KITCHEN SINK - BLANCO SUPREME 400727 FAUCET - MOEN ETCH S72608
	13Nov18	6412 PLUMBING - SINKS OVAL UNDERMOUNT SINKS IN ALL BATHROOMS INCLUDING POWDER ROOM
	13Nov18	6411 COUNTERTOPS - UPGRADE STONE *INCLUDES UNDERMOUNT SINKS KITCHEN INCLUDING **SLAB BACKSPLASH MASTER ENSUITE - UPG 1 ENSUITE 2 - UPG 1 SHARED - UPG 1 POWDER - UPG 1
	13Nov18	6410 TILES - SHARED BATH FLOOR - UPGRADE 4 SHOWER WALL - UPGRADE 1 SHOWER JAMB - QUARTZ
	13Nov18	6409 TILES - ENSUITE 2 FLOOR - UPGRADE 4 TUB WALL - UPGRADE 1
	13Nov18	6408 TILES - LAUNDRY UPGRADE 4
	13Nov18	6407 TILES - MASTER ENSUITE FLOOR - UPGRADE 6 SHOWER WALL - CUSTOM SHOWER FLOOR - MARBLE SHOWER JAMB - QUARTZ
	13Nov18	6406 TILES - ALL OVER SERIES - IVORY BASEMENT FOYER POWDER ROOM MUD ROOM KITCHEN & BREAKFAST
Notes	Approved	Ref# Quantity - Description
PRINT DATE 13-Nov-18		TOT / PHASE HOUSE TYPE 7 / 1 Winchester (50-04) Elev A
-		



CONSTRUCTION SUMMARY

Cookstown - Zancor Homes (Cookstown) Ltd.

TEL: 8-416 8437270 grown B

PURCHASER: IN YENTORY LOT / PHASE 7 / 1 HOUSE TYPE
Winchester (50-04) Elev A PRINT DATE
13-Nov-18

4	Ref#	-	Approved No	Notes
	6421	PLASTER MOULDING - LARGE 105L CROWN DINING ROOM LIVING ROOM	13Nov18	
		MAIN HALL INSIDE COFFERS POWDER ROOM		
		MASTER BEDROOM & MB FOYER		
	6422	6422 ELECTRICAL - COVERT 40 AMP TO 50 AMP FOR INDUCTION STOVE	13Nov18	
	6423	TRIM - UPGRADE 1 CASING AN BASEBOARDS - COLONIAL HALF WALL APPLIED MOULDING WITH CHAIR RAIL IN DINING ROOM AND LIVING ROOM	13Nov18	
	6424	CABINETS - CATEGORY 3 IN MASTER ENSUITE AND POWDER	13Nov18	
-	6425	6425 8 INCH VENT ABOVE STOVE	13Nov18	
_	6426	6426 VILLA NOVA - NO HEARTH	13Nov18	


This Document is Extremely Time Sensitive - Printed 13 Nov 18 at 16:03


ZANCOR HOMES COLOUR CHART

Vendo	Purchaser Initial	L	*	** PAGE 1 OF 2 **	
Y		It is the responsibility of <u>all</u> and/or colour charts <u>PRIOR</u>		st be accompanied with discrepancies on sketch to installation.	Any upgrades in the colour cha Trades to inform the builder o
7	COOKSTOWN			***FOR TRADE USE***	
OT	SITE & LOT		ur chart	Purchaser has reviewed the colour chart	Purch
		o	Location	NO	Bathroom Accessories
	PLASTER WICOLDING	Opt. Crown Moulding	Opt. Crowi	YES	Mirrors
		VILLA NOVA (NO HEARTH)	VILLA N	o ACCESSORIES	LOCATION
			FIREPLACES		
		N/A			Carpet Underpad
	OTH 5 INCH	BUCKINGHAM SMOOTH 5 INCH	VINTAGE OAK - BL	V	Bedroom 4
	OTH 5 INCH	VINTAGE OAK - BUCKINGHAM SMOOTH S INCH	INTAGE OAK - BU	V	Bedroom 3
	OTH 5 INCH	BUCKINGHAM SMOOTH 5 INCH	VINTAGE OAK - BL		Master Bedroom
	OTH 5 INCH	VINTAGE OAK - BUCKINGHAM SMOOTH 5 INCH	INTAGE OAK - BU	٧	Upper Hall
	OTH 5 INCH	VINTAGE OAK - BUCKINGHAM SMOOTH 5 INCH	INTAGE OAK - BU	< 5	Main Hall @ CLOSET
	M-SMOOTH	BORDER - VINTAGE OAK BUCKINGHAM SMOOTH)RDER - VINTAGE	BC	Main Foyer *(Waiver)
		N/A			Kitchen *(Waiver)
		N/A			Den/Study/parlour/Library
	OTH 5 INCH	VINTAGE OAK - BUCKINGHAM SMOOTH 5 INCH	INTAGE OAK - BU	V .	Family/Great Room
	OTH 5 INCH	VINTAGE OAK - BUCKINGHAM SMOOTH 5 INCH	INTAGE OAK - BU	<	Dining Room
	THEINCH	RPET	HARDWOOD / CARPET	HAR	living Boom
		9	N/A		Basement Ensuite Wall
			N/A		Basement Ensuite Floor
			BONE 2 X 2		Twin 3/4 Shower Floor
			QUARTZ IVORY		Twin 3/4 Shower Jamb
		(1)	TWILL IVORY 8 X 10 (1)	TWI	Twin 3/4 Shower Wall
		24 (4)	RIALTO CARAMEL 12 X 24 (4)	RIALTO	Twin 3/4 Floor
		X 24 (4)	RONDINE CALCATTA 12 X 24 (4)	RONDIN	Ensuite 2 Bath Floor
			QUARTZ WHITE		Master Shower Jamb
		X 2	ORIENTAL WHITE 2 X 2	ORII	Master Shower Floor
		ЛI) 6 X 24	MARMI (TRGT-6*24-MARMI) 6 X 24	MARMI (TI	Mstr Ensuite Shower WALL
		24 (6)	SEA SHELL IVORY 24 X 24 (6)	SEA SH	Mstr Ensuite Floor
		*CTACKED	SLAB	N ALIOI IGNUS	Kitchen Bk.Splash
		4 X 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	ALL OVER S	Breakfast Floor
		4 X 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	ALL OVER S	Kitchen Floor
		1	HARDWOOD ONLY	Ŧ	Main Hall IN FRONT OF CLOSET
	BORDER		24 X 24 INLAY w	MARMI NEO CLASSIC "C" 24 X 24 INLAY w/HARDWOOD	DINING ROOM
		4 X 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	ALL OVER S	Mud Room
		4 × 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	ALL OVER S	Powder Room
	DONDER	4 X 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	ALL OVER SERIES - IVORY 24 X 24 (6)	Basement Fover
THRESHOLDS	INSERTS	HARDWOOD BOL	AV IIVI VC V VC	TILES	No.
				N/A	Basement Bath
TE TOP	WHITE LAMINATE TOP		MEL	STANDARD WHITE MEL	Laundry
MARBLE (1)	EMPERADOR LIGHT MARBLE (1)		ITE (3)	4503 FB OXFORD WHITE	Powder Room
BLE (1)	PLATINUM MARBLE (1)		(1)	1022 MEL HAZE (1)	Twin 3/4
MARBLE (1)	EMPERADOR LIGHT MARBLE (1)		E (3)	3503 SMOKEHOUSE (3)	Master Ensuite
HINI GOLD	EMERSTONE BORGHINI GOLD		ITE (3)	4503 FB OXFORD WHITE	Servery
HINI GOLD	\cup		(3)	FB P	Island
RGHINI GOLD	$\overline{}$		ITE (3)	4503 FB OXFORD WHITE (3)	Kitchen
EDGE	COUNTERTOP	HARDWARF	INT / COOMIE	DOOR STYLE	
		PACTE	CARINETRY / COLINTERTORS	CARINI	


ZANCOR HOMES COLOUR CHART


nathic	Action pignar		1	1	
lro /	VendorSig		OF 2 ***	PAGE 2	**
5000			to inform the builder PES and/or colour <u>llation.</u>	<u>ades</u> to info tches, PES an installation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
ant Signature Date	Décor Consultar	ZANCOR		PES.	with a PES.
NOV 8 2018			accompanied	DE USE*** hart must be	***FOR TRADE USE*** Any upgrades in the colour chart must be accompanied
gnature Date	Purchaser Signature				DÉCOR NOTES
					EMAIL:
gnature Date	Purchaser Signature				HOME #/CELL #
		Y .6) 843-7270	INVENTORY CONTACT SIMONE (416) 843-7270	CONTA	PURCHASER(S):
		LOТ: 7	COOKSTOWN	COOK	SITE:
		ore signing.	olour and selections bef	ged accuracy of c	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
		ation fee plus costs	t to a \$5000 administ	igning are subjec	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
dors's	lot variances in stalled. In this event the Venc	essarily identical due to dye ave been pre-selected or ins	gress some items may h	construction pro	resolutes or all indictions to the despossible to builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
INITIALS		R	DISCLAIMER		
			NO		ELECTRICAL for Bar Fridge
			YES	oktop	ELECTRICAL for Gas Stove / Cooktop
			NO	OTR	ELECTRICAL for Built-in Micro / OTR
			NO		ELECTRICAL for Built-in Oven
			6 INCH		Hood Fan Venting SIZE
			YES		WATERLINE to Fridge
		+	NO.		GAS LINE
NOTES	DECLINED		UPG (SEE PES)		
	me:	YES / NO Package Name:		d in 'Sched	Appliance Package received in 'Schedule E'
ON PES	REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	REMENTS-UPGRAD	PPLIANCE REQUI	ZANCOR APPLIANCE	
			N/A	7	Other
			N/A	7	BASEMENT
OVAL UNDERMOUNT SINK	OVAL	STANDARD	UPGRADE	UPG	TWIN
OVAL UNDERMOUNT SINK	OVAL	STANDARD	UPGRADE	UPG	ENSUITE 2
OVAL UNDERMOUNT SINK (S) *STD	OVAL UNDI	STANDARD	STANDARD	STAN	Master Ensuite
OVAL LINDERMOLINIT SINK		STANDARD	UPGRADE	Jan C	Powder Room
NOTES		FAUCETS	FIXIORES	XI4	Vitobos
	BE DETAILED ON PES		PLUMBING- UPGRADES TO		
BM EDGECOMB GREY HC-173	Upper Hall E		BM EDGECOMB GREY HC-173	BM	Dining, Living, Main Hall
			BM OXFORD WHITE CC-30	В	Powder Room
COMB			BM OXFORD WHITE CC-30	В	Great Room
_	n 2		BM OXFORD WHITE CC-30	В	Master Ensuite & Bedroom
BM OXFORD WHITE CC-30	Laundry		BM OXFORD WHITE CC-30	В	Kitchen/Breakfast/Servery
		PAINT			
	STANDARD	SI			Exterior Door Hardware
	STANDARD	2 2			Interior Door Hardware
	STANDARD	SI			Interior Doors
	E1 (S) (A) (A)	INIV			Casing/Rasahoards
SINGLE COLLAR W/ALT PLAIN - GROOVED HANDRAIL & SQUARE POST	LAIN - GROOVED HAI	LE COLLAR W/ALT PI	SING	ails:	Main to Basement Railing Details:
NDRAIL & SQUARE POST	SINGLE COLLAR W/ALT PLAIN - GROOVED HANDRAIL & SQUA	LE COLLAR W/ALT PI	SING		Main to 2nd Railing Details:
	N/A				White Paint Req'd
OSE AS POSSIBLE	STAIN TO MATCH HARDWOOD AS CLOSE AS POSSIBL	STAIN TO MATCH			Stair Stain / Species:
まって こうこうしょう はいかいかん	STAIR STAIN	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, RAIL		







WINCHESTER 50-04






WINCHESTER 50-04







LOT 7 Cookstown


QTK

your kitchen. your taste. 80 SANTE DRIVE, VAUGHAN, ON L4K 3C4, T: 416.746.1811 F:905.761.5901

				V
CLIENT: ZANCOR HOMES	JOB NAME: 5004 WINCHESTER	ROOM: KITCHEN	DRAWN BY: RP	1
SITE: COOKSTOWN	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"	F
PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 14, 2017	
EMAIL:	SPECIES:	TOP: NONE	PAGE: 3/5	

COMMENTS:


FRIDGE WALL ELEVATION




OTK)

your kitchen. your taske. 80 SANTE DRIVE, VAUGHAN, ON L4K 3C4, T: 416.746.1811 F:905.761.5901

-					
	CLIENT: ZANCOR HOMES	JOB NAME: 5004 WINCHESTER	ROOM: KITCHEN	DRAWN BY: RP	COMMENTS:
	SITE: COOKSTOWN	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"	ISLAND ELEVATION
	PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 14, 2017	
	EMAIL:	SPECIES:	TOP: NONE	PAGE: 4/5	






Cookstown


QTK)	Sports
	your kitchen, voor taste. 80 SANTE DRIVE, VAUGHAN, ON L4K: T: 416.746.1811 F:905.761.5901


A STATE OF THE PARTY OF THE PAR	
itchen, varii taste. VAUGHAN, ON L4K 3C4, 1811 F:905.761.5901	


_					
	CLIENT: ZANCOR HOMES	JOB NAME: 5004 WINCHESTER	ROOM: KITCHEN	DRAVIN BY: RP	0
	SITE: COOKSTOWN	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"	8
	PHONE:	FINISH:	DRW HANDLE:	DATE: JULY 14, 2017	
	EMAIL:	SPECIES:	TOP: NONE	PAGE: 5/5	
					_

COMMENTS: SERVERY ELEVATION












Lot 7 boto town


OTK	200.001
ane extra to	your kitchen, your taste. 80 SANTE DRIVE, VAUGHAN, ON L4K 3C4. T: 416.746.1811 F:905.761,5901

_		7			
	CLIENT: ZANCOR HOMES	JOB NAME: 5004 WINCHESTER	ROOM: VANITIES	DRAVIN BY: RP	
	SITE: COOKSTOWN	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"	COMMENTS:
	PHONE:	FINISH:	DRW HANDLE:	DATE: JUL 13, 2017	
	EMAIL:	SPECIES:	TOP: NONE	PAGE: 1/2	









lot tobstown


COMMENTS:


QTK)	Sing ma
The CAULETY	your kitchen, your tave 80 SANTE DRIVE, VAUGHAN, ON L4K 3C4, T: 416.746.1811 F:905.761.5901

CLIENT: ZANCOR HOMES	JOB NAME: 5004 WINCHESTER	ROOM: VANITIES	DRAWN BY: RP
SITE: COOKSTOWN	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JUL 13, 2017
EMAIL:	SPECIES:	TOP: NONE	PAGE: 2/2

haundry Base Cabinet

LAUNDRY ROOM - ORT UPPERS





LOT 7 Cookstown

OTK)	SPC PTI
CAN CAN METRY	your kitchen. your taste
NAME OF TAXABLE PARTY.	BO SANTE DRIVE VALIGHAN ON LAK 3

your kitchen, your taste
80 SANTE DRIVE, VAUGHAN, ON L4K 3C4,
T: 416.746.1811 F:905.761.5901

COLLEGE
COMMENTS:



OR36SDI6X1

Induction Range 36", Self-Cleaning

Contemporary

Feeding a crowd is a breeze with this 36" Fisher & Paykel Freestanding Range that lets you cook several dishes at once with its spacious induction cooktop and self-cleaning convection oven.

Brushed Stainless Steel with black glass

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

Dimensions

Depth	25 1/4"
Height	35 3/4 - 37 1/4"
Width	35 7/8"

Features & Benefits

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large capacity oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Specifications

Accessories	-
2-pc grill system (Broil pan & Grill rack)	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578744)
Grill rack	•
Hob rear trim (optional)	3 1/8" (part 81654)
Kick strip, stainless steel (optional)	Part 81659
Pyrolytic proof shelf runners	1 set
Cleaning	
Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic Self-clean	•
Pyrolytic proof shelf runners	•
Removable oven door/s	•
Removable shelf runners	•

FISHER & PAYKEL

LOT 7 Cookstown

Controls	,
Audio feedback	•
Automatic cooking/minute timer	•
Automatic pre-set temperatures	•
Celsius/Fahrenheit temperature	•
Electronic clock	•
High resolution touch display	•
Interior light	•
Laser etched graphics	•
Precise electronic temperature control	•
Sabbath mode	•
Toughened fused glass graphics	•
Turned stainless steel clock buttons	•
Turned stainless steel clock crown (dial)	•
Turned stainless steel dials with	
illuminated halos	•
Cooktop features	•
Auto heat reduce	•
Dual zones	•
Sentle heat	3 settings (108°F, 149°F,
	212°F)
Heat settings	9
nduction cooking technology	•
PowerBoost	•
PowerBoost all Zones	•
SmartZone	•
Zone bridging	

822843813	1310
25 1,	1/4
:	36
2 sets (part 5787	3744
4 x 25W halogen (2 sid	ide 8
2 t	2 top

Oven functions	
Aero™ Bake	•
Aero™ Broil	•
Aero™ Pastry with Pizza mode	•
Bake	•
Maxi Broil	•
Number of Functions	9
Rapid proof	•
Roast	•
Self-clean	•
True Aero™	•
Oven performance	
Broil	4300 W
CoolTouch door	Quadruple glazed
Shelf positions	7
Total oven capacity	4.9 cu ft
Warming drawer	220 W
Power requirements	ANP
AMP draw	50 AMP (45 A
Supply frequency	60 Hz

LOT 7 Cookstown


•
•
•
•
•
•
•
•
•
•
3/8 gallon
•
•
Contemporary
2 years
1850/2600W
2100W/3700W
2100W/3700W
up to 5500W
2100W/3700W
2100W/3700W
81310

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com

LOT 7 Coststorm



AREZZO Insert



TO DITTO





professional stainless steel baffle filters

Arezzo provides professional grade performance, while being discreetly mounted inside the cabinetry.

Arezzo is available in 28 $^{1/2''}$ width with a 600 CFM blower, and equipped with a 1200 CFM blower for widths of 34 $^{1/2''}$, 40 $^{1/2''}$ and 46 $^{1/2''}$ for extraordinary ventilating power.

The extra depth (22") is ideal for supporting powerful professional ranges. Plus the All-In-One design avoids the need to purchase a stainless liner. Hidden metallic in/out knob controls operate the 4-speed blower and LED lighting.

Easy maintenance, higher efficiency and a cleaner kitchen are ensured by Elica's Professional Baffle Filters, which capture a higher percentage of contaminants and hold larger volumes of grease than traditional baffle filters. Arezzo is designed for standard ducted installation only.

28 1/2" W x 22" D x 11 1/2" H | EAR628S3 Arezzo 28" Stainless Dimensions | Models

34 1/2" W x 22" D x 11 1/2" H | EAR134S3 Arezzo 34" Stainless

40 1/2" W x 22" D x 11 1/2" H | EAR140S3 Arezzo 40" Stainless

46 1/2" W x 22" D x 11 1/2" H | EAR146S3 Arezzo 46" Stainless












FEATURES

Electrical Warranty	Duct Transition	Filter Type	Noise (sones):	Blower Performance	Blower Type	Installation Type	Illumination	Controls	Finish	Size (in) & Type
120V-60Hz 2 Year Parts & Labor, In-Home Service	10" Round with Back Draft Damper (top only)	Dishwasher-Safe, Professional Stainless Steel, Angled Baffle Filters 2 (28", 34", 40" Units) 3 (48" Unit)	28" Unit: Min: 2.05, Max: 7.05 Sones 34", 40", 46" Units: Min: 2.05, Max: 7.05 Sones	Speed 1 (For 28") 90 CFM, (For 34", 40" & 46") 380 CFM Speed 2 (For 28") 330 CFM, (For 34", 40" & 46") 660 CFM Speed 3 (For 28") 490 CFM, (For 34", 40" & 46") 950 CFM Speed 4 (For 28") 600 CFM, (For 34", 40" & 46") 1200 CFM	600 CFM, 4-Speed Internal (28" Unit) 1200 CFM, 4-Speed Internal (34", 40", 46" Units)	Ducted Installation Only	2 LED (28" & 34") 7.5 watts LED light, repleaceable lamps (1 intensity) 4 LED (40" & 46") 7.5 watts LED light, repleaceable lamps (1 intensity)	IN/OUT Backlit Knob	Stainless steel	28", 34", 40" or 46" Wide Insert

Line Drawing



4	-	I	ଜ	п	П	٥	n		>		
¾" (1.9 cm)	10" (25.4 cm)	10%" (25.7 cm)	2913/4" (75.7 cm)	12%° (31.6 cm)	27%6" (70 cm)	6½" (16.4 cm)	5%" (13.8 cm)	22" (55,9 cm)	28½" (72.4 cm)	EAR628S3	Mo
									34½" (87.6 cm)	EAR134S3	
									40½" (103 cm)	EAR140S3	odels
		- Park and a second					derrote and topological description of the descript		46½" (118 cm)	EAR146S3	

Replacement Grease Filter (1) CODE: GF061A



HUSH SYSTEM

An exclusive sound deadening technology that effectively reduces sound levels by over 35%, compared to typical range hoods.

PLUS

LED LIGHTLED lighting is undoubtedly the smartest solution in terms of energy saving. Expected life 20.000 hours, represents the most remarkable advantage of LED light bulbs.

PROFESSIONAL PERFORMANCE
Special features and very high performances for models with aspiration capacity betwe 1200 CFM's, and noise level between 65 and 75 db(A) at maximum speed. The ideal complications.



HEAT GUARDA safety feature that protects the hood and cabinetry from excessive heat, by sensi temperatures (>158 degrees) and will automatically adjusts the blower speed to HIGH. B will automatically adjust back once temperatures drop to a safe level.

