

CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited PURCHASERS: Tina L Balmer and Stephen J Balmer

6472958863

LOT / PHASE The Blue(5001) Elev A HOUSE TYPE TEL: RES.: 416-8487 PRINT DATE 15-Nov-18

	15Nov18	**SIERRA BLACK **SIERRA BLACK **SIERRA BLACK **SIERRA BLACK
	17Jul18	5916 ELECTRICAL - ADD ONE PLUG ABOVE COUNTERTOP IN KITCHEN **3 ARE STANDARD (TOTAL 4 PLUGS)
	17Jul18	1
	17Jul18	5914 DELETE CERAMIC ACCESSORIES
	17Jul18	**INCLUDES UNDERMOUNT SINK
	17Jul18	1
	17Jul18	I
	17Jul18	5910 CARPET - UPGRADE UNDERPAD TO GREY GOOSE TO ALL BEDROOMS, STAIRS AND BASEMENT FOYER
	17Jul18	5909 LAMINATE - UPGRADE COLOUR ON MAIN FLOOR
	17Jul18	5908 KITCHEN - CABINET VALANCE (NO ELECTRICAL) **TO THE UNDERSIDE OF THE UPPER CABINET **TO THE TOP SIDE OF THE UPPER CABINETS (6 INCHES)
	17Jul18	5907 KITCHEN - DEEP UPPERS WITH GABLES ABOVE FRIDGE
	17Jul18	5906 CABINETRY ****NEW IMAGE TO PROVIDE BLACK SLAB STD CABINET SAMPLE. HOMEONWER TO APPROVE AND SIGN OFF ONCE SAMPLE IS RECEIVED
	17Jul18	5905 WATERLINE TO FRIDGE
	17Jul18	5904 ELECTRICAL - ADD CAPPED ROUGHIN OVER THE ISLAND ON SEP SWITCH
***INCLUDES ELECTRICAL PLUG	17Jul18	5903 KITCHEN - ADJUST CABINETS FOR FUTURE OTR (OVER THE RANGE MICROWAVE)
	17Jul18	5902 ELECTRICAL - PLUG ON ISLAND
	17Jul18	5901 ROUGHIN IN BASEMENT FOR FUTURE KITCHEN - SEE SKETCH FOR LOCATION
	17Jul18	5900 BONUS IN APS 3 pce stainless steel applinaces in kitchen with white top loading washer and dryer Stainless Steel under cabinet hood fan Decor Dollars
Notes	Approved	ı

This Document is Extremely Time Sensitive - Printed 15 Nov 18 at 15:55

REVISED TOR CABINE

NCOR HOMES COLOUR CHA

STEADAR NO	endor	r Inittal	Purchaser Initial		4	PAGE 1 OF 2	
SHERON NUT		2	展	ushility of all Trades	or colour drants P	nt must be accompanied with a P screpandes on shatches, PES and	Any upgrades in the colour che to inform the builder of any de
DOCK STILE COUNTERTOP COU	w	NER	STAY		SEAL STATE	*** FOR THADE USE	No. of Concession, Name of Street, or other Persons of Str
DOCK STILE COUNTERTOP COUNTERTOP PASOD SIC STORE ELEG BLACK		Site/Lot		The state of	wr chart	archaver has reviewed the cale	
DOOR STILE		N/A				DELETE CERAMIC ACCESSORI	Bathroom Accessories
DOOR STYLE		- 10	A EX MOUNTAIN		Crown Mould	YES	Mirrors
DOOR STYLE	N/A		HEARTH	24.10			MIRRORS
DOOR STYLE	858		MANTLE		NA	The state of the s	INSERT & SURROUND
DOCR STYLE				The state of	T ROOM	FAMI	LOCATION
DOOR STYLE				ADE TO GREA GOOS	DIOEM AFEE		
DOOR STYLE				NING NIGHT - 1727	OPE		Underpad throughour
DOOR STYLE				NING NIGHT - T17	OPE		Stair Carpet
DOOR STYLE				NING NIGHT - T177	OPE		Basement Bedroom
DOOR STYLE				NING NIGHT - T17	OPE		Bedroom 2
DOOR STYLE				NING NIGHT - T17	OPE		Master Bedroom
DOOR STYLE				N/A			Upper Hall
DOOR STYLE				N/A			Main Hall
DOOR STYLE				NA S			Main Foyer *(Walver)
DOOR STYLE				N/A			Kitchen *(Walver)
DOOR STYLE			STATE OF STA				Den/Study/parlour
DOOR STYLE			MIGHT DAY		AMINATE UPGI		Family
DOOR STYLE				2/2			Dining Room
HARDWARE COUNTERTOP			1000	AKPET .	COMODY C	T.	Living Room
DOOR STYLE				RIZOWIAL	OH. OT Years	AA DAIM	
DOOR STYLE				BRICK (STD)	THE BY TO SHIP	ALLURE AN	Basement Ensuite Wall
DOOR STYLE				IZONTAL	EY 8 X 10 ** HOR	CINQ G	Ratement Entribe Elec-
DOOR STYLE				ICK (STD)	GREY 12 X 24 BR	ALLURE	Wath Bath Tub Wall
DOOR STYLE				A	BIANCO CARRAR		Mstr Ensuite Shower Jamb
DOOR STYLE				NACK 2 X 2	SERIES - MATTE E	ONTARIO	Master Shower Floor
DOOR STYLE				NZONTAL	10K 8 X 10 **HOP	CINQ BL	Mstr Ensuite Shower Wall
DOOR STYLE				० (डाक)	ATTA GRIS 20 X 20	CALC	wall
DOOR STYLE				० (डाक)	ATTA GRIS 20 X 2	CALC	Mistr English this yand folder &
DOOR STYLE					CARPET		Basament Foyer
DOOR STYLE					N/A		Mud Room
DOOR STYLE					N/A	Λ.	Laundry BASEMENT
DOOR STYLE					N/A	0	Powder Room
DOOR STYLE					LAMINATE	MIN	Main Hall
DOOR STYLE HARDWARE COUNTERTOP H800 BC KSTONE K158 (BLACK) H800 BC KSTONE K158 (BLACK) H800 BC KSTONE K158 (BLACK) H800 BC A925k-07 SLAB MOF-BLACK (STD) H500C 4925k-07 SLAB MOF-BLACK (STD) H500C 4926k-07 THES Floor ALLURE GREY 12 X 24 BRICK (STD) BLSphash ALLURE GREY 12 X 24 BRICK (STD) BLSphash				1 BRICK (STD)	THRACITE 12 X 24	ALLURE AN	Main Foyer
DOOR STYLE SHARDWARE STONE KISS (BLACK) SLAB MOF - BLACK (STD) H800 BC KSTONE KISS (BLACK) H800 BC KSTONE KISS (BLACK) H800 BC KSTONE KISS (BLACK) H800 BC A925k-07 SLAB MOF - BLACK (STD) H500C 4925k-07 SLAB MOF - BLACK (STD) H500C 4926k-07 THES Floor ALLURE GREY 12 X 24 BRICK (STD) INSERTS INSERTS				10.00	N/A	(W)	Kitchen Bk-Splash
DOOR STYLE				ICX (STD)	GREY 12 X 24 BR	ALLURE ALLURE	Breakfast Ficor
DOOR STYLE	DOMETRIAL	CINSCRI		EX (STD)	GREY 12 X 24 BR	ALLURE	Kitchen Floor
DOOR STYLE	N/A	726K-07	49	H500C	(STD)	SANIL SOVIE - JOM RVYC	CHIEF VICE CONTRACT
DOOR STYLE STANDARD BC KSTONE KISB (BLACK) STANDARD BLOCKSTD) HS00 BC KSTONE KISB (BLACK) SLAD MDF BLACK (STD) HS00 C 4925K-07 SLAD MDF BLACK (STD) H500 C 4886-38	M	N/A		N/A	1	N/A	Reserved Rath
DOOR STYLE SIERVA NO. SALACK STONE MARCHEN COUNTERTOP SIERVA NO. SALACK SALACK (STO) HARDWARE COUNTERTOP HARDWARE COUNTERTOP KSTONE K188 (BLACK) KSTONE K188 (BLACK) H500 BC 4925k-07		886-38	£	H500C	(510)	SLAB MOF - BLACK	Main
STATES STATE STATES AND STATE COUNTERTOP COUNTERTOP HOUSE KITCH KITCH COUNTERTOP HOUSE KITCH KIT	7	125K-07	49	H500C	(STD)	SLAB MOF-BLACK	Master Ensuite
SIERRA MIT PLATE SURVEY STATES AND STATES OF S		K168 (BLACK)	KSTONE	O	8	ACK STABMOF BUA	S INDEA
HADRAIADE CONTENTO	PU3	KISS (S) NCK)	KSTONE	3	HOL	WIE SHIPE SPEED AND	S18004 N
The same of the sa		ackes an	COL	HARDWARE		DOORSTYL	



Brachic	Activor Agricultur		۱		
	Vandor		** **	DAGE 2 OF	**
JUL 1 1 2018			the nd/or	Il Trades to inform on sketches, PES au to installation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.
Consultant Signature Date	Décor consult	ANCOR	N	oes.	with a PES.
			panied	***FOR TRADE USE*** in the colour chart must be accompanied	***FOR TRADE USE*** Any upgrades in the colour chart must l
Signature Date	Purchaser Signature				DÉCOR NOTES
JUNE 29 2018	JEKNO				re Nich
Signature Date	Purchaser Signature				HOME #/CELL #
JUNE 29 2018	Ame K	.MER	TINA & STEPHEN BALMER	TINA 8	PURCHASER(S):
		ω	LOT:	STAYNER	SITE:
SER N		ng.	selections before signi	ed accuracy of colour and	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
		e plus costs	000 administration fe	gning are subject to a \$5	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
nutacturers. he purchaser	variances in manufacturing/man selection must be accepted by the	is event the Vendors's	ected or installed. In th	ns may have been pre-sele	Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
INITIALS			DISCLAIMER	ossible to Buildon selecti	Colours of all materials are as close as a
			200		ELECTIVICAL for par Fridge
			S S	ORIOD	ELECTRICAL for Bar Eridge
OTR			YES	OTR	ELECTRICAL for Built-in Micro OTR
			NO		ELECTRICAL for Built-in Oven
			6 INCH		Hood Fan Venting SIZE
			NO		WATERLINE to Fridge
					GAS LINE FOR BBQ
NOTES	DECLINED	DE	UPG (SEE PES)		
	ne:	Package Name:	YES / NO	d in 'Schedule E'	Appliance Package received in 'Schedule E'
ON PES	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	EMENTS-UPGR/	LIANCE REQUIR	ZANCOR APP	
		N/A		N/A	Other
		N/A		N/A	BASEMENT
		N/A		N/A	2nd Ensuite
		STANDARD		STANDARD	Main
		STANDARD	1	STANDARD	Master Ensuite
ONDERIVIOUNI SINK		STANDARD		STANDARD	Powder Room
NOTES		FAUCETS		FIXTURES	Kitchen
	PLUMBING- UPGRADES TO BE DETAILED ON PES	RADES TO BE D	PLUMBING- UPO		
	WARM GREY				Kitchen/Breakfast
		PAINT			
	STANDARD				Exterior Door Hardware
	STANDARD				Interior Door Hardware
	STANDARD				Interior Doors
	STANDARD	ANIM			Casing/Baseboards
ÄX	STANDARD TURNED OAK	TORA		ans.	wall to baseliere balling becaus.
ÄK	STANDARD TURNED OAK			200	Main to Basement Pailing Details.
OSE AS POSSIBLE	STAIN TO MATCH LAMINATE AS CLOSE AS PO	SIAIN IO MA			Main to 2nd Bailing Details:
S S	CARPET GRADE STAIRS				Stalls.
	SIAIRS, RAILING & PICKETS & STAIR STAIN	NG & PICKETS	STAIRS, RAILII		Ctair.

THE BLUE 50-01









PARTIAL GROUND FLOOR ELEVATION B

o Staymer



BASEMENT ELEVATION A



PARTIAL BASEMENT ELEVATION B

3 Stanger

2

Va ance NEW IMAGE KITCHENS INC
Scale: Approved by:

ZANCOR HOMES Valance STAYNER 50-1 plud Drawn by: VINCE Revised: peop womens in goodle Sea Tolong

June 32/18

A B


ZANCOR HOMES
STAYNER 50-1 NEW IMAGE KITCHENS INC **BASEMENT BATH** 81/12 comp fantin 160 CT 150 X 88.5 PANEL 40BBD 45-100 MAIN 3200 Br08 77-60 B950 ಕ್ಷ100-100CL **B45** W ENSUITE -60-100 60-100 2740


STANDARD CABINET HARDWARE

(New Image Kitchens)



EDGE PROFILES (INTERSTONE / REDSTONE) ZANCOR HOMES





PURCHASER SIGNATURE



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. Stone countertops require regular seal re-application as part of home the selection of natural stone materials and shall not hold the Vendor liable for provision of same. maintenance. quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, Purchaser acknowledges colour and product variations as well as natural imperfections may exist with Variations in colour, tone, granularity (pitting, fissures) and pattern are

STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-inusually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are

of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home. CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished

interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching upgrades and shall not hold the Builder liable for provision of same. characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain The type and intensity of lighting in the areas of designated cabinetry placement may also highlight

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by ar

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). certain areas. I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in I/We understand there is a concern due to possible water and other substances being frequently

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, Finished flooring bathrooms, flooring providing similar degrees of water resistance. kitchens, public entrance halls, laundry & general storage areas shall consist of ceramic tile, mastic other types

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter to waive any claims against the Township of residence.
SEE COLOUR CHART FOR LOCATIONS

STAYNER (55)

嗊

SITE

DATE

December 20, 2016



APPLIANCE ACKNOWLEDGEMENT

- \blacksquare NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes. It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the
- Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have been made to the cabinetry.

STANDARD OPENINGS ACCEPTED BY PURCHASER:

Fridge

36" (+/-) x 74" (+/-) HOMEOWNER SIGNATURE

Stove Dishwasher 24" 30" **Space above the fridge is required due to proper air flow

Appliance Specs are DUE (if not received during appointment) **2 WEEKS FROM SIGNED DATE ABOVE**

Hood fan Vent

Hood Fan Opening

30"

σĪ

***Specs that require changes/modifications after this date will not be accepted ***

Over the Range Microwave	Single Oven	
Over the Base Microscope	Single Oven	
10 Inch	Under Cabinet Chimney (centre vent) Insert / Liner	HOOD FAN & VENT
Cooktop (Apron front) Cooktop (Dropin) **Cut-out charge required for cooktop	36" 48" Gas	RANGE
HOWEOWNER SIGNATURE	Built-In Paneled / Integrated Flush Inset Water Line Required	FRIDGE
	OF ORDER OF FINING NEGOINEINING	OI OINTO LATER LINES

덛

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. ** st* Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.



WAIVER FORM GARAGE MAN DOOR (GMD)

LOT # / SITE:	LOT 3 – STAYNER (55)
DATE:	Dun 29/18
HOMEOWNER(S):	Tima + Stephen Balmer
/We the purchaser/s for garage man door is dete plan engineering. The gath only if grade permits. Shan alternative solution.	/We the purchaser/s for the above-mentioned property understand that the installation of a garage man door is determined from the final siting / elevations that are established from site plan engineering. The garage man door indicated on the floor plan for your lot will be installed only if grade permits. Should grade not permit, the following choices will be made available as an alternative solution.
Garage m	Garage man door confirmed and will be installed (as per-final siting).)
t is now confirmed that installation of garage Please select one of the following (2) options:	t is now confirmed that installation of garage man door is NOT POSSIBLE due to grade. Please select one of the following (2) options:
Option 1 be install	Option 1 > Purchaser accepts the garage man door is not possible and will not be installed. Purchaser(s) will be issued a credit of $$400$ on closing.
Defion 2 be install the purcl The purc the garag	Option 2 > Door, hardware, electrical etcwill be installed. A railing/guard will be installed across the door opening with no steps or deck to grade. It will be the purchaser(s) responsibility to have steps and deck installed after closing. The purchaser(s) are aware that installation of deck/steps may encroach into the garage obstructing parking of a vehicle.
/We take full responsibil accommodate a garage maccommodate a garage maccommodate a garage maccontrology of the contrology of the control of the	/We take full responsibility for the installation of the stairs and/or deck that is required to accommodate a garage man door and agree to waive any claims against the vendor or trades in relation to this matter. I/We understand that any work and/or damage done by the ourchaser(s) trades/contractors hired is not warrantable under the Builder or covered by TARION.
/We hereby release and ts directors, officers, ser damages, loss or injury habove.	/We hereby release and forever discharge Zancor Homes Ltd., any affiliated companies and all ts directors, officers, servants, employees, agents, TARION, City and the Town from any and all damages, loss or injury however arising, which we may have hereafter with reference to the above.
/We read and understar	/We read and understand the above terms and conditions. Dated at 1000 this 200 day of 1000 , 1000 1000
Rwe R	Med
urchaser	Witness
Male	
urchaser	Witness