

#### CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited

6479834181

PURCHASI 5 ||

	Approved Notes	Ref# Quantity - Description
27-Aug-18	The Castle (50-05) Elev B Opt Grnd FLR - 16 Garag	6/2
PRINT DATE	HOUSE TYPE	LOT / PHASE
TEL; RES.: 4		PURCHASERS: Doris Langenbach

	0.18nv/7	
	2/Aug10	RAII INGS
		DEEP UPPERS ABOVE FRIDGE PANTRY IN LIEU OF UPPERS/LOWERS BESIDE FRIDGE POTS & PANS DRAWERS **RELOCATE STANDARD BANK OF DRAWERS  6142 LAMINATE - LIPGRADE COLOUR ON MAIN ELOOP
	27Aug18	6141 KITCHEN-
	27Aug18	6140 KITCHEN - UPGRADE I CABINETS IN KITCHEN
	27Aug18	6139 LAUNDRY - SWITCH LOCATION OF WASHER AND TUB SINK
	27Aug18	6138 TILES - ADD TILES TO TUB CEILING IN ENSUITE 4 & SHARED BATHROOM
	27Aug18	6137 DELETE MIRROR IN MASTER ENSUITE ONLY
	27Aug18	1
	27Aug18	6135 FRAMELESS GLASS SHOWER IN MASTER ENSUITE
	27Aug18	6134 STAIRS - ONE RISER AT FOYER TO MAIN HALL, INSTALL OAK
	27Aug18	6133 ELECTRICAL - ADD 9 LED POTLIGHTS IN KITCHEN, ***THE ONE ABOVE THE SINK TO BE ON SEPARATE SWITCH **DELETE STD LIGHT
	27Aug18	1
	27Aug18	ا بری
	27Aug18	6130 3 PCE ROUGH-IN IN BASEMENT ***SEE SKETCH FOR LOCATION
	27Aug18	
	27Aug18	ELECTH STAND.
	27Aug18	
	27Aug18	6126 ELECTRICAL - MASTER ENSUITE PLUG ON EACH WALL APPROX 30 INCHES ABOVE EACH SINK FOR FUTURE BACK LIT MIRRORS
	27Aug18	6125 SMOOTH CEILINGS THROUGHOUT
	27Aug18	6124 GAS LINE TO STOVE  ***INCLUDES 15 AMP PLUG
	27Aug18	6123 KITCHEN - 36 INCH STOVE OPENING
WALL CLOSEST TO HALL WITH TRIBGE BESIDE, SEE DNG		SHIFT FRIDGE TO END OF WALL CLOSEST TO HALL  RELOCATE SINK AND DISHWASHER TO BE UNDER NEW WINDOW ON EXTERIOR WALL  RELOCATE STOVE  ****DELETE ISLAND
	27Aug18	6122 KITCHEN - REVISED LAYOUT INCLUDES ONE FOOT OF ADDITIONAL CARINETRY
	27Aug18	6121 ADD WINDOW IN KITCHEN (SEE NEW KITCHEN LAYOUT FOR LOCATION)
	and of the same	#



#### CONSTRUCTION SUMMARY

# The Villages in Stayner - Zancor Homes (Stayner) Limited

PURCHASERS: Doris Langenbach LOT / PHASE The Castle (50-05) Elev B Opt Grnd FLR - 16 Garag HOUSE TYPE TEL: RES.: 416-8437 27-Aug-18 PRINT DATE

Approved Notes

Ref# Quantity - Description

6147	6146	6145	6144
6147 16 foot garage *as per schedule E in APS	steel applinces with white top loading wahser and dryer under cabinet hood fan tule E in APS	6145 DECOR DOLLARS	6144 MASTER ENSUITE - WHITE QUARTZ SHOWER JAMB
27Aug18	27Aug18	27Aug18	27Aug18

This Document is Extremely Time Sensitive - Printed 27 Aug 18 at 12:11

JAN 28/19

- · RELOCATE HOOD FAN VENT TO ACCOMODATE
  CHIMNEY HOOD
- DALETE UPPARS ABOVE SOME FOR FUTURE CHIMNEY


#### ZA. OR HOMES COLOUR CHART

Vandar	rinitial	Piirchasei			** PAGE 1 OF 2 **	
X		THE STATE OF THE S	It is the responsibility of all Trades colour charts PRIOR to installation.	It is the respon	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>	Any upgrades in the colour ch to inform the builder of any c
െ	NER /	STAYNER			***FOR TRADE USE***	
1	Site/Lot			chart	Purchaser has reviewed the colour chart	
	N/A			Location	SEE EXTRAS	Bathroom Accessories
	N/A		ing	Crown Moulding	SEE EXTRAS	Mirrors
	NG	PLASTER MOULDIN	PLAS		S & ACCESSORIES	MIRRORS
N/A		HEARTH		12	N/A	INSERT & SURROUND
NF8		MANTLE		NOOM	FAMILY ROOM	LOCATION
		ALVIE .		FIREPLACES		
			CARPET GRADE	0		STAIRS
			STANDARD			UNDERPAD
		21	CARPET - OPENING NIGHT T21	CARPET -		Basement Foyer
		21	CARPET - OPENING NIGHT T21	CARPET -		Bedroom 4
		21	CARPET - OPENING NIGHT T21	CARPET -		Bedroom 3
		21	CARPET - OPENING NIGHT T21	CARPET -		Bedroom 2
		721	CARPET - OPENING NIGHT T21	CARPET -		Master Bedroom
		721	CARPET - OPENING NIGHT T21	CARPET -		Upper Hall
		AK \	LAMINATE - SANDY VALLY OAK	LAMINAT		Main Hall
		AK	LAMINATE - SANDY VALLY OAK	LAMINAT		Family
		AK	LAMINATE - SANDY VALLY OAK	LAMINAT		Dining Room
			N/A			Living Room
			RPET	HARDWOOD / CARPET	HARD	
			HORIZONTAL	10 **INSTALL	CINQ WHITE 8 X 10 **INSTALL HORIZONTAL	Ensuite Wall
			*BRICK (STD)	<b>GREY 12 X 24</b>	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Ensuite Floor
			HORIZONTAL	10 **INSTALL	CINQ WHITE 8 X 10 **INSTALL HORIZONTAL	SHARED Bath Tub Wall
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	SHARED Bath Floor
				WHITE QUARTZ	W	Mstr Ensuite Shower Jamb
			\	WHITE 2 X 2	1	Master Shower Floor
			HORIZONTAL ~	10 **INSTALL	CINQ WHITE 8 X 10 **INSTALL HORIZONTAL	Mstr Ensuite Shower Wall
			*BRICK (STD)	<b>GREY 12 X 24</b>	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Mstr Ensuite Floor
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Mud Room
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Laundry
			*BRICK (STD) /	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Powder Room
				LAMINATE		Main Hall
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Main Foyer
				N/A		Kitchen Bk.Splash
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Breakfast Floor
			*BRICK (STD)	GREY 12 X 24	NEW BYZANTINE GREY 12 X 24 *BRICK (STD)	Kitchen Floor
THRESHOLDS	INSERTS				TILES	
	N/A				N/A	Laundry
	4925K-07	497	<b>*</b>		400 SERIES PVC - WHITE	Ensuite
	4925K-07	49;	-	E	400 SERIES PVC - WHITE	SHARED BATH
	4925K-07	492	人 大 中 の の り ろ	m	400 SERIES PVC - WHITE	Master Ensuite
					DELETED	Island
	4925K-07	497	H800BC /	1)	SIERRA MDF - GLACIER (1)	Kitchen
EDGE	VTERTOP	COUN	HARDWARE		DOOR STYLE	
			ERTOPS	CABINETRY / COUNTERTOPS	CABINET	


#### ZA OR HOMES COLOUR CHART


Date	Vendor Signature		* *	PAGE 2 OF 2 4	*** P
Au 27/18				<u>ides</u> to inform the ketches, PES and/or nstallation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
Date	Décor Consultant Signature	ZANCOR		,	with a PES.
				¡E*** nust be accompaniec	***FOR TRADE USE***  Any upgrades in the colour chart must be accompanied
Date	Purchaser Signature				DÉCOR NOTES
					EMAIL:
Date	Purchaser Signature				HOME #/CELL #
AUG 24 2018	mens langer	¥	DORIS LANGENBACH	DORIS LA	PURCHASER(S):
	- (	6	LOT:	STAYNER	SITE:
干	X	oid	ns before signin	uracy of colour and selectic	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
7	4	plus costs	ministration fee	are subject to a \$5000 ad	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
*	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers.  Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	entical due to dye lot event the Vendors's s	ot necessarily id installed. In this	e to Builders selection but n have been pre-selected or	olours of all materials are as close as possibue to construction progress some items ma
INITIALS			DISCLAIMER	Dis	
			o No		ELECTRICAL for Bar Fridge
			NO		ELECTRICAL for Gas Stove / Cooktop
			NO		ELECTRICAL for Built-in Micro / OTR
			NO		ELECTRICAL for Built-in Oven
			6 INCH	61	Hood Fan Venting SIZE
			NO		WATERLINE to Fridge
			YES	1	GAS LINE
NOTES	DECLINED	DE	UPG (SEE PES)	UPG (	
	le:	Package Name:	YES / NO	Schedule E'	Appliance Package received in 'Schedule E'
	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	MENTS-UPGRA	E REQUIRE	ZANCOR APPLIANC	
		STANDARD	ST	STANDARD	Ensuite
		STANDARD	TS	STANDARD	Main
		STANDARD	TS	STANDARD	Master Ensuite
		STANDARD	ST	STANDARD	Powder Room
		STANDARD	ST	STANDARD	Kitchen
	NOTES	FAUCETS		FIXTURES	
	PLUMBING- UPGRADES TO BE DETAILED ON PES	RADES TO BE D	BING- UPG	PLUM	accircit picaniase
	IBCH WILLIE	PAINT			Kitchen/Breakfact
		PAINT			
	STANDARD				Exterior Door Hardware
	STANDARD				Interior Door Hardware
	STANDARD				Interior Doors
	STANDARD				Casing/Baseboards
		TRIM			
	UPGRADE 1 - SQUARE 1-3/4	_	-		Main to Basement Railing Details:
	UPGRADE 1 - SQUARE 1-3/4	U	18		Main to 2nd Railing Details:
	VARNISH ONLY				Stain:
	CARPET GRADE				Stairs (Carpet or Oak):
	STAIRS, RAILING & PICKETS & STAIR STAIN	G & PICKETS	RS, RAILIN	STAI	

### THE CASTLES 50-05





#### THE CASTLES 50-05







18 ( Struper ) +8)








Cot 6 Staymon



Cot 6 Stephens

# STANDARD CABINET HARDWARE

(New Image Kitchens)





#### APPLIANCE ACKNOWLEDGEMENT

Warre @ Coast Appliances 1ENT 905-303-6909

1748 Creditstoniled. Unit I

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the

It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.

Manufacturers specifications after closing.

Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have been made to the cabinetry.

# STANDARD OPENINGS ACCEPTED BY PURCHASER:

STANDARD OPENINGS	STANDARD OPENINGS ACCEPTED BY PURCHASER:	4 Janvarde
		HOMEOWNER SIGNATURE
Fridge	▶ 36" (+/-) x 74" (+/-)	
	**Space above the fridge is required due to proper air flow	rflow
Stove	▼ 30"	

Dishwasher

**Hood Fan Opening** 

30" 24"

**Hood fan Vent** \*\*\*Specs that require changes/modifications after this date will not be accepted \*\*\* Appliance Specs are DUE (if not received during appointment) وآ 2 WEEKS FROM SIGNED DATE ABOVE Sold

UPGRADE APPLIANC	UPGRADE APPLIANCE OPENING REQUIREMENTS:	
FRIDGE	Built-In Paneled / Integrated Flush Inset Water Line Required	HOMEOWNER SIGNATURE
RANGE	36" 48" Gas	Cooktop (Apron front)  Cooktop (Dropin)  **Cut-out charge required for cooktop
HOOD FAN & VENT	Under Cabinet Chimney (centre vent) Insert / Liner	10 Inch
WALL OVEN & MICRO	Single Oven Double Oven Steam Oven Warming Drawer	Over the Range Microwave Built-in Microwave (*trim kit required)
DATE DAM DE UV	STAYN	STAYNER (55) (0

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. \*\*

st \* Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.



#### INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

the selection of natural stone materials and shall not hold the Vendor liable for provision of same. substance require immediate attention. Stone countertops require regular seal re-application as part of home installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, expected, Purchaser acknowledges colour and product variations as well as natural imperfections may exist with including various lighting may affect the overall finished look. Stone tops are sealed at time of Variations in colour, tone, granularity (pitting, fissures) and pattern are

usually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-室

**CERAMIC TILES**: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home.

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products Due to the natural properties of wood, many variables can affect the overall look of the finished

characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished upgrades and shall not hold the Builder liable for provision of same. all factors that may affect the overall look of the finished product. Such factors make exact colour matching includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain

**UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

B

Due to the properties of wood and laminate, many variables can affect the

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that overall look of the finished product. / LAMINATE FLOORING:

#### HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). certain areas. I/We understand there is a concern due to possible water and other substances being frequently I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, "Finished flooring bathrooms, kitchens, public entrance halls, flooring providing similar degrees of water resistance. laundry & general storage areas shall consist of mastic or other types

TARION and/or the Builder in relation to the matter moisture absorbency in the mentioned areas, and agree I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to waive any claims against the Township of residence, \*\*SEE COLOUR CHART FOR LOCATIONS\*\*

STAYNER (55)

SITE

5

DATE



#### WAIVER FORM GARAGE MAN DOOR (GMD)

Witness	Purchaser
Witness	Purchaser
angubora day of aug. 20 (8	Dated at
I/We read and understand the above terms and conditions.	I/We read and
I/We hereby release and forever discharge Zancor Homes Ltd., any affiliated companies and all its directors, officers, servants, employees, agents, TARION, City and the Town from any and all damages, loss or injury however arising, which we may have hereafter with reference to the above.	I/We hereby reits directors, odamages, loss above.
I/We take full responsibility for the installation of the stairs and/or deck that is required to accommodate a garage man door and agree to waive any claims against the vendor or trades in relation to this matter. I/We understand that any work and/or damage done by the purchaser(s) trades/contractors hired is not warrantable under the Builder or covered by TARION.	I/We take full accommodate relation to the purchaser(s) to TARION.
Defined. Purchaser(s) will be issued a credit of \$400 on closing.  Option 2 > Door, hardware, electrical etcwill be installed. A railing/guard will be installed across the door opening with no steps or deck to grade. It will be the purchaser(s) responsibility to have steps and deck installed after closing. The purchaser(s) are aware that installation of deck/steps may encroach into the garage obstructing parking of a vehicle.	
It is now confirmed that installation of garage man door is <b>NOT POSSIBLE</b> due to grade.  Please select one of the following (2) options:  Option 1 > Purchaser accepts the garage man door is not possible and will not	It is now confir
Garage man door confirmed and will be installed (as per final siting).	
I/We the purchaser/s for the above-mentioned property understand that the installation of a garage man door is determined from the final siting / elevations that are established from site plan engineering. The garage man door indicated on the floor plan for your lot will be installed only if grade permits. Should grade not permit, the following choices will be made available as an alternative solution.	I/We the purchaser/s in garage man door is detended plan engineering. The only if grade permits. See an alternative solution.
ER(S): Don's Langerbach	HOMEOWNER(S):
Mus 24 /18	DATE:
LOT 6 – STAYNER (55)	LOT #/SITE: