

CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited PURCHASERS: Mark Hollahan and Yaniry Wilson

LOT/PHASE 5/2

000 HOUSE TYPE

A

BLUCE

A 1617 GARAGE PRINT DATE
2-Nov-18

	01Nov18	6288 ADMIN FEE FOR LATE CHANGE
	01Nov18	
	01Nov18	6286 ELECTRICAL - ADD 9 LED POTLIGHTS 5 IN KITCHEN ON SEP SWITCH, STD TO REMAIN 4 IN FAMILY ROOM ON SEP SWITCH, STD TO REMAIN
	30Jul18	1
	30Jul18	
	30Jul18	KITCHEN - UPGRADE TO STONE **INCLUDES BLANCO HORIZON UNDERMOUNT SINK MASTER ENSUITE - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT MAIN BATH - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT
	30Jul18	5962 KITCHEN - BACKSPLASH - UPGRADE 2, BRICK PATTERN ***INCLUDES BEHIND CHIMNEY
	30Jul18	1
	30Jul18	1
	30Jul18	1
	30Jul18	
	30Jul18	UPGRADE I CABINETS DEEP UPPERS WITH GABLES BUILT IN MICROWAVE IN ISLAND SOFT CLOSE TO ALL DOORS LARGE CROWN AND RISER ABOVE UPPER CABINETS TO CEILNIG DELET UPPERS ABOVE STOVE FOR FUTURE CHIMNEY
	30Jul18	1
	30Jul18	5954 3 PCE ROUGHIN IN BASEMENT
	30Jul18	1
	30Jul18	3 pce stainless steel appliances with white top load washer & dryer Stainless steel under cabinet hood fan Decor Dollars
Notes	Approved	1

This Document is Extremely Time Sensitive - Printed 2 Nov 18 at 14:50

onstructionSummarySQL.rpt 26apr17-2

ZANCOR HOMES COLOUR CHART

CACHON CAMERIDER NOT NOTE COUNTERTOP EDGE	N/A N/A N/A Site/Lot (55)	The state of the s		r colour charts PRI	t must be accompanied with a PES crepancies on sketches, PES and/or ** PAGE 1 OF 2 **	o inform the builder of any disc
DOORS STURE IN 1 COUNTERTOP CAMBRIDGE MOF - HWIRE (1)	NF8 N/A N/A Site/Lot	The same	and the same	r colour charts PR	t must be accompanied with a PES trepancies on sketches, PES and/o	o inform the builder of any disc
DODG STYLE IN JOURNEY COUNTERTOP	NF8 N/A N/A N/A Site/Lot					nu unarridae in the rainus chart
DOOR STYLE HANDWARE COUNTERTOP	N/A N/A Site/Lot	STAYNER			***FOR TRADE USE***	
DOOR STYLE IN JOURNETON OF COUNTERTOP	N/A			rchart	rchaser has reviewed the colou	
DOOR STYLE HARDWARE COUNTERTOP	N/A			Location	YES	
CAMBRIDGE MOF. WHITE (1)				Crown Mouldir	YES	Mirrors
DOOR STYLE HARDWARE COUNTERTOP	NF8	TER MOULDIN	PLAS		1	MIRRORS &
DOOR STYLE HARDWARE COUNTERTOP	NES .	HEARTH		CARRARA	BIANCO	INSERT & SURROUND
DOOR STYLE COUNTERTOR COUNTERTOR		MANTLE		ROOM	GREAT	LOCATION
DOOR STUE HARDWARE COUNTERTOP				FIREPLACES		
DOOR STYLE COUNTERTOP COUNTERTOP				OPE		Basement Foyer
DOOR STILE HARDWARE COUNTERTOP			STANDARD			Carpet Underpad
DOOR STULE HARDWARE COUNTERTORS		31	NING NIGHT TO 2	OPE		Bedroom 4
DOOR STUE. HARDWARE COUNTERTOP		u	0	OPE		Bedroom 3
DOOR STILE. HARDWARE COUNTERTOP			c,	OPE		Bedroom 2
DOOR STILE HARDWARE COUNTERTOP		22		OPEI		Master Bedroom
DOOR STYLE COUNTERLOY COUNTERLOY			VING NIGHT T-03	OPE		lpper Hall
DOOR STYLE COUNTERT OF CAMBRIDGE MOP - WHITE (1)			TILE			Main Hall
DOOR STILE COUNTERTOP CAMBRIDGE NOP - WHITE (1)			7 1			Main Foyer *(Waiver)
DOOR STYLE COUNTERTOP CAMBRIDGE NOF - WHITE (1)			TIF			itchen *(Waiver)
DOOR STYLE COUNTERTOP CAMBRIDGE NOF - WHITE (1)		AN CAN	VIAGION MOCKING	COMMISSION - LE		en/Study/parlour
DOOR STYLE COUNTERN / COUNTER		ANI CAK	XINGTON ROCKINH	CAMMATE - CE		amily/Great Room
DOOR STYLE			N/A	I AMMINIATE LE		bring Room
DOOR STYLE			RPET	(DWOOD / CA	HAT	
DOOR STYLE COUNTERTOP				N/A		pasement custing MASH
DOOR STYLE CAMBRIDGE MOF - WHITE (1)				N/A		asement Ensuite Floor
DOOR STYLE CAMBRIDGE MDF - WHITE (1)				N/A		nd Ensuite Shower
DOOR STYLE HARDWARE COUNTERTOP				N/A		2nd Ensuite Wall
DOOR STYLE			8 X 10	L TENDER GREY	UNIWAI	Main Bath Tub Wall
DOOR STYLE COUNTERTOP			BRICK (STD)	NE GREY 12 X 24	NEW BYZANTI	Main Bath Floor
DOOR STYLE				WHITE 2 X 2		Shower Floor
CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - STONE GREY (1) EURO HIGH GLOSS - WHITE (STD) EURO HIGH GLOSS - WHITE (STD) FURO HIGH GLOSS - WHITE (STD) M/A N/A N/A N/A TILES ALLURE GREY 12 X 24 BRICK (STD) CINQ GREY 8 X 10				IANCO CARRARA	8	SHOWER JAMB
DOOR STYLE				INQ GREY 8 X 10	C	Astr Ens SHOWER Wall
DOOR STYLE			BRICK (STD)	RACITE 12 X 24	ALLURE ANTH	Astr Ensuite Floor
DOOR STYLE			בא (טוט)	I AMINATE	Chrone	asement Fover
DOOR STYLE			BRICK (SID)	NE GREY 12 X 24	NEW BYZANIS	and som
DOOR STYLE HARDWARE COUNTERTOP			CK (STD)	REY 12 X 24 BRI	ALLURE G	OWDER ROOM
DOOR STYLE			CK (STD)	REY 12 X 24 BRI	ALLURE G	Main Hall
DOOR STYLE			CK (STD)	REY 12 X 24 BRI	ALLURE G	Main Foyer
DOOR STYLE			EY 4 X 12 (2) BRICK	ONS TENDER GE	COLOURS & DIMENS	Kitchen Bk.Splash
DOOR STYLE			CK (STD)	REY 12 X 24 BRI	ALLURE G	Breakfast Floor
DOOR STYLE	+		CK (STD)	REY 12 X 24 BRI	ALLURE G	Kitchen Floor
DOOR STYLE HARDWARE COUNTERTOP CAMBRIDGE MDF - WHITE (1) H500P NEW CLAEDONIA GRANITE CAMBRIDGE MDF - STONE GREY (1) H500C K609 K-STONE EURO HIGH GLOSS - WHITE (STD) H500C K609 K-STONE EURO HIGH GLOSS - GREY/BEIGE (STD) H500C K617 K-STONE N/A N/A N/A N/A N/A N/A N/A N	SERTS		147		TILES	
CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - STONE GREY (1) CAMBRIDGE MDF - WHITE (STD) CAMBRIDGE MDF - WHITE (STD) CAMBRIDGE MDF - WHITE (STD) CAMBRIDGE MDF - STONE GREY (1) CAMBRIDGE MDF - S	N/A		2 2		N/A	Sasement Bath
CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - STONE GREY (1) CAMBRIDGE MDF - STONE GREY (1) Ensuite EURO HIGH GLOSS - WHITE (STD) FI IRD HIGH GLOSS - GREY/BEIGE (STD) FI IRD HIGH GLOSS - WHITE (STD) FI IRD HIGH GLOSS - WHITE (STD) FI IRD HIGH GLOSS - WHITE (STD)	N-SI ONE	VT0V	אולא	בנפר (210)	N/A	aundry
CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - STONE GREY (1)	K-STONE	K609	HSOOC	IE (SID)	EUNO HIGH GLOSS - GREY/R	Viasier Chapter
CAMBRIDGE MDF - WHITE (1) CAMBRIDGE MDF - WHITE (1) HS00P NEW CLAEDONIA GRANITE	ONIA GRANITE	NEW CLAED	H500P	GREY (1)	CAMBRIDGE MDF - STONE	Sland
DOOR STYLE HARDWARE COUNTERTOP	ONIA GRANITE	NEW CLAED	H500P	ITE (1)	CAMBRIDGE MDF - WH	Citchen
ETAY / COORTENTORS	H	COUN	HARDWARE		DOOR STYLE	
			EKTOPS	EIRY / COUNT	CABIN	

PAGE 1 OF 2 6/26/2018

ZANCOR HOMES COLOUR CHART

Date	ture	Vendor Signa		*	OF 2	*** PAGE 2
JUL 13 2018		Décor Consultant Signature	, 24 CF		<u>ides</u> to inform the ketches, PES and/or installation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
)		Tayax must be accomponies	***FOR TRADE USE*** Any upgrades in the colour chart must be accompanied with a DES
Date		Purchaser Signature				DÉCOR NOTES
IIINF 75 7018	1	< / /	15	YANIRY@MSN.COM	YANIRY	EMAIL:
Date	ature	Purchaser Signature		705-606-1667	705-6	HOME #/CELL #
JUNE 25 2018	5	M	2	YANIRY WILSON	YANIR	PURCHASER(S):
	,		5	LOT:	STAYNER (55)	SITE:
	×		, w	ons before signin	accuracy of colour and selections before signing.	er has checked and acknowledged
	×		plus costs	dministration fee	are subject to a \$5000 ar	any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
	turers.	rarlances in manufacturing/manufacelection must be accepted by the pu	entical due to dye lot vevent the Vendors's se	not necessarily id	le to Builders selection but I y have been pre-selected or	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
AIS	INITIALS			DISCLAIMER	Di	
				NO		ELECTRICAL for Bar Fridge
				ő		ELECTRICAL for Gas Stove / Cooktop
ROWAVE	PLUG FOR BUILT IN MICROWAVE	PI		YES		ELECTRICAL for Built-in Micro / OTR
				No		ELECTRICAL for Built-in Oven
				S INCH	מ	Hood Fan Venting SIZE
		DECLINED	DEG	200		WATER INE +2 E-Id-2
	NOTES	DECLINED	DE	UPG (SEE PES)	UPG (
		ē	Package Name:	YES / NO	'Schedule E'	Appliance Package received in 'Schedule E'
	PES	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	MENTS-UPGRA	CE REQUIRE	ZANCOR APPLIAN	
			N/A		N/A	Other
			N/A		N/A	BASEMENT
			N/A		N/A	2nd Ensuite
	OVAL UNDERMOUNT	OVA	STANDARD	57	UPGRADE SINKS	Main
	OVAL UNDERMOUNT	OVA	STANDARD	IS	UPGRADE SINKS	Master Ensuite
			STANDARD	SI	STANDARD	Powder Room
WL 8"D	HORIZON UNDERMOUNT, DOUBLE BOWL 8"D	HORIZON UNDER	STANDARD	ST .	UPGRADE SINK	Kitchen
	ACCTEC	EATIFIED OF PETALED ON PE	ENICETS TO BE D	Noneg- OFG	FIXTURES	
		WARM GREY	PACE TO BE 2		51115	PROOGHOOT
			PAINT			
		STANDARD				exterior Door Hardware
		STANDARD				Interior Door Hardware
		STANDARD				Interior Doors
		STANDARD				Casing/Baseboards
			TRIM			
	UN TO BASEMENT	OAK STAIRS FROM MAIN TO SECOND & MAIN TO BASEMENT	K STAIRS FROM	0,4		STAIRS
	ADE	STANDARD STYLE - PAINT GRADE	STAN			Main to 2nd & Basement Railing:
	Æ	PAINT PICKETS ONLY - WHITE	PA			PAINT
S CLOSE AS	MATCH LAMINATE A	SIMIN SIMINS, HANDRAIL, IREADS, RISERS, SIMINGERS TO MATCH LAMINATE AS CLOSE AS	NUKAIL, IKEAD	יים, האואוניי		Stair Stain / Specles:
		STAIRS, RAILING & PICKETS & STAIR STAIN	G & PICKETS	IRS, RAILIN	SIA	


PAGE 2 OF 2 6/26/2018

07/11/2018 14:18

#007 P.005/005

To:19057385948

THE BRUCE 50-04





A

Lot & Staymer

(yh)

THE BRUCE 50-04







AMA

187 5 Strugman






THE BRUCE 50-04




MA






EDGE PROFILES (INTERSTONE / REDSTONE) ZANCOR HOMES

STANDARD



UPGRADES



LOT / SITE

PURCHASER SIGNATURE

STANDARD CABINET HARDWARE

(New Image Kitchens)



A.

+5 Staymer



WAIVER FORM GARAGE MAN DOOR (GMD)

LOT # / SITE:	LOT 5 – STAYNER (55)
DATE:	June 5/18
HOMEOWNER(S):	MARK W. HOLLAHAN + YANIRY WILSON
I/We the purchaser/s the garage man door is desplan engineering. The only if grade permits. See an alternative solution.	I/We the purchaser/s for the above-mentioned property understand that the installation of a garage man door is determined from the final siting / elevations that are established from site plan engineering. The garage man door indicated on the floor plan for your lot will be installed only if grade permits. Should grade not permit, the following choices will be made available as an alternative solution.
Garage	Garage man door confirmed and will be installed (as per final siting).
It is now confirmed that installation of garage Please select one of the following (2) options:	It is now confirmed that installation of garage man door is NOT POSSIBLE due to grade. Please select one of the following (2) options:
Option be insta	Option 1 > Purchaser accepts the garage man door is not possible and will not be installed. Purchaser(s) will be issued a credit of $$400$ on closing.
Option be instructed the purties the gar	Option 2 > Door, hardware, electrical etcwill be installed. A railing/guard will be installed across the door opening with no steps or deck to grade. It will be the purchaser(s) responsibility to have steps and deck installed after closing. The purchaser(s) are aware that installation of deck/steps may encroach into the garage obstructing parking of a vehicle.
I/We take full respons accommodate a garage relation to this matt purchaser(s) trades/coTARION.	I/We take full responsibility for the installation of the stairs and/or deck that is required to accommodate a garage man door and agree to waive any claims against the vendor or trades in relation to this matter. I/We understand that any work and/or damage done by the purchaser(s) trades/contractors hired is not warrantable under the Builder or covered by TARION.
I/We hereby release ar its directors, officers, so damages, loss or injury above.	I/We hereby release and forever discharge Zancor Homes Ltd., any affiliated companies and all its directors, officers, servants, employees, agents, TARION, City and the Town from any and all damages, loss or injury however arising, which we may have hereafter with reference to the above.
I/We read and underst	I/We read and understand the above terms and conditions.
Dated at KING	this 14 day of July 2018
Mohily	No.
Purchaser	Witness
Purchaser	Witness



APPLIANCE ACKNOWLEDGEMENT

- \blacksquare NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.
- Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

DATE **UPGRADE APPLIANCE OPENING REQUIREMENTS:** WALL OVEN & **HOOD FAN & MICRO** RANGE **FRIDGE VENT** Water Line Required Curchased 36" Built-In Double Oven Single Oven Insert / Liner Chimney (centre vent) Induction Gas 48" Paneled / Integrated Warming Drawer Steam Oven Under Cabinet Flush Inset SITE Built-in Microwaye (*trim kit required) 6 Inch 10 Inch 8 Inch Over the Range Microwave Cooktop (Dropin) Cooktop (Apron front) **Cut-out charge required for cooktop 덥 HOMEOWNER SIGNATURE

Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. **



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by ar All colour charts

to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. quartz, no two pieces are exactly the same. the selection of natural stone materials and shall not hold the Vendor liable for provision of same. maintenance. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, Purchaser acknowledges colour and product variations as well as natural imperfections may exist with Stone countertops require regular seal re-application as part of home Variations in colour, tone, granularity (pitting, fissures) and pattern are

usually approximately 5'x 8' STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-inrange (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are

be identical to the materials installed in the home. of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products. STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished

includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain The type and intensity of lighting in the areas of designated cabinetry placement may also highlight

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). certain areas. I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in I/We understand there is a concern due to possible water and other substances being frequently

resilient flooring, "Finished flooring bathrooms, felted-synthetic-fibre floor coverings, concrete, terrazzo, flooring providing similar degrees of water resistance kitchens, public entrance halls, laundry & general storage areas shall consist of ceramic tile, mastic or other

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to absorbency in the mentioned areas, and agree ç waive any claims against the Township of residence.
SEE COLOUR CHART FOR LOCATIONS

TARION and/or the Builder in relation to the matter 3

SITE

5

Jane 14/18

December 20, 2016