CONSTRUCTION SUMMARY OF EXTRAS Printed 2019-06-28 / 8:59 AM / Page 1 of 2

Site: Lot: **INNISFIL PHASE 2**

92N

Model: MARINA 42-02 (B) OPT. 2ND FLOOR

Phone: Purchaser: PHILIP GUILHERME & CARMELO J. MAGNO 289-407-7944 / 416-845-6794

carmelomagno@gmail.com



JUNE 14 2019	5	1
JUNE 14 2019	#13 COL MACTER ENGLITE GLOWER IAND WHITE CHARTS	± ±
JUNE 14 2019	5 5	
MAY 8 2019	COL TRIM - DOOR SIYLE - SINGLE PANEL SHAKER DOOR ON SECOND FLOOR (ST/ANDAC) H	
MAY 8 2019	COL GARAGE MAN DOOR TO BE 8 FEET HIGH ***MISSED ON STRUCTURALS	#
MAY 8 2019	5	#
MAY 8 2019	#8 COL STAIN STAIRS TO MATCH FUTURE FLOOR COLOUR **TBD ****RISERS, STRINGERS & PICKET TO BE PAINTED WHITE	#
MAY 8 2019	#7 COL TILES - FOYER, MAIN HALL & MUD AREA & POWDER ROOM - UPGRADE 1 TILES ON FLOOR	#
MAY 8 2019	#6 COL PLUMBING - KITCHEN FAUCET - OPTION 1 - BRIZO LITZE ALL GOLD 63063LF - GL	#
MAY 8 2019	#5 COL PLUMBING - KITCHEN SINK - BLANCO IKON APRON FRONT SINGLE IN WHITE (401876)	#
MAY 8 2019	#4 COL HVAC - KITCHEN - VENT FOR HOOD FAN ABOVE STOVE - 10 INCHES **REQUIRED AS PER APPLIANCE SPEC	#
MAY 8 2019	#3 COL HVAC / ELECTRICAL - KITCHEN STOVE - GAS LINE AND ELECTRICAL **20 AMP REQUIRED AS PER SECS	#
MAY 8 2019	#2 COL ELECTRICAL - KITCHEN - FOR BUILT IN MICROWAVE **20 AMP ON SEP CIRCUIT REQUIRED AS PER SPECS	#
MAY 8 2019	#1 COL ELECTRCIAL - KITCHEN - ADDITIONAL PLUG FOR BUILT IN FREEZER **20 AMP SEP CIRCUIT AS PER SPECS	#
MAY 8 2019	#29 STR KITCHEN CABINETS, COUNTETOPS AND ELECTRICAL FOR APPLIANCES TO BE DONE AT COLOURS	#
MAY 8 2019	#28 STR ***NOTE - MASTER ENSUITE - PLUMBING TO BE LOCATED ON CLOSET WALL AGAINST BEDROOM 2	#
MAY 8 2019	#27 STR MASTER ENSUITE - DELETE GLASS DOOR ONLY AND INSTALL 10MM GLASS ON HALF WALL TO CEILING, **DOOR OPENING FINISHED WITH JAMB IS TO BE APPROX 24" WIDE (TILE PRICES ARE SEPARATE)	#
MAY 8 2019	#26 STR TRAY CEILING IN MASTER BEDROOM	#
MAY 8 2019	#24 STR ELECTRICAL - MASTER ENSUITE - ADD THREE WALL SCONCES AT VANITY **APPROX 70" AFF	#
MAY 8 2019	#23 STR ROUGH IN FOR FUTURE SINK AND WASHING STATION IN GARAGE	#
MAY 8 2019	#22 STR ELECTRICAL - POWDER ROOM - DELETE STD WALL LIGHT AND INSTALL LIGHT IN CEILING	#
MAY 8 2019	#21 STR ELECTRICAL - **SEE LOCATION OF HALL LIGHT BETWEEN DINING AND MUD ROOM	#
MAY 8 2019	#20 STR ELECTRICAL - 4 POTLIGHTS IN FOYER ON SEP SWITCH, MOVE STANDARD LIGHT TO BE IN FRONT OF STAIRS	#
MAY 8 2019	#19 STR ELECTRCAL - 7 POTLIGHTS IN KITCHEN ON SEP SWITCH, STD TO BE OVER ISLAND	#
MAY 8 2019	#18 STR ELECTRCAL - 4 POTLIGHTS IN DINING ROOM ROOM ON EXISTING SWITCH, DELETE STD	#
MAY 8 2019	#17 STR ELECTRCAL - 4 POTLIGHTS IN FAMILY ROOM ON SEPARATE SWITCH, STD REMAINS (GREAT ROOM)	#
MAY 8 2019	#16 STR SMOOTH CEILINGS THROUGHOUT	#
MAY 8 2019	#15 STR ELECTRCIAL - FLOOR PLUG IN DINING ROOM **SEE FLOOR PLAN FOR APPROXIMATE LOCATION **PURCHASE TO CONFIRM AT FRAMEWALK EXACT LOCATION	#
MAY 8 2019		#
MAY 8 2019	#13 STR 8 FOOT DOORS ON MAIN FLOOR (3) * ALSO GARAGE MAN DOOR - SEE + 10. COL	#
MAY 8 2019	#12 STR OPENING FROM MASTER BEDROOM **APPROX 6 FOOT WIDE	#
MAY 8 2019	#11 STR DELETE CLOSET AT BEDROOM 2, CREATE WALK IN CLOSET AND SQUARE OFF CORNER WHERE ENTRY IS	#
MAY 8 2019	#10 STR SHIFT WALL & RECONFIGURE POWDER ROOM	#
MAY 8 2019	#7 STR WIDEN OAK STAIRS WHERE POWDER ROOM IS	#
MAY 8 2019	#6 STR DELETE KITCHEN PANTRY AND CLOSET IN FRONT OF POWDER ROOM	##
MAY 8 2019	#5 STR DELETION OF WALL IN FAMILY ROOM (GREAT ROOM)	#
MAY 8 2019	#4 STR DELETE WINDOW FROM POWDER ROOM AND INSTALL IN BREAKFAST AREA	#
MAY 8 2019	#3 STR ADD WINDOW IN GREAT ROOM	#
MAY 8 2019	#2 STR DELETION OF WALLS IN DINING ROOM	#
MAY 8 2019	#1 STR REDESIGN OF FLOOR PLAN, INCLUDES ENGINEER, HVAC, AND ARCHTIECTURAL DRAWINGS	##
DATE SELECTED	DESCRIPTION	

SEE ATTACHMENT

CONSTRUCTION SUMMARY OF EXTRAS Printed 2019-06-28 / 8:59 AM / Page 2 of 2

Site: INNISFIL PHASE 2

921

Lot:

Model: MARINA 42-02 (B) OPT. 2ND FLOOR

HOMES

Phone: Purchaser: PHILIP GUILHERME & CARMELO J. MAGNO 289-407-7944 / 416-845-6794

Email: carmelomagno@gmail.com



JOINE 14 2019			
11 NIE 14 2010	ELECTRICAL - CAPPED WALL SCONCES IN LIEU OF STANDARD (NASTER ENGLITE)	COL	#43
JUNE 14 2019	***RAILING POST TO BE CONFIRMED, POSSIBLE UPGRADE ONCE RECEIVED	5	#42
JUNE 14 2019	ELECTRICAL - OUTLET WITH USB PORTS ABOVE 38 INCHES, CENTRED BELOW WINDOW	5	#41
JUNE 14 2019	RAINHEAD & ARM - S1311NL/S113NL	5	#40
JUNE 14 2019	HANDHELD WITH SLIDE BAR - A725NL/S12107EPNL	5	#39
JUNE 14 2019	ROMAN TUB FAUCET T658/9796 (NL)	5	#38
JUNE 14 2019	VANITY FAUCET (X2) T4524/69000 (NL)	5	#37
JUNE 14 2019	PLUMBING MASTER ENSUITE - * SEE SPECS	5	#36
JUNE 14 2019	WATERLINE FOR FREEZER	5	#35
JUNE 14 2019	LAMINATE IN KITCHEN BREAKFAST, DINING, GREAT ROOM IN LIEU OF HARDWOOD/TILES	5	#34
JUNE 14 2019	MASTER ENSUITE SHOWER FLOOR TILES - MARBLE 2 X 2	5	#33
JUNE 14 2019	COL MASTER ENSUITE - UPGRADE 1 FLOOR TILE ON SHOWER WALL	5	#32
JUNE 14 2019	MASTER ENSUITE - UPGRADE 1 TILE ON FLOOR	5	#31
JUNE 14 2019	MASTER ENSUITE - STONE COUNTERTOP **INCLUDES RECTANGLE UNDERMOUNT SINKS * CONRAC COLLETTE	5	#30
JUNE 14 2019	MASTER ENSUITE WALK IN CLOSET - WIRE SHELVING TO BE INSTALLED ***DUE TO THE LENGTH OF THE WIRE SHELVING, ZANCOR WILL NOT BE LIABLE IF DAMAGE IS CAUSED DUE TO WEIGHT OF CLOTHES	5	#29
JUNE 14 2019	MASTER ENSUITE - FLAT RECESSED ARCH FOR THE KICK	5	#28
JUNE 14 2019	MASTER ENSUITE - **NOTE FILLER PIECES ON DRAWING	5	#27
JUNE 14 2019	MASTER ENSUITE - UPGRADE HARDWARE **H-CUP76BC ON DRAWERS / K1600BC ON DOORS	5	#26
JUNE 14 2019	MASTER ENSUITE - UPGRADE 2 CABINET	5	#25
JUNE 14 2019	MASTER ENSUITE - RAISE SINK PORTION OF VANITY TO KITCHEN HEIGHT **DRAWERS ARE TO BE STANDARD HEIGHT	5	#24
JUNE 14 2019	MASTER ENSUITE - ADD TWO DRAWER FRONTS UNDER EACH SINK	5	#23
JUNE 14 2019	MASTER ENSUITE - ADD BANK OF DRAWER IN BETWEEN SINKS (2 SETS) **STANDARD HEIGHT SINKS AS	5	#22
JUNE 14 2019	KITCHEN - CABINETS TO ACCOMMODATE APRON FRONT SINK	5	#21
JUNE 14 2019	**NOTE - SEE NEW STOVE LOCATION AND NEW ISLAND LOCATION / DISHWASHER **SEE TRANSITION &	5	#20
JUNE 14 2019	STANDARD KITCHEN CABINETS/LAYOUT TO BE INSTALLED * SEE DRAWING	5	#19
JUNE 14 2019	COLUMNS - TRIM OUT 2 COLUMNS (AS PER PICTURE) WITH RECESSED PANELLING	5	#18
JUNE 14 2019	CARPET - UPGRADE 1 CARPET THROUGHOUT SECOND FLOOR WITH GREY GOOSE UNDERPAD	5	#17
JUNE 14 2019	TILES - MUD ROOM - TILES APPROX 42 INCHES UP WALL AGAINST GARAGE WALL & POWDER WALL	COL	#16
JUNE 14 2019	TILES - MUD ROOM - TILES APPROX 42 INCHES UP WALL AGAINST KITCHEN WALL	COL	#15
DATE SELECTED	DESCRIPTION		

* MASTER ENSUITE-SEE DEAWING *


* Stair Stain will not mater took




Vendor	Purchaser Initial			** PAGE 1 OF 2 **	
1	M P	lity of <u>all Trades</u> s <u>PRIOR to</u>	he responsibi colour chart	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>	Any upgrades in the colour char to inform the builder of a
92N	INNISFIL	A COLUMN TO A COLU		***FOR TRADE USE***	
101	SITE & LOT			Purchaser has reviewed the colour chart	Pu
	N/A		Location	DELETE	Bathroom Accessories
	N/A	Opt. Crown Moulding	Opt. Crow	DELETE IN MASTER ONLY	Mirrors
	PLASTER MOULDING	PL		MIRRORS & ACCESSORIES	MIRRO
	N/A	MANTLE		N/A	LOCATION
			FIREPLACES	FIRE	
	2R15 LANDSLIDE - COLOUR 937 OPAL / GREY GOOSE UNDERPAD	37 OPAL / GREY	- COLOUR S	2R15 LANDSLIDE	W.I.C (FORMERLY BED 4)
	2R15 LANDSLIDE - COLOUR 937 OPAL / GREY GOOSE UNDERPAD	37 OPAL / GREY	- COLOUR S	2R15 LANDSLIDE	Bedroom 3
	2R15 LANDSLIDE - COLOUR 937 OPAL / GREY GOOSE UNDERPAD	337 OPAL / GREY	- COLOUR S	2R15 LANDSLIDE	Bedroom 2
	2R15 LANDSLIDE - COLOUR 937 OPAL / GREY GOOSE UNDERPAD	37 OPAL / GREY	- COLOUR S	2R15 LANDSLIDE	Master Bedroom
	2R15 LANDSLIDE - COLOUR 937 OPAL / GREY GOOSE UNDERPAD	37 OPAL / GREY	- COLOUR S	2R15 LANDSLIDE	Upper Hall
		N/A			Library
		TILE			Main hall
	K 6-1/8"	LAMINATE - FJORD - HALVAR OAK 6-1/8"	NATE - FJOR	LAMI	Dining Room
	K 6-1/8"	LAMINATE - FJORD - HALVAR OAK 6-1/8"	NATE - FJOF	LAMI	Great Room
	K 6-1/8"	LAMINATE - FJORD - HALVAR OAK 6-1/8"	NATE - FJOR	LAMI	Kitchen/ Breakfast
		ET	HARDWOOD / CARPET	HARDWOO	
	(10	UNIWALL TENDER GREY 8 X 10	UNIWALL TI		Main Bath Wall
		MALENA ICE 13 X 13	MALEN		Main Bath Floor
		QUARTZ - SNOW	QUA		Master Shower JAMB
	LE)	BIANCO LUNA 2 X 2 (MARBLE)	BIANCO LU		Master Shower Floor
	+*BRICK	NEW BYZANTINE ASSURO 12 X 24 **BRICK	3YZANTINE	NEW	Mstr Ensuite Shower WALL
	**BRICK	NEW BYZANTINE ASSURO 12 X 24 **BRICK	BYZANTINE	NEW	Mstr Ensuite Floor
		LILY WHITE 12 X 12	LILY W		Laundry @ 2ND FLOOR
		N/A			Kitchen Bk.Splash
		LAMINATE	L		Breakfast
		LAMINATE	_		Kitchen
	CALCATTA GRIS 20 X 20 (1) **42 INCHES HIGH ON THREE WALLS	**42 INCHES HIG	0 X 20 (1) *	CALCATTA GRIS 2	MUD ROOM WALLS
	1)	CALCATTA GRIS 20 X 20 (1)	CALCATT/		Mud Room
		CALCATTA GRIS 20 X 20 (1)	CALCATT/		Powder Room
		N/A			Basement Foyer
	(1)	ALCATTA GRIS 20 X 20 (1)	CALCATTA		Main Foyer
			TILES	T.	
				N/A	Laundry
>	P345LM	K300C		SIERRA MEL - WHITE	Main Bath
O LUNA MARBLE	BIANCO LUNA	SEE EXTRAS		ALGONQUIN - FOG GREY (2)	Master Ensuite
				N/A	Powder Room
RDO	BINACO SARDO	H800BC		SIERRA MEL - WHITE	Kitchen LOWERS & ISLAND
H	BINACO SARDO	H800BC		SIERRA MEL - WHITE	Kitchen UPPERS & BUILTINS
EDGE	COUNTERTOP	HARDWARE		DOOR STYLE	
		TOPS	COUNTER.	CABINETRY / COUNTERTOPS	

ZANCOR HOMES COLOUR CHART

Vendor Signature Date			OF 2 ***	PAGE 2	* * *
			n the builder of colour charts	ty of <u>all Trades</u> to inform the builder on sketches, PES and/or colour charts <u>RIOR to installation.</u>	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.
Décor Consultant Signature Date		ANCOR	ompanied with a	t must be acc	Any upgrades in the colour chart must be accompanied with a PES.
				DE USE***	***FOR TRADE USE***
Purchaser Signature Date	1				DÉCOR NOTES
	1	MAIL.COM	CARMELOMAGNO@GMAIL.COM	CARN	EMAIL:
Purchaser Signature Date	. (-845-6794	289-407-7944 / 416-845-6794	289.	HOME #/CELL #
I tomb / /	\	RME	PHILIP GUILHERME CARMELO MAGNO		PURCHASER(S):
		LOT: 92N	INNSIFL PHASE 2	INNSIF	SITE:
		ilgning.	ur and selections before	d accuracy of colo	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
		n fee plus costs	a \$5000 administratio	ing are subject to	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
s in Is event the Vendors's selection	variances led. In thi	been pre-selected or instal	ss some Items may have	instruction progre	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
			DISCLAIMER	scible to Builders	Colours of all materials are as close as no
ADDITIONAL - 2 PLUGS TOTAL			YES		ELECTRICAL for ALL FREEZER
BUILT IN MICROWAVE			YES		ELECTRICAL for Gas Stove
- California			YES	OTR	ELECTRICAL for Built-in Micro / OTR
			10 INCH		Hood Fan Venting SIZE
			YES		WATERLINE to FREEZER
			YES		GAS LINE
ED NOTES	DECLINED		UPG (SEE PES)		
	Name	YES / NO Package Name:	, m	in 'Schedule	Appliance Package received in 'Schedule E'
ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	ES TO	REMENTS-UPGRAD	PPLIANCE REQUI	ZANCOR A	
	1		N/A		Ensuite 3
		STANDARD	STANDARD	STA	Ensuite 2
UPGRADE FAUCETS, RECTANGLE UNDERMOUNTS	_	UPGRADE	UPGRADE	UP	Master Ensuite
		STANDARD	STANDARD	STA	Powder room
APRON SINK, UPGRADE FAUCET		UPGRADE	UPGRADE	UP	KITCHEN Island
NOTES		FAUCETS	FIXTURES	FIX	
ON PES	TAILED	PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUMBING- UF		
CREV	WARAN CREV	PAINT			THROUGHOUT
ARD	STANDARD				Exterior Door Hardware
ROUND KNOB TRENTON MATTE BLACK W/MATCHING STEEPLE HINGES	E BLAC	DB TRENTON MATT	ROUND KNO		Interior Door Hardware
STANDARD HEIGHT - SINGLE SHAKER PANEL STYLE	SINGL	ANDARD HEIGHT	S		Interior Doors 2ND FLOOR
8 FEET HIGH ON MAIN FLOOR - LOGAN STYLE	AAIN FI	8 FEET HIGH ON N			Interior Doors MAIN FLOOR
ARD	STANDARD				Casing/Baseboards
		TRIM		0	
SQUARE OAK POST **(WITH BEVEL CORNERS) & OVAL HANDRAIL	HTIW)*	UARE OAK POST **	SQ		Railings - POSTS & HANDRAIL
PAINT GRADE RISERS & STRINGERS	GRADE	PAINT		5	Railings - STRINGERS & RISERS
1-5/16 SQUARE PAINT GRADE PICKET (NO BEVEL, NO REVEAL)	NT GRA	-5/16 SQUARE PAI	<u></u>	V LARY	Railings - PICKETS
WHITE PAINT - PICKETS, RISERS & SPRINGERS	AT - PIC	***WHITE PAIN		7	Paint:
STAIN STAIRS TO MATCH BYZANTINE ****(SEE SPEC ATTACHED)	СН ВУ	AIN STAIRS TO MA	ST	3	Stain:
STAIN	STAIR	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, RAIL	1.0	




OT 92N - MODIFIED 42-02 MAY 30 2019



Homeowner Signature of Approval CARMELO MAGNO

Hömeowner Signature of Approval PHILIP GUILHERME

LOT 92N -MAY 30 2019 MODIFIED 42-02



BASEMENT FLOOR ELEV. 'B' (LOT 92N)


Homeowner Signature of Approval CARMELO MAGNO

Homeowner Signature of Approval PHILIP GUILHERME

New Image Kitchens Inc.
Scale: Approved by:


Date: 10/10/15 BELLE AIR SHORES, INNISFIL MODEL: 42-02 MAIN 90-100 1 - C 45cm R DOOR 100 80-76 /B50 FR LAUNDRY (OPT.) Drawn by: MGER Revised: 90-100 B120CL 80-76 MASTER ENSUITE B65 BASE PANEL 1720x900 DUMMY DOOR: 4pcs 43x7 2270


927





EDGE PROFILES (INTERSTONE / REDSTONE) ZANCOR HOMES







INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale.

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour charts

maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same. substance require immediate attention. installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled to be expected, quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are including various lighting may affect the overall finished look. Stone tops are sealed at time of Stone countertops require regular seal re-application as part of home Stone tops are sealed at time of

usually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in

be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not **CERAMIC TILES**: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor have an identical match and that there MAY be shade differences between the two products. will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to Due to the natural properties of wood, many variables can affect the overall look of the finished

upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be characteristics of cabinetry finish. all factors that may affect the overall look of the finished product. Such factors make exact colour matching includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain The type and intensity of lighting in the areas of designated cabinetry placement may also highlight cs of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

HARDWOOD / LAMINATE WAIVER:

certain areas. I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in I/We understand there is a concern due to possible water and other substances being frequently

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or flooring providing similar degrees of water resistance. other types

moisture absorbency in the mentioned areas, and agree TARION and/or the Builder in relation to the matter. I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to waive any claims against the Township of residence,
SEE COLOUR CHART FOR LOCATIONS

INNISFIL PHASE 2

101 NZ6

DATE DATE





- \blacksquare NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

STANDARD OPENINGS ACCEPTED BY PURCHASER:

Fridge **Hood Fan Opening** Dishwasher 30" 24" 30" **Space above the fridge is required due to proper air flow 36" (+/-) x 74" (+/-)

 \blacksquare ***Specs that require changes/modifications after this date will not be accepted* Appliance Specs are DUE (if not received during appointment)

2 WEEKS FROM SIGNED DATE ABOVE

Hood fan Vent

وآ

DATE **UPGRADE APPLIANCE OPENING REQUIREMENTS:** WALL OVEN & **HOOD FAN & FRIDGE** RANGE **MICRO** Under Cabinet 36" Single Oven Insert / Liner Gas 48" Chimney (centre vent) Induction Water Line Required Built-In Warming Drawer Steam Oven Double Oven Flush Inset Paneled / Integrated INNISFIL PHSAE ? 110 Inch 6 Inch _Built-in Microwave (*trim kit required) 8 Inch Over the Range Microwave Cooktop (Apron front) Cooktop (Dropin) **Cut-out charge required for cooktop N HOMEOWNER SIGNATURE 92N

stst Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. **

COLLETTE21%" RECTANGULAR UNDERMOUNT SINK

☐ 4220CIY

Undermount Sink

PRODUCT SPECS

Vitreous chinaFront overflow hole

- Template and mounting hardware

DIMENSIONS

550mm W x 350mm D x 190mm H

215%" W x 1334" D x 71/2" H

500mm W x 300mm D x 140mm H

195%" W x 11%" D x 5½" H

COMPLIANCE CERTIFICATIONS

Meets or exceeds the following: - IAPMO cUPC

- ASME A112.19.2 / CSA B45.1-2013

SHIPPING

GW


25 lbs







TO BE SPECIFIED

NOTES: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.









Buy it for looks. Buy it for life.®

There is more than 1 version of Page down to identify the versi

DESCRIPTION • Duralock™ qu

- Duralock[™] quick connect system Metal construction with various finishes identified by suffix 1/2" IPS connections
- 1/2" IPS connections

 OPERATION

 Cross and lever style handles

 Maximum handle rotation angle is 90° to full on for either handle Hot side counterclockwise to open (clockwise to close)

 Cold side clockwise to open (counterclockwise to close)

 Includes hot and cold temperature indicators

Water usage is limited to these maximum flow rates as indicated by the corresponding product markings

 1.2 gpm max (4.5L/min) at 60 psi

 CARTRIDGE

 1234TM DuralastTM cartridge

1234[™] Duralast[™] cartridge Nonmetallic, nonferrous and stainless steel material ANDARDS

- Third party certified to WaterSense, ASME A112.18.1/CSA B125.1, and all applicable requirements referenced therein Certified to NSF 61/9 & 372
 Products marked with 1.2 gpm are compliant with California water efficiency regulations
 Complies with California Proposition 65 and with the Federal Safe

- **Drinking Water Act**
- ADA 告 for lever handles

- WARRANTY
 Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
 5 year warranty if used in commercial installations




Models: T4520 series (lever handle)
T4524 series (cross handle) Two Handle Widespread Lavatory Faucet Trim

WYNFORD TO

Valve: 9000, 69000

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THRU 3 HOLES, 1-1/8" MIN. DIA.

NOTE: FOR DECK THICKNESS 1-1/2" to 3", USE SERVICE KIT #175709. VALVES INSTALL THROUGH 1-1/4" DIA. HC . HOLE.





CRITICAL DIMENSIONS

1-1/4" (32mm) MAX. DECKTHICKNESS

Specifications

Buy it for looks. Buy it for life.®

DESCRIPTION

- Metal construction with various finishes identified by suffix OPERATION
- Cross and lever style handles
 Rotate hot side handle counterclockwise to open (clockwise to close) and the cold side handle clockwise to open and (counterclockwise to close)
 STANDARDS
- Third party certified to ASME A112.18.1 / CSA B-125.1, and all applicable requirements referenced therein
- ADA 🖒 for lever handles


WARRANTY


- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser 5 year warranty if used in commercial installations

Two-Handle Roman Tub Faucet Trim **WYNFORD**TM

Models: T653 series (lever handle) T657 series (cross handle)

Valves: 4792, 4793, 4794, 4796, 4797, 4798





CRITICAL DIMENSIONS

M-pact System



00

0

Buy it for looks. Buy it for life.®

DESCRIPTION

- Various finishes identified by suffix
- Handheld shower
- 69" double interlock spiral hose (metal)
- Double check valve in handle 30" slide bar with push button height selection

OPERATION

- Single function
- Handshower holder rotates to adjust angle of handshower

FLOW

tured after June 30, 2018 are limited to 1.75 gpm (6.7 L/min) max. EP suffix models are limited to 2.0 gpm (7.6 L/min) max for products manufactured prior to June 30, 2018. EP suffix models manufac-

STANDARDS

Designed and manufactured to comply with the applicable requirements of ASME A112.18.1/CSA B-125.1, ASSE 1014 and all applicable specifications referenced therein

Single Function Handshower

with Slidebar

Weymouth™


Models: S12107EP series


WARRANTY

- the original homeowner Lifetime limited warranty against leaks, drips and finish defects to
- 10 year limited warranty when used in a multifamily installation
- 5 year limited warranty when used in a commercial installation

Visit www.moen.com/support for complete details and limitations







Specifications

Buy it for looks. Buy it for life.®

- FAUCET DESCRIPTION
 Metal construction with various finishes identified by suffix
 Includes showerhead, arm, flange and diverter spout
 OPERATION

- Handle operates counterclockwise through a 270° arc with off at 6 o'clock and maximum hot at the 9 o'clock position. Shut off in clockwise direction Adjustable temperature limit stop to control maximum hot water

- temperature innit stop to control maximum hot water emperature Pressure balancing mechanism maintains selected discharge temperature to \pm 3° **FLOW**
- Showerhead is limited to 2.5 gpm (9.5 L/min) at 80 psi
 EP suffix models are limited to 1.75 gpm (6.6 L/min) at 80 psi
 NH suffix models contain no showerhead

 CARTRIDGE

- Third party certified to meet ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein EP suffix models are third party certified to WaterSense®
- 1222 cartridge design
 Nonmetallic/nonferrous and stainless steel materials
 Accommodates back to back installations

 STANDARDS
 The design of the property of the proper

Models: T4501 series - valve only trim


T4503 series - tub/shower trim T4502 series - shower only trim WYNFORD™ POSI-TEMP® Single-Handle Tub/Shower Trim Kit


ADA 🖒 for lever handle


- WARRANTY
 Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
 5 year warranty if used in commercial installations

























3-7/16" (87mm)



M•pact System

CRITICAL DIMENSIONS

Buy it for looks. Buy it for life.®

DESCRIPTION

- **OPERATION** Metal construction with various finishes identified by suffix
- Rotational control with 180° of rotation with stops


TANDARDS

- Third party certified to ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein
- for lever handle

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser 5 year warranty if used in commercial installations


Specifications




WYNFORD™ Multi-Function Transfer **Valve Trim Kit**

Models: T4511 series

Valve: 3372 or 3375



Thin Wall Installation



M•pact™ System CRITICAL DIMENSIONS



Buy it for looks. Buy it for life.®

DESCRIPTION

- Metal spray face and shell
- Brass swivel ball assembly
- Available in various finishes identified by suffix

OPERATION

- Self pressurizing design that provides strong performance regardless of line pressure
- Two function, rain and rinse: operate lever to select

FLOW

- 2.5 gpm max. (9.5 L/min) max
- EP suffix models are limited to 2.0 gpm (7.6 L/min) max for products manufactured prior to June 30, 2018. EP suffix models manufactured after June 30, 2018 are limited to 1.75 gpm (6.7 L/min) max.


STANDARDS

Third party certified to ASME A112.18.1/CSA B125.1, and all applicable requirements referenced therein

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
- 10 year limited warranty when used in a multifamily installation
- 5 year limited warranty when used in a commercial installation
 Visit www.moen.com/support for complete details and limitations


Specifications



9" Two Function Rainshower (Showerhead Only)

Models: S1311 series





(uu62)

CRITICAL DIMENSIONS

Buy it for looks. Buy it for life.®


peci fications

- Metal construction with various finishes identified by suffix STANDARDS
 Third party certified to CSA B125, ASME A112.18.1, ANSI A117.1, ASSE 1016, and all applicable requirements referenced therein WARRANTY
 Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
 5 year warranty if used in commercial installations



Shower Arm and Flange

Model: S113 series



CRITICAL DIMENSIONS

2-1/4" (57mm)


Product Specification Sheet

BLANCO IKON 33



4	





33" Outside Bottom 32 %6" JE8 10 H 19" Outside Bottom "91% 81" "al% 81"

PRODUCT DIMENSIONS

FEATURES / SPECIFICATIONS

29 5/6"

0

- Made in Canada
- SILGRANIT® natural granite composite material Exceptional resistance to heat, scratches and impact

- Repellant material does not absorb any liquids, acids or stains Non-porous surface does not require use of any harsh chemicals Includes Hygienic+Plus surface protection formula against bacteria
- storage Rear-positioned and centred drain hole maximizes usable bowl and cabinet
- Limited Lifetime Warranty

DESIGN AND PLANNING TIPS

Cabinet Size: 36" (915 mm)
Bowl depth: 9 1/4" (235 mm)
Apron Front depth: 10" (254 mm)

Rim thickness: 1 1/2" (38 mm)

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.


Limited Lifetime warranty

Code/Standards Compliance


BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

100 Corporation Drive Brampton, ON L6S 6B5 BLANCO CANADA

© 2016 BLANCO CANADA



Specific Features:



Designate proper finish suffix

Brizo Kitchen & Bath Company reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.brizo.com for finish options and product availability.

BSP-K-63043LF Rev. A

KITCHEN **FAUCETS**

- Litze™ Collection
 Single Handle Pull-Down

FEATURES:
MagneDock® Magnetic Docking

- STANDARD SPECIFICATIONS: Maximum 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
 One hole mount

- Euro-motion ceramic cartridgeSpout rotates 360°
- Dual integral check valves in sprayerQuick connect hoses Two-function wand; Aerated stream or spray
- Hose travels inside mounting shank so it will not interfere with deck edges

WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes: or, for commercial users, for 5 years from date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or, for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
 ASME A112.18.6
 Indicates compliance to ICC/ANSI A117.1
 Verified compliant with .25% weighted average Pb content regulations.

RP71451▲ Models compatible with optional three-hole escutcheon (not included)



Brizo Kitchen & Bath Company Indianapolis, Indiana 46280 A Division of Masco Corporation of Indiana © 2017 Brizo Kitchen & Bath Company



ERA DESIGN - NATURAL OIL

HARD MAPLE
Hardwood Floor

MANUFACTURING TYPE



GRADES



COLORS*



- * Colors on screen may differ from actual color.
- * stains are available on all grades except colonial

SIMES: COLOUK

COLOR

Byzantine

GRADE

Excel